

**TRUWIN**  
CATERING EQUIPMENT



# TRUWIN

WESTERN KITCHEN EQUIPMENT

厨闻西厨设备

广州厨闻食品机械有限公司

Guangzhou truwin food machinery co., ltd





## 广州厨闻西厨设备有限公司

广州厨闻食品机械有限公司成立于2006年,位于广州市番禺区,是一家专业生产商用厨房设备(西餐设备)的生产厂家,生产规模庞大,生产品种齐全,并专注于研发,设计,生产,销售及服务为一体的专业生产加工基地。专业生产不同类型的电热,燃气(管道天然气)商用厨房设备(西餐设备)和小吃设备,如:立式和台式各种规格的烹饪设备,煲仔炉,炸炉,火山石烧烤炉,扒炉,压板扒炉,华夫炉(松饼机),意粉炉,中东烧烤炉,烤鸡炉,保温餐车(保温柜),班戟炉,棉花糖机等等。我们的产品广泛用于星级酒店,宾馆,中西餐厅,学校,俱乐部,快餐连锁,酒吧,超市,医院厨房等等。

优秀的质量和服务,让我们在客户中树立了良好的口碑。所有的生产过程,包括,激光切割(开料),数控折弯机(折弯),高水平焊接技术,流水线组装车间,完善的检测测试,国际标准的包装等,都是由我们自己完成的,所以我们可以从源头控制产品质量。目前我们大部分产品都有CE认证。如今我们的品牌CAMBON被列入为中国最出名的品牌之一。强有力的研发团队,每年都能研发很多新品,先进的技术及管理完善的经验,可以根据客户要求定制不同的常规产品及非标产品,这能让我们的客户在目前激烈的竞争中拥有一个很好的优势。我们也支持OEM贴牌。

**品质第一,顾客至上是我们的服务宗旨,客户的满意是我们的使命和责任。欢迎各位新老顾客随时莅临我们工厂参观和指导,我们期待与您开创双赢的合作,共创美好未来!**

Guangzhou Truwin Kitchen Equipment Co.,ltd founded in 2006 and located in Panyu District Guangzhou Guangdong China, is a professional manufacturer of commercial kitchen equipments(Western food equipment). We focus on development, design, production and sale of different commercial kitchen equipments and snack equipments, such as counter top and vertical Cooking Equipments, Burner Ranges, Fryers, Lava Rock Grills, Griddles, Contact Grill, Waffle Baker, Pasta Cookers, Shawarma Machine, Rotisserie, Warmer Cabinets, Crepe Makers, Cotton Candy Machines and so on. Our products are widely used in Stars Hotels, Chinese and Western Restaurants, Schools, Clubs, Fast Food Chain Restaurants, Bar, Supermarket, Hospital kitchens etc. Thanks to excellent quality and good service, we obtain good reputation from customers. The whole production process, including the laser cutting, CNC bending, high level welding technology, assembly workshop, perfect testing method, international standard package are all finished by ourselves, so we can control the product quality from the source. Currently, most of our products have the CE certificates, and our brand CAMBON is listed in one of the most famous brand in China. With strong and experienced development team, we develop a lot of new products each year. Because of advanced technology and perfect management experience, we can produce customized products according to the requirements from customers, which provide a good advantage to customers under current fierce competition situation. OEM and ODM orders are welcome, if you require your own brand or your unique style products. We will be your best choice!

"Quality first, Customer foremost" is our service purpose. Customer's satisfaction is our mission and responsibility. Welcome to visit our factory any time! Hope we can start a win-win cooperation and build a bright future together soon!





[illegible]

# CONTENTS 目录



**万能蒸烤箱** 07-08  
Universal Steam Oven Series



**立式豪华组合炉系列** 09-27  
Vertical Luxury Furnace Series



**台式组合炉系列** 28-32  
Desktop Furnace Series



**美款台式煲仔炉、扒炉** 33-34  
**火山石烧烤炉**  
American Desktop Burner, Griddle, Grill



**台湾炸炉、电炸炉、燃气炸炉、**  
**电脑版升降式炸炉** 35-45  
Taiwan Fryer, Electric Fryer, Gas Fryer,  
Computer Control Lift Fryer



**电扒炉、燃气扒炉系列** 46-53  
Electric Griddle, Gas Griddle Series



**华夫炉、雪糕皮机** 54-70  
Waffle Machine, Ice Cream Cone Maker



**班戟炉、鱼丸炉、压板扒炉** 71-75  
Crepe Maker, Takoyaki Maker,  
Contact Grill



**棉花糖机，爆米花机** 76-76  
Cotton Candy Machine, Popcorn Machine



**中东烤肉炉，烧烤炉** 77-80  
Shawarma Machine, Barbecue Grill



**升降式面火炉** 80-81  
Lift Salamander



# CONTENTS 目录

|                                                                                     |                                                            |         |
|-------------------------------------------------------------------------------------|------------------------------------------------------------|---------|
|    | <b>立式、卧式烤鸡炉</b><br>Vertical, Horizontal Rotisserie         | 82-83   |
|    | <b>热风循环烤箱炉 (热风炉)</b><br>Perspective Convection Oven        | 84-87   |
|    | <b>披萨烤箱、链式披萨炉</b><br>Pizza Oven, Conveyor Pizza Oven       | 88-92   |
|    | <b>多士炉、链式多士炉</b><br>Slice Toaster, Conveyor Toaster        | 93-93   |
|   | <b>煮面炉、升降式煮面炉</b><br>Pasta Cooker, Lift Pasta Cooker       | 94-95   |
|  | <b>保温柜、保温餐车</b><br>Warming Steamer, Food Warmer Cabinet    | 96-98   |
|  | <b>蒸包机、暖碟车</b><br>Steam Chartered Plane, Plate Warmer Cart | 99-99   |
|  | <b>保温汤池</b><br>Electric Bain Marie                         | 100-101 |
|  | <b>西式快餐设备</b><br>Western Fast Food Equipment               | 102-105 |
|  | <b>杂厨设备</b><br>Western Kitchen Equipment                   | 106-106 |

# Universal Steam Oven Series

## 万能蒸烤箱

全不锈钢结构，内腔拉伸圆角设计、无死角、易清洗。

All stainless steel body, oven chamber stretched by round corner, easy to cleaning.



### ZH-4-AC

#### 四层万能蒸烤箱

4 Layer Universal Steam Oven

|                       |               |
|-----------------------|---------------|
| 规格Size                | 570x600x500mm |
| 内腔尺寸Inner size        | 350x310x340mm |
| 功率Power supply output | 3.5+2.9kw     |
| 电压Voltage             | 220V          |
| 包装尺寸Package size      | 620x700x600mm |
| 净重N.W                 | 31kg          |
| 毛重G.W                 | 42kg          |



### ZH-4-MP

#### 四层电脑版万能蒸烤箱

4 Layer Computer Panel Universal Steam Oven

|                       |               |
|-----------------------|---------------|
| 规格Size                | 570x600x500mm |
| 内腔尺寸Inner size        | 350x310x340mm |
| 功率Power supply output | 3.5+2.9kw     |
| 电压Voltage             | 220V          |
| 包装尺寸Package size      | 620x700x600mm |
| 净重N.W                 | 31kg          |
| 毛重G.W                 | 42kg          |



### KB-DD-10

#### 万能蒸烤箱层架

Layer stand of Universal Steam Oven

|                |               |
|----------------|---------------|
| 规格Size         | 850x805x650mm |
| 层数Layer number | 10            |
| 净重N.W          | 32.5kg        |





**ZH-61-MP**

**六层万能蒸烤箱**

6 Layer Universal Steam Oven

|                       |                         |
|-----------------------|-------------------------|
| 规格Size                | 850x770x785mm           |
| 容量Capacity            | 6*1/1 GN                |
| 每天烹制份数output          | 30-80                   |
| 纵向差槽Pan size          | 1/1,1/2,2/3,1/3,2/8 ,GN |
| 功率Power supply output | 10+9kw                  |
| 电压Voltage             | 380V                    |
| 包装尺寸Package size      | 930x845x900mm           |
| 净重N.W                 | 146kg                   |
| 毛重G.W                 | 174kg                   |



**ZH-10-MP**

**十层万能蒸烤箱**

10 Layer Universal Steam Oven

|                       |                         |
|-----------------------|-------------------------|
| 规格Size                | 850x770x1060mm          |
| 容量Capacity            | 10*1/1 GN               |
| 每天烹制份数output          | 80-150                  |
| 纵向差槽Pan size          | 1/1,1/2,2/3,1/3,2/8 ,GN |
| 功率Power supply output | 18+18kw                 |
| 电压Voltage             | 380V 3N~                |
| 包装尺寸Package size      | 930x845x1100mm          |
| 净重N.W                 | 217kg                   |
| 毛重G.W                 | 249kg                   |



自动清洗Auto cleaning

**ZH-61-CMP**

**六层万能蒸烤箱**

6 Layer Universal Steam Oven

|                       |                         |
|-----------------------|-------------------------|
| 规格Size                | 850x770x785mm           |
| 清洗功能Cleaning          | 自动清洗Auto                |
| 容量Capacity            | 6*1/1 GN                |
| 每天烹制份数output          | 30-80                   |
| 纵向差槽Pan size          | 1/1,1/2,2/3,1/3,2/8 ,GN |
| 功率Power supply output | 10+9kw                  |
| 电压Voltage             | 380V 3N~                |
| 包装尺寸Package size      | 930x845x900mm           |
| 净重N.W                 | 146kg                   |
| 毛重G.W                 | 174kg                   |



自动清洗Auto cleaning

**ZH-10-CMP**

**十层万能蒸烤箱**

10 Layer Universal Steam Oven

|                       |                         |
|-----------------------|-------------------------|
| 规格Size                | 850x770x1060mm          |
| 清洗功能Cleaning          | 自动清洗Auto                |
| 容量Capacity            | 10*1/1 GN               |
| 每天烹制份数output          | 80-150                  |
| 纵向差槽Pan size          | 1/1,1/2,2/3,1/3,2/8 ,GN |
| 功率Power supply output | 18+18kw                 |
| 电压Voltage             | 380V 3N~                |
| 包装尺寸Package size      | 930x845x1100mm          |
| 净重N.W                 | 217kg                   |
| 毛重G.W                 | 249kg                   |



自动清洗Auto cleaning

**ZH-61-AC**

**六层电脑版万能蒸烤箱**

6 Layer Computer Board Control Universal Steam Oven

|                       |                         |
|-----------------------|-------------------------|
| 规格Size                | 850x770x785mm           |
| 清洗功能Cleaning          | 自动清洗Auto                |
| 容量Capacity            | 6*1/1 GN                |
| 每天烹制份数output          | 30-80                   |
| 纵向差槽Pan size          | 1/1,1/2,2/3,1/3,2/8 ,GN |
| 功率Power supply output | 10+9kw                  |
| 电压Voltage             | 380V 3N~                |
| 包装尺寸Package size      | 930x845x900mm           |
| 净重N.W                 | 146kg                   |
| 毛重G.W                 | 174kg                   |



自动清洗Auto cleaning

**ZH-10-AC**

**十层电脑版万能蒸烤箱**

10 Layer Computer Board Control Universal Steam Oven


|                       |                         |
|-----------------------|-------------------------|
| 规格Size                | 850x770x1060mm          |
| 清洗功能Cleaning          | 自动清洗Auto                |
| 容量Capacity            | 10*1/1 GN               |
| 每天烹制份数output          | 80-150                  |
| 纵向差槽Pan size          | 1/1,1/2,2/3,1/3,2/8 ,GN |
| 功率Power supply output | 18+18kw                 |
| 电压Voltage             | 380V 3N~                |
| 包装尺寸Package size      | 930x845x1100mm          |
| 净重N.W                 | 217kg                   |
| 毛重G.W                 | 249kg                   |

# Luxury Furnace

## 立式豪华组合炉系列

豪华外观设计, 优质不锈钢制造, 安全合理的结构设计, 使产品安全耐用。

Deluxe design, high quality stainless steel manufacturing, safe and reasonable structure design, make the product safe and durable.







**ZH-RS-4H ZH-TQ-4H**

Gas Range 4 Burner Stove & Lava Rock Grill With Oven  
900/700燃气四头煲仔炉+火山石烧烤炉连焗炉



**ZH-RS-4G ZH-TQ-4G**

Gas range 4 Burner Stove & Griddle With Oven  
900/700燃气四头煲仔炉+扒炉连焗炉



| 型号       | 外形尺寸mm            | 焗炉内腔尺寸mm                   | 液化气<br>LPG/2800Pa          | 天然气<br>NG/2000Pa           | 功率KW<br>Power supply |                    | 入气孔规格          | 包装尺寸mm         | 净重/KG  | 毛重/KG  |
|----------|-------------------|----------------------------|----------------------------|----------------------------|----------------------|--------------------|----------------|----------------|--------|--------|
| Model    | Overall dimension | Internal Dimension of oven | 耗气量Kg/h<br>Gas consumption | 耗气量Kg/h<br>Gas consumption | 液化气<br>LPG           | 天然气<br>NG          | Gas Connection | Package Size   | N.W    | G.W    |
| ZH-RS-4H | 1200x900x(850+70) | 568x590x270                | 3.95                       | 5.66                       | 5x4+10+5.8=35.8      | 7.75x4+10+5.8=46.8 | R1 3/4         | 1290x1030x1120 | 198.00 | 284.00 |
| ZH-RS-4G | 1200x900x(850+70) | 568x590x270                | 3.95                       | 5.66                       | 5x4+10+5.8=35.8      | 7.75x4+10+5.8=46.8 | R1 3/4         | 1290x1030x1120 | 192.00 | 278.00 |
| ZH-TQ-4H | 1050x700x(850+70) | 568x590x270                | 3.95                       | 5.66                       | 5x4+10+5.8=35.8      | 7.75x4+10+5.8=46.8 | R1 3/4         | 1140x830x1120  | 185.00 | 241.00 |
| ZH-TQ-4G | 1050x700x(850+70) | 568x590x270                | 3.95                       | 5.66                       | 5x4+10+5.8=35.8      | 7.75x4+10+5.8=46.8 | R1 3/4         | 1140x830x1120  | 181.00 | 237.00 |

**ZH-RS-6 ZH-TQ-6**

Gas Range 6 Burner Range With Oven  
900/700燃气六头煲仔炉连焗炉



**ZH-RS-6A ZH-TQ-6A**

Gas 6 Burner Range With Cabinet  
900/700燃气六头煲仔炉连柜座



| 型号       | 外形尺寸mm            | 焗炉内腔尺寸mm                   | 液化气<br>LPG/2800Pa          | 天然气<br>NG/2000Pa           | 功率KW<br>Power supply |                 | 入气孔规格          | 包装尺寸mm         | 净重/KG  | 毛重/KG  |
|----------|-------------------|----------------------------|----------------------------|----------------------------|----------------------|-----------------|----------------|----------------|--------|--------|
| Model    | Overall dimension | Internal Dimension of oven | 耗气量Kg/h<br>Gas consumption | 耗气量Kg/h<br>Gas consumption | 液化气<br>LPG           | 天然气<br>NG       | Gas Connection | Package Size   | N.W    | G.W    |
| ZH-RS-6  | 1200x900x(850+70) | 568x590x270                | 3.55                       | 5.26                       | 5x6+5.8=35.8         | 7.75x6+5.8=52.3 | R1 3/4         | 1290x1030x1120 | 176.00 | 262.00 |
| ZH-RS-6A | 1200x900x(850+70) | —                          | 3.34                       | 4.66                       | 5x6=30               | 7.75x6=46.5     | R1 3/4         | 1290x1030x1120 | 148.00 | 234.00 |
| ZH-TQ-6  | 1050x700x(850+70) | 568x590x270                | 3.55                       | 5.26                       | 5x4+5.8=35.8         | 7.75x6+5.8=52.3 | R1 3/4         | 1140x830x1120  | 155.00 | 211.00 |
| ZH-TQ-6A | 1050x700x(850+70) | —                          | 3.34                       | 4.66                       | 5x6=30               | 7.75x6=46.5     | R1 3/4         | 1140x830x1120  | 127.00 | 183.00 |

# LUXURY FURNACE

## 立式豪华组合炉系列

ZH-RS-6E ZH-TQ-6E

Gas 6 Burner Range With Electric Oven  
900/700燃气六头煲仔炉连电焗炉



ZH-RS-4E ZH-TQ-4E

Gas 4 Burner Range With Electric Oven  
900/700燃气四头煲仔炉连电焗炉



| 型号       | 外形尺寸mm            | 焗炉内腔尺寸mm                      | 液化气<br>LPG/2800Pa             | 天然气<br>NG/2000Pa              | 功率KW<br>Power supply |             |             | 入气孔规格             | 包装尺寸mm         | 净重/KG  | 毛重/KG  |
|----------|-------------------|-------------------------------|-------------------------------|-------------------------------|----------------------|-------------|-------------|-------------------|----------------|--------|--------|
| Model    | Overall dimension | Internal Dimension<br>of oven | 耗气量Kg/h<br>Gas<br>consumption | 耗气量Kg/h<br>Gas<br>consumption | 液化气<br>LPG           | 天然气<br>NG   |             | Gas<br>Connection | Package Size   | N.W    | G.W    |
| ZH-RS-6E | 1200x900x(850+70) | 568x590x270                   | 3.55                          | 5.26                          | 5x6=30               | 7.75x6=46.5 | 380/50-60Hz | R1 3/4            | 1290x1030x1120 | 175.00 | 261.00 |
| ZH-TQ-6E | 1050x700x(850+70) | 568x590x270                   | 3.34                          | 4.66                          | 5x6=30               | 7.75x6=46.5 | 380/50-60Hz | R1 3/4            | 1140x830x1120  | 155.00 | 211.00 |
| ZH-RS-4E | 800x900x(850+70)  | 568x590x270                   | 4.15                          | 5.85                          | 5x4=20               | 7.75x4=31   | 380/50-60Hz | R1 3/4            | 1020*880*1120  | 120.00 | 186.00 |
| ZH-TQ-4E | 700x700x(850+70)  | 568x590x270                   | 2.4                           | 3.49                          | 5x4=20               | 7.75x4=31   | 380/50-60Hz | R1 3/4            | 830*730*1120   | 105.00 | 151.00 |

ZH-RS-4 ZH-TQ-4

Gas 4 Burner Range With Oven  
900/700燃气四头煲仔炉连焗炉



ZH-RS-4A ZH-TQ-4A

Gas 6 Burner Range With Cabinet  
900/700燃气六头煲仔炉连柜座



|          |                   |                            | 液化气<br>LPG/2800Pa          | 天然气<br>NG/2000Pa           | 功率KW<br>Power supply |                 | 入气孔规格          | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|----------|-------------------|----------------------------|----------------------------|----------------------------|----------------------|-----------------|----------------|---------------|--------|--------|
| Model    | Overall dimension | Internal Dimension of oven | 耗气量Kg/h<br>Gas consumption | 耗气量Kg/h<br>Gas consumption | 液化气<br>LPG           | 天然气<br>NG       | Gas Connection | Package Size  | N.W    | G.W    |
| ZH-RS-4  | 800x900x(850+70)  | 568x590x270                | 2.15                       | 3.89                       | 5x4+5.8=25.8         | 7.75x4+5.8=36.8 | R1 3/4         | 1020x880x1120 | 121.00 | 187.00 |
| ZH-RS-4A | 800x900x(850+70)  | —                          | 2.06                       | 3.07                       | 5x4=20               | 7.75x4=31       | R1 3/4         | 1020x880x1120 | 93.00  | 159.00 |
| ZH-TQ-4  | 700x700x(850+70)  | 568x590x270                | 2.15                       | 3.89                       | 5x4+5.8=25.8         | 7.75x4+5.8=36.8 | R1 3/4         | 830x780x1120  | 106.00 | 152.00 |
| ZH-TQ-4A | 700x700x(850+70)  | —                          | 2.06                       | 3.07                       | 5x4=20               | 7.75x4=31       | R1 3/4         | 830x780x1120  | 81.00  | 127.00 |





**ZH-RA-6 ZH-TA-6**

Gas 6 Burner Range With Oven (European burner)  
900/700燃气六头煲仔炉连焗炉 (欧式炉头)



**ZH-RA-6A ZH-TA-6A**

Gas 6 Burner Range With Cabinet (European burner)  
900/700燃气六头煲仔炉连柜座 (欧式炉头)



| 型号       | 外形尺寸mm            | 焗炉内腔尺寸mm                   | 液化气<br>LPG/2800Pa          | 天然气<br>NG/2000Pa           | 功率KW<br>Power supply |                   | 入气孔规格          | 包装尺寸mm         | 净重/KG  | 毛重/KG  |
|----------|-------------------|----------------------------|----------------------------|----------------------------|----------------------|-------------------|----------------|----------------|--------|--------|
| Model    | Overall dimension | Internal Dimension of oven | 耗气量Kg/h<br>Gas consumption | 耗气量Kg/h<br>Gas consumption | 液化气<br>LPG           | 天然气<br>NG         | Gas Connection | Package Size   | N.W    | G.W    |
| ZH-RA-6  | 1200x900x(850+70) | 568x590x270                | 4.15                       | 5.85                       | 5.6x3+9x3+5.8=49.6   | 7.75x3+9x3+5.8=56 | R1 3/4         | 1290x1030x1120 | 178.00 | 264.00 |
| ZH-RA-6A | 1200x900x(850+70) | —                          | 2.4                        | 3.49                       | 5.6x3+9x3=43.8       | 7.75x3+9x3=50.3   | R1 3/4         | 1290x1030x1120 | 151.00 | 237.00 |
| ZH-TA-6  | 1050x700x(850+70) | 568x590x270                | 4.15                       | 5.85                       | 5.6x3+9x3+5.8=49.6   | 7.75x3+9x3+5.8=56 | R1 3/4         | 1140x830x1120  | 158.00 | 214.00 |
| ZH-TA-6A | 1050x700x(850+70) | —                          | 2.4                        | 3.49                       | 5.6x3+9x3=43.8       | 7.75x3+9x3=50.3   | R1 3/4         | 1140x830x1120  | 131.00 | 187.00 |

**ZH-RA-4 ZH-TA-4**

Gas 4 Burner Range With Oven (European Burner)  
900/700燃气四头煲仔炉连焗炉 (欧式炉头)



**ZH-RA-4A ZH-TA-4A**

Gas 4 Burner Range With Cabinet (European Furnace Head)  
900/700燃气四头煲仔炉连柜座 (欧式炉头)



| 型号       | 外形尺寸mm            | 焗炉内腔尺寸mm                   | 液化气<br>LPG/2800Pa          | 天然气<br>NG/2000Pa           | 功率KW<br>Power supply |                      | 入气孔规格          | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|----------|-------------------|----------------------------|----------------------------|----------------------------|----------------------|----------------------|----------------|---------------|--------|--------|
| Model    | Overall dimension | Internal Dimension of oven | 耗气量Kg/h<br>Gas consumption | 耗气量Kg/h<br>Gas consumption | 液化气<br>LPG           | 天然气<br>NG            | Gas Connection | Package Size  | N.W    | G.W    |
| ZH-RA-4  | 800x900x(850+70)  | 568x590x270                | 2.93                       | 4.1                        | 5.6x2+9x2+5.8=35     | 7.75x2+9x2+5.83=39.3 | R1 3/4         | 1020x880x1120 | 123.00 | 189.00 |
| ZH-RA-4A | 800x900x(850+70)  | —                          | 1.73                       | 2.33                       | 5.6x2+9x2=29.2       | 7.75x2+9x2=33.5      | R1 3/4         | 1020x880x1120 | 95.00  | 161.00 |
| ZH-TA-4  | 700x700x(850+70)  | 568x590x270                | 2.93                       | 4.1                        | 5.6x2+9x2+5.8=35     | 7.75x2+9x2+5.83=39.3 | R1 3/4         | 830*780*1120  | 108.00 | 154.00 |
| ZH-TA-4A | 700x700x(850+70)  | —                          | 1.73                       | 2.33                       | 5.6x2+9x2=29.2       | 7.75x2+9x2=33.5      | R1 3/4         | 830*780*1120  | 83.00  | 129.00 |

# LUXURY FURNACE

## 立式豪华组合炉系列

### ZH-RS-2A

Gas 2 Burner Range With Cabinet  
900燃气二头煲仔炉连柜座



### ZH-TQ-2A

Gas 2 Burner Range With Cabinet  
700口 气二头煲仔炉连柜座



| 型号       | 外形尺寸mm            | 焗炉内腔尺寸mm                   | 液化气<br>LPG/2800Pa          | 天然气<br>NG/2000Pa           | 功率KW<br>Power supply |             | 入气孔规格          | 包装尺寸mm        | 净重/KG   | 毛重/KG   |
|----------|-------------------|----------------------------|----------------------------|----------------------------|----------------------|-------------|----------------|---------------|---------|---------|
| Model    | Overall dimension | Internal Dimension of oven | 耗气量Kg/h<br>Gas consumption | 耗气量Kg/h<br>Gas consumption | 液化气<br>LPG           | 天然气<br>NG   | Gas Connection | Package Size  | N.W     | G.W     |
| ZH-RS-2A | 400x900x(850+70)  | —                          | 1.03                       | 1.535                      | 5x2=10               | 7.75x2=15.5 | R1 3/4         | 480x1020x1120 | 52.00   | 88.00   |
| ZH-TQ-2A | 360x700x(850+70)  | —                          | 1.03                       | 1.535                      | 5x2=10               | 7.75x2=15.5 | R1 3/4         | 430x820x1120  | 45.3.00 | 75.3.00 |

### ZH-RU-4 ZH-TU-4

Electric 4 Hot Plate Cooker With Oven(Round)  
900/700四头煮食炉连电焗炉 (圆头)



### ZH-RU-4A ZH-TU-4A

Electric 4 Hot Plate Cooker With cabinet(Round)  
900/700四头煮食炉连柜座 (圆头)



| 型号       | 外形尺寸mm            | 焗炉内腔尺寸mm                   | 炉板尺寸mm                 | 功率KW                | 电压<br>/频率          | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|----------|-------------------|----------------------------|------------------------|---------------------|--------------------|---------------|--------|--------|
| Model    | Overall dimension | Internal Dimension of oven | Cooking Plate Size     | Power Supply Output | Voltage /Frequency | Package Size  | N.W    | G.W    |
| ZH-RU-4  | 800x900x(850+70)  | 568x590x270                | φ220x2pcs<br>φ180x2pcs | 2.6x2+2x2+5=14.2    | 380V/50-60Hz       | 1020x880x1120 | 108.00 | 174.00 |
| ZH-RU-4A | 800x900x(850+70)  | —                          | φ220x2pcs<br>φ180x2pcs | 2.6x2+2x2=9.2       | 380V/50-60Hz       | 1020x880x1120 | 83.00  | 149.00 |
| ZH-TU-4  | 700x700x(850+70)  | 568x590x270                | φ220x2pcs<br>φ180x2pcs | 2.6x2+2x2+5=14.2    | 380V/50-60Hz       | 830x780x1120  | 84.00  | 130.00 |
| ZH-TU-4A | 700x700x(850+70)  | —                          | φ220x2pcs<br>φ180x2pcs | 2.6x2+2x2=9.2       | 380V/50-60Hz       | 830x780x1120  | 69.00  | 115.00 |





**ZH-RPE-4 ZH-TPE-4**

Electric 4 Ceramic Hob with Electric Oven  
900/700电四头光波炉连电焗炉



**ZH-RPE-4A ZH-TPE-4A**

Electric 4 Ceramic Hob With Cabinet  
900/700电四头光波炉连柜座



| 型号        | 外形尺寸mm            | 焗炉内腔尺寸mm                   | 功率KW                | 电压V/频率            | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|-----------|-------------------|----------------------------|---------------------|-------------------|---------------|--------|--------|
| Model     | Overall dimension | Internal Dimension of oven | Power Supply Output | Voltage/Frequency | Package Size  | N.W    | G.W    |
| ZH-RPE-4  | 800x900x(850+70)  | 568x590x270                | 1.8x4+5=12.2        | 380/50-60Hz       | 1020x880x1120 | 109.00 | 175.00 |
| ZH-RPE-4A | 800x900x(850+70)  | —                          | 1.8*4=7.2           | 380/50-60Hz       | 1020x880x1120 | 81.00  | 147.00 |
| ZH-TPE-4  | 700x700x(850+70)  | 568x590x270                | 1.8x4+5=12.2        | 380/50-60Hz       | 830x780x1120  | 94.00  | 140.00 |
| ZH-TPE-4A | 700x700x(850+70)  | —                          | 1.8*4=7.2           | 380/50-60Hz       | 830x780x1120  | 74.00  | 120.00 |

**ZH-DC-4A**

4 Head Induction Cooker  
四头电磁炉连柜座



**ZH-DC-2A**

2 Head Induction Cooker  
二头电磁炉连柜座



| 型号       | 外形尺寸mm            | 焗炉内腔尺寸mm                   | 功率KW                | 电压V/频率            | 包装尺寸mm        | 净重/KG | 毛重/KG |
|----------|-------------------|----------------------------|---------------------|-------------------|---------------|-------|-------|
| Model    | Overall dimension | Internal Dimension of oven | Power Supply Output | Voltage/Frequency | Package Size  | N.W   | G.W   |
| ZH-DC-4A | 800x900x(850+70)  | —                          | 3.5kwx4             | 380V/50-60Hz      | 1020x880x1120 | 80.00 | 98.00 |
| ZH-DC-2A | 400x900x(850+70)  | —                          | 3.5kwx2             | 380V/50-60Hz      | 480x1020x1120 | 40.00 | 53.00 |

# LUXURY FURNACE

## 立式豪华组合炉系列

### ZH-TT-6

Electric 6 Hot Plate Cooker With Oven( Square)  
900六头煮食炉连电焗炉 (方头)



### ZH-TT-6A

Electric 6 Hot Plate Cooker With Cabinet( Square)  
900六头煮食炉连柜座 (方头)



| 型号       | 外形尺寸mm            | 焗炉内腔尺寸mm                   | 炉板尺寸mm             | 功率KW                | 电压V/频率             | 包装尺寸mm         | 净重/KG  | 毛重/KG  |
|----------|-------------------|----------------------------|--------------------|---------------------|--------------------|----------------|--------|--------|
| Model    | Overall dimension | Internal Dimension of oven | Cooking Plate Size | Power Supply Output | Voltage /Frequency | Package Size   | N.W    | G.W    |
| ZH-TT-6  | 1200x900x(850+70) | 568x590x270                | 300x300            | 4x6+5=29            | 380V/50-60Hz       | 1290x1030x1120 | 179.00 | 265.00 |
| ZH-TT-6A | 1200x900x(850+70) | —                          | 300x300            | 4x6=24              | 380V/50-60Hz       | 1020x880x1120  | 151.00 | 237.00 |

### ZH-TT-4

Electric 4 Hot Plate Cooker With Oven( Square)  
900四头煮食炉连电焗炉 (方头)



### ZH-TT-4A

Electric 4 Hot Plate Cooker With Cabinet( Square)  
900四头煮食炉连柜座 (方头)



| 型号       | 外形尺寸mm            | 焗炉内腔尺寸mm                   | 炉板尺寸mm             | 功率KW                | 电压V/频率             | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|----------|-------------------|----------------------------|--------------------|---------------------|--------------------|---------------|--------|--------|
| Model    | Overall dimension | Internal Dimension of oven | Cooking Plate Size | Power Supply Output | Voltage /Frequency | Package Size  | N.W    | G.W    |
| ZH-TT-4  | 800x900x(850+70)  | 568x590x270                | 300x300            | 4x4+5=21            | 380V/50-60Hz       | 1020x880x1120 | 139.00 | 205.00 |
| ZH-TT-4A | 800x900x(850+70)  | —                          | 300x300            | 4x4=16              | 380V/50-60Hz       | 1020x880x1120 | 114.00 | 180.00 |





### ZH-RG-872

Solid Top 3 Plate With Oven  
煮食炉连焗炉



### ZH-RG-872A

Solid Top 3 Plate With Cabinet  
煮食炉连柜座



| 型号         | 外形尺寸mm            | 焗炉内腔尺寸mm                      | 炉板尺寸mm                | 功率KW                | 电压V<br>/频率            | 包装尺寸mm         | 净重/KG  | 毛重/KG  |
|------------|-------------------|-------------------------------|-----------------------|---------------------|-----------------------|----------------|--------|--------|
| Model      | Overall dimension | Internal Dimension<br>of oven | Cooking Plate<br>Size | Power Supply Output | Voltage<br>/Frequency | Package Size   | N.W    | G.W    |
| ZH-RG-872  | 1200x900x1000     | 900x670x390                   | 655x372*3             | 4x6+5=29            | 380V/50-60Hz          | 1320x1100x1150 | 179.00 | 265.00 |
| ZH-RG-872A | 1200x900x1000     | —                             | 655x372*3             | 4x6=24              | 380V/50-60Hz          | 1320x1100x1150 | 151.00 | 237.00 |

### ZH-NF-600

135L Electric Indirect Jacketed Boiling Pan  
135L夹层汤锅



### ZH-NF-600H

225L Electric Indirect Jacketed Boiling Pan  
225L夹层汤锅



| 型号         | 外形尺寸mm            | 缸体尺寸mm/缸体容量L           | 功率KW                | 电压V<br>/频率            | 包装尺寸mm         | 净重/KG | 毛重/KG |
|------------|-------------------|------------------------|---------------------|-----------------------|----------------|-------|-------|
| Model      | Overall dimension | Oil Tank Size/Capacity | Power Supply Output | Voltage<br>/Frequency | Package Size   | N.W   | G.W   |
| ZH-NF-600  | 1175x1000x770     | 135L                   | 18                  | 380V/50-60Hz          | 1020x1100x890  | 150   | 170   |
| ZH-NF-600H | 1175x1000x970     | 225L                   | 18                  | 380V/50-60Hz          | 1020x1100x1190 | 170   | 190   |

# LUXURY FURNACE

## 立式豪华组合炉系列

### ZH-RO

Gas Indirect Jacket Boiling Pan  
900燃气夹层汤锅



### ZH-TO

Gas Indirect Jacket Boiling Pan  
700燃气夹层汤锅



| 型号    | 外形尺寸mm            | 缸体尺寸mm/容量L         | 液化气<br>LPG/2800Pa<br>耗气量Kg/h<br>Gas<br>consumption | 天然气<br>NG/2000Pa<br>耗气量Kg/h<br>Gas<br>consumption | 功率KW<br>Power supply |           | 入气孔规格             | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|-------|-------------------|--------------------|----------------------------------------------------|---------------------------------------------------|----------------------|-----------|-------------------|---------------|--------|--------|
| Model | Overall dimension | Tank size/Capacity | 耗气量Kg/h<br>Gas<br>consumption                      | 耗气量Kg/h<br>Gas<br>consumption                     | 液化气<br>LPG           | 天然气<br>NG | Gas<br>Connection | Package Size  | N.W    | G.W    |
| ZH-RO | 800x900x(850+70)  | Φ600x500 / 100-150 | 1.78                                               | 2.6                                               | 25                   | 25        | R1 3/4            | 1040x910x1130 | 130.00 | 196.00 |
| ZH-TO | 700x700x(850+70)  | Φ480x500 / 60      | 1.16                                               | 1.66                                              | 16                   | 16        | R1 3/4            | 830x780x1130  | 108.00 | 154.00 |

### ZH-ROE

Electric Indirect Jacketed Boiling Pan  
900电夹层汤锅



### ZH-TOE

Electric Indirect Jacketed Boiling Pan  
700电夹层汤锅



| 型号     | 外形尺寸mm            | 缸体尺寸mm/缸体容量L           | 功率KW                | 电压V<br>/频率            | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|--------|-------------------|------------------------|---------------------|-----------------------|---------------|--------|--------|
| Model  | Overall dimension | Oil Tank Size/Capacity | Power Supply Output | Voltage<br>/Frequency | Package Size  | N.W    | G.W    |
| ZH-ROE | 800x900x(850+70)  | Φ600x500 / 100-150     | 18                  | 380V/50-60Hz          | 1040x910x1130 | 130.00 | 196.00 |
| ZH-TOE | 700x700x(850+70)  | Φ480x500 / 60          | 12                  | 380V/50-60Hz          | 830x780x1130  | 106.00 | 160.00 |





**ZH-RS ZH-TS**

Gas Tilting Brasing Pan  
700/900燃气可倾式炒锅



**ZH-RSE ZH-TSE**

Electric Tilting Brasing Pan  
700/900电可倾式炒锅



| 型号     | 外形尺寸mm            | 容量L      | 液化气<br>LPG/2800Pa          | 天然气<br>NG/2000Pa           | 功率KW<br>Power supply |           | 入气孔规格          | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|--------|-------------------|----------|----------------------------|----------------------------|----------------------|-----------|----------------|---------------|--------|--------|
| Model  | Overall dimension | Capacity | 耗气量Kg/h<br>Gas consumption | 耗气量Kg/h<br>Gas consumption | 液化气<br>LPG           | 天然气<br>NG | Gas Connection | Package Size  | N.W    | G.W    |
| ZH-RS  | 800x900x(850+70)  | 80       | 1.76                       | 2.2                        | 24                   | 24        | R13/4          | 1020x880x1120 | 143.00 | 209.00 |
| ZH-TS  | 800x700x(850+70)  | 60       | 1.31                       | 1.7                        | 18                   | 18        | R13/4          | 1020x880x1120 | 128.00 | 174.00 |
| ZH-RSE | 800x900x(850+70)  | 80       | 12                         |                            | 380V/50-60Hz         |           | 1020x880x1120  |               | 155.00 | 196.00 |
| ZH-TSE | 800x700x(850+70)  | 60       | 7.8                        |                            | 380V/50-60Hz         |           | 1020x880x1120  |               | 135.00 | 160.00 |



**ZH-NF-1200**

电可倾式炒锅  
Electric Tilting Brasing Pan

|                        |                  |
|------------------------|------------------|
| 规格Size                 | 1440*1100*940mm  |
| 功率Power supply output  | 14.4kw           |
| 电压Voltage              | 380V/50Hz-60Hz   |
| 整锅体积Pot volume         | 120L             |
| 可用体积Pot working volume | 100L             |
| 包装尺寸Package size       | 1600*1200*1100mm |
| 净重N.W                  | 130kg            |
| 毛重G.W                  | 160kg            |



**ZH-NF-800**

电可倾式炒锅  
Electric Tilting Brasing Pan

|                        |                  |
|------------------------|------------------|
| 规格Size                 | 1440*1100*940mm  |
| 功率Power supply output  | 14.4kw           |
| 电压Voltage              | 380V/50Hz-60Hz   |
| 整锅体积Pot volume         | 85L              |
| 可用体积Pot working volume | 65L              |
| 包装尺寸Package size       | 1600*1200*1100mm |
| 净重N.W                  | 120kg            |
| 毛重G.W                  | 150kg            |

# LUXURY FURNACE

## 立式豪华组合炉系列

ZH-RC-2 ZH-TC-2

Gas 2 Tank Fryer With Cabinet  
900/700燃气双缸炸炉连柜座



ZH-RC-1 ZH-TC-1

Gas 1 Tank Fryer With Cabinet  
400/360燃气单缸炸炉连柜座



| 型号      | 外形尺寸mm            | 油缸尺寸MM/容量L                 | 液化气<br>LPG/2800Pa             | 天然气<br>NG/2000Pa              | 功率KW<br>Power supply |           | 入气孔规格             | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|---------|-------------------|----------------------------|-------------------------------|-------------------------------|----------------------|-----------|-------------------|---------------|--------|--------|
| Model   | Overall dimension | Oil tank size<br>/Capacity | 耗气量Kg/h<br>Gas<br>consumption | 耗气量Kg/h<br>Gas<br>consumption | 液化气<br>LPG           | 天然气<br>NG | Gas<br>Connection | Package Size  | N.W    | G.W    |
| ZH-RC-2 | 800x900x(850+70)  | 267x365/21x2               | 2.46                          | 3.12                          | 31                   | 31        | R1 3/4            | 1020x880x1120 | 105.00 | 174.00 |
| ZH-TC-2 | 700x700x(850+70)  | 250x300/18x2               | 2.46                          | 3.12                          | 31                   | 31        | R1 3/4            | 830x730x1120  | 97.00  | 160.00 |
| ZH-RC-1 | 400x900x(850+70)  | 267x365/21x1               | 1.23                          | 1.56                          | 15.5                 | 15.5      | R1 3/4            | 480x1020x1120 | 64.00  | 100.00 |
| ZH-TC-1 | 360x700x(850+70)  | 250x300/18x1               | 1.23                          | 1.56                          | 15.5                 | 15.5      | R1 3/4            | 430x820x1120  | 50.00  | 80.00  |

ZH-RC-2E ZH-TC-2E

Electric 2 Tank Fryer With Cabinet  
900/700电双缸炸炉连柜座



ZH-RC-1E ZH-TC-1E

Electric 1 Tank Fryer With Cabinet  
400/360电单缸炸炉连柜座



| 型号       | 外形尺寸mm            | 缸体尺寸mm/缸体容量L           | 功率KW                | 电压V/频率            | 包装尺寸mm        | 净重/KG | 毛重/KG  |
|----------|-------------------|------------------------|---------------------|-------------------|---------------|-------|--------|
| Model    | Overall dimension | Oil Tank Size/Capacity | Power Supply Output | Voltage/Frequency | Package Size  | N.W   | G.W    |
| ZH-RC-2E | 800x900x(850+70)  | 267x365/21x2           | 9KWx2               | 380/50-60Hz       | 1020x880x1120 | 83.00 | 149.00 |
| ZH-RC-1E | 400x900x(850+70)  | 267x365/21x1           | 9KW                 | 380/50-60Hz       | 480x1020x1120 | 58.00 | 94.00  |
| ZH-TC-2E | 700x700x(850+70)  | 250x300/18x2           | 9KWx2               | 380/50-60Hz       | 830x780x1120  | 77.00 | 123.00 |
| ZH-TC-1E | 360x700x(850+70)  | 250x300/18x1           | 9KW                 | 380/50-60Hz       | 430x820x1120  | 50.00 | 80.00  |





**ZH-RG-1200 ZH-TG-1050**

Gas Griddle With Cabinet (2/3 flat, 1/3 grooved)  
900/700燃气扒炉连柜座

**ZH-RGE-1200 ZH-TGE-1050**

Electric Griddle With Cabinet  
900/700电扒炉连柜座



| 型号          | 外形尺寸mm            | 扒板尺寸mm             | 液化气<br>LPG/2800Pa          | 天然气<br>NG/2000Pa           | 功率KW<br>Power supply |           | 入气孔规格             | 包装尺寸mm         | 净重/KG  | 毛重/KG  |
|-------------|-------------------|--------------------|----------------------------|----------------------------|----------------------|-----------|-------------------|----------------|--------|--------|
| Model       | Overall dimension | Griddle plate size | 耗气量Kg/h<br>Gas consumption | 耗气量Kg/h<br>Gas consumption | 液化气<br>LPG           | 天然气<br>NG | Gas<br>Connection | Package Size   | N.W    | G.W    |
| ZH-RG-1200  | 1200x900x(850+70) | 1140x610x20        | 1.29                       | 1.92                       | 18                   | 18        | R1 3/4            | 1290x1030x1120 | 168.00 | 254.00 |
| ZH-TG-1050  | 1050x700x(850+70) | 990x450x20         | 1.26                       | 1.82                       | 17.7                 | 17.7      | R1 3/4            | 1140x830x1120  | 155.00 | 211.00 |
| ZH-RGE-1200 | 1200x900x(850+70) | 1140x610x20        | 16                         |                            | 380V/50-60Hz         |           | 1290x1030x1120    |                | 172.00 | 258.00 |
| ZH-TGE-1050 | 1050x700x(850+70) | 990x450x20         | 12                         |                            | 380V/50-60Hz         |           | 1140x830x1120     |                | 158.00 | 214.00 |

**ZH-RFS-1**

Gas griddle  
燃气法式铁板烧

**ZH-TFS-1**

Gas griddle  
燃气法式铁板烧



| 型号       | 外形尺寸mm            | 扒板尺寸mm             | 液化气<br>LPG/2800Pa          | 天然气<br>NG/2000Pa           | 功率KW<br>Power supply |           | 入气孔规格             | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|----------|-------------------|--------------------|----------------------------|----------------------------|----------------------|-----------|-------------------|---------------|--------|--------|
| Model    | Overall dimension | Griddle plate size | 耗气量Kg/h<br>Gas consumption | 耗气量Kg/h<br>Gas consumption | 液化气<br>LPG           | 天然气<br>NG | Gas<br>Connection | Package Size  | N.W    | G.W    |
| ZH-RFS-1 | 800x900x(850+80)  | 700x700x20         | 0.53                       | 0.97                       | 5.2                  | 7.5       | R1 3/4            | 1020x880x1120 | 110.00 | 135.00 |
| ZH-TFS-1 | 700x700x(850+80)  | 600x500x20         | 0.53                       | 0.97                       | 5.2                  | 7.5       | R1 3/4            | 830x780x1120  | 95.00  | 120.00 |

# LUXURY FURNACE

## 立式豪华组合炉系列

### ZH-RG-R ZH-TG-R

Gas Griddle With Oven (2/3 flat, 1/3 grooved)  
900/700燃气1/3坑扒炉连焗炉 (2/3平, 1/3坑)



### ZH-RGE-R ZH-TGE-R

Electric Griddle With Oven (2/3 flat, 1/3 grooved)  
900/700电1/3坑扒炉连焗炉 (2/3平, 1/3坑)



| 型号       | 外形尺寸mm            | 扒板尺寸MM             | 液化气<br>LPG/2800Pa          | 天然气<br>NG/2000Pa           | 功率KW<br>Power supply |               | 入气孔规格          | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|----------|-------------------|--------------------|----------------------------|----------------------------|----------------------|---------------|----------------|---------------|--------|--------|
| Model    | Overall dimension | Griddle plate size | 耗气量Kg/h<br>Gas consumption | 耗气量Kg/h<br>Gas consumption | 液化气<br>LPG           | 天然气<br>NG     | Gas Connection | Package Size  | N.W    | G.W    |
| ZH-RG-R  | 800x900x(850+70)  | 670x600x20         | 1.25                       | 1.77                       | 12+5.8=17.8          | 12+5.8=17.8   | R1 3/4         | 1020x880x1120 | 156.00 | 222.00 |
| ZH-TG-R  | 700x700x(850+70)  | 570x450x20         | 1.25                       | 1.77                       | 12+5.8=17.8          | 12+5.8=17.8   | R1 3/4         | 830x780x1130  | 124.00 | 170.00 |
| ZH-RGE-R | 800x900x(850+70)  | 670x600x20         | 12+5kw                     |                            | 380V/50-60Hz         | 1020x880x1120 |                | 158.00        | 214.00 |        |
| ZH-TGE-R | 700x700x(850+70)  | 570x450x20         | 9+5kw                      |                            | 380V/50-60Hz         | 830x780x1120  |                | 126.00        | 172.00 |        |

### ZH-RG ZH-TG

Gas Griddle With Cabinet (2/3 flat, 1/3 grooved)  
900/700燃气1/3坑扒炉连柜座

### ZH-XG ZH-LG

Gas Griddle With Cabinet  
400/360燃气扒炉连柜座

分镀铬和不镀铬两种  
with or without chrome  
cooking plate

ZH-RG-1 ZH-TG-1

ZH-RG-2 ZH-TG-2



| 型号    | 外形尺寸mm            | 扒板尺寸mm             | 液化气<br>LPG/2800Pa          | 天然气<br>NG/2000Pa           | 功率KW<br>Power supply |           | 入气孔规格          | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|-------|-------------------|--------------------|----------------------------|----------------------------|----------------------|-----------|----------------|---------------|--------|--------|
| Model | Overall dimension | Griddle plate size | 耗气量Kg/h<br>Gas consumption | 耗气量Kg/h<br>Gas consumption | 液化气<br>LPG           | 天然气<br>NG | Gas Connection | Package Size  | N.W    | G.W    |
| ZH-RG | 800x900x(850+70)  | 670x600x20         | 0.86                       | 1.28                       | 12                   | 12        | R1 3/4         | 1020x880x1120 | 128.00 | 194.00 |
| ZH-TG | 700x700x(850+70)  | 570x450x20         | 0.86                       | 1.21                       | 11.8                 | 11.8      | R1 3/4         | 830x780x1130  | 95.00  | 142.00 |
| ZH-XG | 400x900x(850+70)  | 330x580x20         | 0.43                       | 0.64                       | 6                    | 6         | R1 3/4         | 480x1020x1120 | 96.00  | 111.00 |
| ZH-LG | 360x700x(850+70)  | 300x450x20         | 0.42                       | 0.61                       | 5.9                  | 5.9       | R1 3/4         | 430x820x1120  | 60.00  | 90.00  |





**ZH-RGE ZH-TGE**

Electric Griddle With Cabinet  
900/700 电扒炉连柜座

**ZH-XGE ZH-LGE**

Electric Griddle With Cabinet  
400/360 电扒炉连柜座

分镀铬和不镀铬两种  
with or without chrome  
cooking plate

ZH-RGE-1 ZH-TGE-1

ZH-RGE-2 ZH-TGE-2



| 型号     | 外形尺寸mm            | 扒板尺寸mm             | 功率KW                | 电压V<br>/频率            | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|--------|-------------------|--------------------|---------------------|-----------------------|---------------|--------|--------|
| Model  | Overall dimension | Griddle Plate Size | Power Supply Output | Voltage<br>/Frequency | Package Size  | N.W    | G.W    |
| ZH-RGE | 800x900x(850+70)  | 670x600x20         | 12                  | 380V/50-60Hz          | 1020x880x1120 | 128.00 | 194.00 |
| ZH-TGE | 700x700x(850+70)  | 570x450x20         | 9                   | 380V/50-60Hz          | 830x780x1120  | 96.00  | 142.00 |
| ZH-XGE | 400x900x(850+70)  | 300x580x20         | 6                   | 380V/50-60Hz          | 480x1020x1120 | 75.00  | 111.00 |
| ZH-LGE | 360x700x(850+70)  | 300x450x20         | 4.5                 | 380V/50-60Hz          | 430x820x1120  | 60.00  | 90.00  |

**ZH-RG+RH ZH-TG+TH**

Gas Griddle + Lava rock Grill With Cabinet  
900/700 燃气扒炉+火山石烧烤炉连柜座

**ZH-RGE+RHE ZH-TGE+THE**

Electric Griddle + Lava Rock Grill With Cabinet  
900/700 电扒炉+火山石烧烤炉连柜座



| 型号         | 外形尺寸mm            | 扒板尺寸mm             | 液化气<br>LPG/2800Pa          | 天然气<br>NG/2000Pa           | 功率KW<br>Power supply |           | 入气孔规格          | 包装尺寸mm         | 净重/KG  | 毛重/KG  |
|------------|-------------------|--------------------|----------------------------|----------------------------|----------------------|-----------|----------------|----------------|--------|--------|
| Model      | Overall dimension | Griddle plate size | 耗气量Kg/h<br>Gas consumption | 耗气量Kg/h<br>Gas consumption | 液化气<br>LPG           | 天然气<br>NG | Gas Connection | Package Size   | N.W    | G.W    |
| ZH-RG+RH   | 1200x900x(850+70) | 550x590x20         | 1.29                       | 1.92                       | 18                   | 18        | R1 3/4         | 1290x1030x1120 | 180.00 | 266.00 |
| ZH-TG+TH   | 1050x700x(850+70) | 550x450x20         | 1.26                       | 1.82                       | 17.7                 | 17.7      | R1 3/4         | 1140x830x1120  | 150.00 | 206.00 |
| ZH-RGE+RHE | 1200x900x(850+70) | 550x590x20         | 17kw                       |                            | 380V/50-60Hz         |           | 1290x1030x1120 |                | 180.00 | 266.00 |
| ZH-TGE+THE | 1050x700x(850+70) | 550x450x20         | 12kw                       |                            | 380V/50-60Hz         |           | 1140x830x1120  |                | 150.00 | 206.00 |

# LUXURY FURNACE

## 立式豪华组合炉系列

### ZH-RH ZH-TH

Gas Grill With Cabinet  
900/700燃气火山石烧烤炉连柜座



### ZH-XH ZH-LH

Gas Grill With Cabinet  
400/360燃气火山石烧烤炉连柜座



| 型号    | 外形尺寸mm            | 烤网尺寸mm         | 液化气<br>LPG/2800Pa          | 天然气<br>NG/2000Pa           | 功率KW<br>Power supply |           | 入气孔规格          | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|-------|-------------------|----------------|----------------------------|----------------------------|----------------------|-----------|----------------|---------------|--------|--------|
| Model | Overall dimension | Grill net size | 耗气量Kg/h<br>Gas consumption | 耗气量Kg/h<br>Gas consumption | 液化气<br>LPG           | 天然气<br>NG | Gas Connection | Package Size  | N.W    | G.W    |
| ZH-RH | 800x900x(850+70)  | 686x600        | 1.2                        | 1.76                       | 17                   | 17        | R1 3/4         | 1020x880x1120 | 126.00 | 192.00 |
| ZH-TH | 700x700*(850+70)  | 600x500        | 1.07                       | 14.8                       | 14.4                 | 14.4      | R1 3/4         | 830x780x1130  | 111.00 | 157.00 |
| ZH-XH | 400x900x(850+70)  | 326x600        | 0.6                        | 0.88                       | 8.5                  | 8.5       | R1 3/4         | 480x1020x1130 | 71.00  | 107.00 |
| ZH-LH | 360x700x(850+70)  | 300x500        | 0.53                       | 0.74                       | 7.2                  | 7.2       | R1 3/4         | 430x820x1120  | 53.00  | 83.00  |

### ZH-RHE ZH-THE

Electric Grill With Cabinet  
900/700电火山石烧烤炉连柜座



### ZH-XHE ZH-LHE

Electric Grill With Cabinet  
400/360电火山石烧烤炉连柜座



| 型号     | 外形尺寸mm            | 烤网尺寸mm         | 功率KW                | 电压V<br>/频率            | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|--------|-------------------|----------------|---------------------|-----------------------|---------------|--------|--------|
| Model  | Overall dimension | Grill net size | Power Supply Output | Voltage<br>/Frequency | Package Size  | N.W    | G.W    |
| ZH-RHE | 800x900x(850+70)  | 686x600        | 12                  | 380V/50-60Hz          | 1020x880x1120 | 126.00 | 192.00 |
| ZH-THE | 700x700x(850+70)  | 600x500        | 9                   | 380V/50-60Hz          | 830x780x1120  | 111.00 | 157.00 |
| ZH-XHE | 400x900x(850+70)  | 326x600        | 6                   | 380V/50-60Hz          | 480x1020x1120 | 71.00  | 107.00 |
| ZH-LHE | 360x700x(850+70)  | 300x500        | 4.5                 | 380V/50-60Hz          | 430x820x1120  | 53.00  | 83.00  |





**ZH-RM-6 ZH-TM-4**

Gas Pasta Cooker With Cabinet  
900/700 气双缸意粉炉连柜座



**ZH-XM-3 ZH-LM-2**

Gas Pasta Cooker With Cabinet  
400/360 燃气单缸意粉炉连柜座



| 型号      | 外形尺寸mm            | 缸体尺寸mm/容量L         | 液化气<br>LPG/2800Pa          | 天然气<br>NG/2000Pa           | 功率KW<br>Power supply |           | 入气孔规格          | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|---------|-------------------|--------------------|----------------------------|----------------------------|----------------------|-----------|----------------|---------------|--------|--------|
| Model   | Overall dimension | Tank size/Capacity | 耗气量Kg/h<br>Gas consumption | 耗气量Kg/h<br>Gas consumption | 液化气<br>LPG           | 天然气<br>NG | Gas Connection | Package Size  | N.W    | G.W    |
| ZH-RM-6 | 800x900x(850+70)  | 340x550x270/30x2   | 1.58                       | 2.28                       | 31                   | 31        | R1 3/4         | 1020x880x1120 | 103.00 | 159.00 |
| ZH-TM-4 | 700x700x(850+70)  | 300x450x200/22x2   | 1.58                       | 2.28                       | 22                   | 22        | R1 3/4         | 830x780x1120  | 88.00  | 134.00 |
| ZH-XM-3 | 400x900x(850+70)  | 340x550x270/30x1   | 0.86                       | 1.26                       | 11                   | 11        | R1 3/4         | 480x1020x1120 | 66.00  | 102.00 |
| ZH-LM-2 | 360x700x(850+70)  | 300x450x200/22x1   | 0.79                       | 1.14                       | 11                   | 11        | R1 3/4         | 430x820x1120  | 50.00  | 80.00  |

**ZH-RM-6E ZH-TM-4E**

Electric 2 Tank Pasta Cooker With Cabinet  
900/700 电双缸意粉炉连柜座



**ZH-XM-3E ZH-LM-2E**

Electric 1 Tank Pasta Cooker With Cabinet  
400/360 电单缸意粉炉连柜座



| 型号       | 外形尺寸mm            | 缸体尺寸mm/容量L         | 功率KW                | 电压V<br>/频率            | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|----------|-------------------|--------------------|---------------------|-----------------------|---------------|--------|--------|
| Model    | Overall dimension | Tank size/Capacity | Power Supply Output | Voltage<br>/Frequency | Package Size  | N.W    | G.W    |
| ZH-RM-6E | 800x900x(850+70)  | 340x550x270/43x2   | 9x2                 | 380V/50-60Hz          | 1020x880x1120 | 106.00 | 169.00 |
| ZH-TM-4E | 700x700x(850+70)  | 300x450x200/28x2   | 9x2                 | 380V/50-60Hz          | 830x780x1120  | 88.00  | 134.00 |
| ZH-XM-3E | 400x900x(850+70)  | 340x550x270/43x1   | 9                   | 380V/50-60Hz          | 480x1020x1120 | 66.00  | 102.00 |
| ZH-LM-2E | 360x700x(850+70)  | 300x450x200/28x1   | 9                   | 380V/50-60Hz          | 430x820x1120  | 50.00  | 80.00  |

# LUXURY FURNACE

## 立式豪华组合炉系列

ZH-RM-16 ZH-TM-12

Gas Pasta Cooker With Cabinet  
900/700燃气喷流式煮面炉连柜座



ZH-XM-8 ZH-LM-6

Gas Pasta Cooker With Cabinet  
400/360燃气喷流式煮面炉连柜座



| 型号       | 外形尺寸mm            | 缸体尺寸mm/容量L         | 液化气<br>LPG/2800Pa             | 天然气<br>NG/2000Pa              | 功率KW<br>Power supply |           | 入气孔规格             | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|----------|-------------------|--------------------|-------------------------------|-------------------------------|----------------------|-----------|-------------------|---------------|--------|--------|
| Model    | Overall dimension | Tank size/Capacity | 耗气量Kg/h<br>Gas<br>consumption | 耗气量Kg/h<br>Gas<br>consumption | 液化气<br>LPG           | 天然气<br>NG | Gas<br>Connection | Package Size  | N.W    | G.W    |
| ZH-RM-16 | 800x900x(850+70)  | 340x550x270/30x2   | 1.58                          | 2.28                          | 22                   | 22        | R1 3/4            | 1020x880x1120 | 100.00 | 166.00 |
| ZH-TM-12 | 700x700*(850+70)  | 300x450x200/22x2   | 1.58                          | 2.28                          | 22                   | 22        | R1 3/4            | 830x780x1120  | 82.00  | 128.00 |
| ZH-XM-8  | 400x900x(850+70)  | 340x550x270/30x1   | 1.58                          | 1.58                          | 11                   | 11        | R1 3/4            | 480x1020x1120 | 60.00  | 96.00  |
| ZH-LM-6  | 360x700x(850+70)  | 300x450x200/22x1   | 0.79                          | 1.14                          | 11                   | 11        | R1 3/4            | 430x820x1120  | 46.00  | 66.00  |

ZH-RM-16E ZH-TM-12E

Electric Pasta Cooker With Cabinet  
900/700电喷流式煮面炉连柜座



ZH-XM-8E ZH-LM-6E

Electric Pasta Cooker With Cabinet  
400/360电喷流式煮面炉连柜座



| 型号        | 外形尺寸mm            | 缸体尺寸mm/缸体容量L       | 功率KW                | 电压V<br>/频率            | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|-----------|-------------------|--------------------|---------------------|-----------------------|---------------|--------|--------|
| Model     | Overall dimension | Tank Size/Capacity | Power Supply Output | Voltage<br>/Frequency | Package Size  | N.W    | G.W    |
| ZH-RM-16E | 800x900x(850+70)  | 340x550x270/43x2   | 9x2                 | 380V/50-60Hz          | 1020x880x1120 | 100.00 | 166.00 |
| ZH-TM-12E | 700x700x(850+70)  | 300x450x200/28x2   | 9x2                 | 380V/50-60Hz          | 830x780x1120  | 80.00  | 126.00 |
| ZH-XM-8E  | 400x900x(850+70)  | 340x550x270/43x1   | 9                   | 380V/50-60Hz          | 480x1020x1120 | 60.00  | 95.00  |
| ZH-LM-6E  | 360x700x(850+70)  | 300x450x200/28x1   | 9                   | 380V/50-60Hz          | 430x820x1130  | 46.00  | 75.00  |





**ZH-RB ZH-TB**

Gas Bain Marie With Cabinet  
900/700燃气保温汤池连柜座



**ZH-XB ZH-LB**

Gas Bain Marie With Cabinet  
400/360燃气保温汤池连柜座



| 型号    | 外形尺寸mm            | 缸体尺寸mm/容量L         | 液化气<br>LPG/2800Pa          | 天然气<br>NG/2000Pa           | 功率KW<br>Power supply |           | 入气孔规格          | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|-------|-------------------|--------------------|----------------------------|----------------------------|----------------------|-----------|----------------|---------------|--------|--------|
| Model | Overall dimension | Tank size/Capacity | 耗气量Kg/h<br>Gas consumption | 耗气量Kg/h<br>Gas consumption | 液化气<br>LPG           | 天然气<br>NG | Gas Connection | Package Size  | N.W    | G.W    |
| ZH-RB | 800x900x(850+70)  | 340x550x270/30x2   | 1.58                       | 2.28                       | 22                   | 22        | R1 3/4         | 1020x880x1120 | 100.00 | 166.00 |
| ZH-TB | 700x700x(850+70)  | 300x450x200/22x2   | 1.58                       | 2.28                       | 22                   | 22        | R1 3/4         | 830x780x1120  | 81.00  | 127.00 |
| ZH-XB | 400x900x(850+70)  | 340x550x270/30x1   | 0.86                       | 2.28                       | 11                   | 11        | R1 3/4         | 480x1020x1120 | 60.00  | 96.00  |
| ZH-LB | 360x700x(850+70)  | 300x450x200/22x1   | 0.79                       | 1.14                       | 11                   | 11        | R1 3/4         | 430x820x1120  | 45.00  | 75.00  |

**ZH-RBE ZH-TBE**

Electric Bain Marie With Cabinet  
900/700电保温汤池连柜座



**ZH-XBE ZH-LBE**

Electric Bain Marie With Cabinet  
400/360电保温汤池连柜座



| 型号     | 外形尺寸mm            | 缸体尺寸mm/缸体容量L       | 功率KW                | 电压V<br>/频率            | 包装尺寸mm        | 净重/KG  | 毛重/KG  |
|--------|-------------------|--------------------|---------------------|-----------------------|---------------|--------|--------|
| Model  | Overall dimension | Tank size/Capacity | Power Supply Output | Voltage<br>/Frequency | Package Size  | N.W    | G.W    |
| ZH-RBE | 800x900x(850+70)  | 340x550x270/43x2   | 9x2                 | 380V/50-60Hz          | 1020x880x1120 | 100.00 | 166.00 |
| ZH-TBE | 700x700x(850+70)  | 300x450x200/28x2   | 9x2                 | 380V/50-60Hz          | 830x780x1130  | 80.00  | 126.00 |
| ZH-XBE | 400x900x(850+70)  | 340x550x270/43x1   | 9                   | 380V/50-60Hz          | 480x1020x1120 | 60.00  | 96.00  |
| ZH-LBE | 360x700x(850+70)  | 300x450x200/28x1   | 9                   | 380V/50-60Hz          | 430x820x1130  | 45.00  | 75.00  |

# LUXURY FURNACE

立式豪华组合炉系列



ZH-RZ-800 ZH-TZ-700

Neutral Working Table With Cabinet  
900/700工作台连柜座

ZH-RZ-400 ZH-TZ-360

Neutral Working Table With Cabinet  
400/360工作台连柜座



| 型号        | 外形尺寸mm            | 机板尺寸mm             | 液化气<br>LPG/2800Pa          | 天然气<br>NG/2000Pa           | 功率KW<br>Power supply |           | 入气孔规格          | 包装尺寸mm        | 净重/KG | 毛重/KG  |
|-----------|-------------------|--------------------|----------------------------|----------------------------|----------------------|-----------|----------------|---------------|-------|--------|
| Model     | Overall dimension | Griddle plate size | 耗气量Kg/h<br>Gas consumption | 耗气量Kg/h<br>Gas consumption | 液化气<br>LPG           | 天然气<br>NG | Gas Connection | Package Size  | N.W   | G.W    |
| ZH-RZ-800 | 800x900x(850+70)  | —                  | —                          | —                          | —                    | —         | —              | 1020x880x1120 | 90.00 | 156.00 |
| ZH-RZ-400 | 400x900x(850+70)  | —                  | —                          | —                          | —                    | —         | —              | 480x1020x1120 | 55.00 | 990.00 |
| ZH-TZ-700 | 700x700x(850+70)  | —                  | —                          | —                          | —                    | —         | —              | 830x780x1120  | 75.00 | 121.00 |
| ZH-TZ-360 | 360x700x(850+70)  | —                  | —                          | —                          | —                    | —         | —              | 430x820x1120  | 40.00 | 70.00  |



# Desktop Furnace Series

## 台式组合炉系列

应用最新欧洲标准,采用进口高端零配件,产品使用更加安全,使用性更高。  
炉具面选用304不锈钢2.0mm厚度,整体一次冲压成型,强度高,符合欧洲一线品牌标准。  
台面激光切割,炉具拼合无缝连接,按照H.A.C.C.P.卫生标准生产。



# DESKTOP FURNACE SERIES

## 台式组合炉系列



**K6011R**

**600台式燃气四头煲仔炉**  
Gas Stove 4 Burner

|                            |                   |                              |
|----------------------------|-------------------|------------------------------|
| 外形尺寸mm Overall d dimension |                   | 600x650x(350+120)            |
| 使用气源<br>Gas supply         | 液化气<br>LPG/2800Pa | 耗气量kg/h Gas consumption 2.06 |
|                            | 天然气<br>LPG/2000Pa | 耗气量kg/h Gas consumption 3.07 |
| 功率KW<br>Power supply       | 液化气LPG            | 20                           |
|                            | 天然气NG             | 31                           |
| 入气孔规格Gas Connection        |                   | R1 3/4                       |
| 扒板尺寸mm Griddle plate size  |                   | 2.06                         |
| 包装尺寸mm Package size        |                   | 630x700x470                  |
| 净重N.W                      |                   | 36kg                         |
| 毛重G.W                      |                   | 39kg                         |



**K6012R**

**600台式燃气炸炉**  
Gas Fryer

|                            |                   |                             |
|----------------------------|-------------------|-----------------------------|
| 外形尺寸mm Overall d dimension |                   | 600x650x(350+120)           |
| 使用气源<br>Gas supply         | 液化气<br>LPG/2800Pa | 耗气量kg/h Gas consumption 1   |
|                            | 天然气<br>LPG/2000Pa | 耗气量kg/h Gas consumption 1.2 |
| 功率KW<br>Power supply       | 液化气LPG            | 11.2                        |
|                            | 天然气NG             | 11.2                        |
| 入气孔规格Gas Connection        |                   | R1 3/4                      |
| 扒板尺寸mm Griddle plate size  |                   | 1                           |
| 包装尺寸mm Package size        |                   | 630x700x470                 |
| 净重N.W                      |                   | 30kg                        |
| 毛重G.W                      |                   | 34kg                        |



**K6013R**

**600台式燃气扒炉**  
Gas Griddle

|                            |                   |                             |
|----------------------------|-------------------|-----------------------------|
| 外形尺寸mm Overall d dimension |                   | 600x650x(350+120)           |
| 使用气源<br>Gas supply         | 液化气<br>LPG/2800Pa | 耗气量kg/h Gas consumption 1   |
|                            | 天然气<br>LPG/2000Pa | 耗气量kg/h Gas consumption 1.2 |
| 功率KW<br>Power supply       | 液化气LPG            | 10                          |
|                            | 天然气NG             | 10                          |
| 入气孔规格Gas Connection        |                   | R1 3/4                      |
| 扒板尺寸mm Griddle plate size  |                   | 1                           |
| 包装尺寸mm Package size        |                   | 630x700x470                 |
| 净重N.W                      |                   | 47kg                        |
| 毛重G.W                      |                   | 51kg                        |



**K6014R**

**600台式燃气火山石烧烤炉**  
Gas Grill

|                            |                   |                              |
|----------------------------|-------------------|------------------------------|
| 外形尺寸mm Overall d dimension |                   | 600x650x(350+120)            |
| 使用气源<br>Gas supply         | 液化气<br>LPG/2800Pa | 耗气量kg/h Gas consumption 1.2  |
|                            | 天然气<br>LPG/2000Pa | 耗气量kg/h Gas consumption 1.46 |
| 功率KW<br>Power supply       | 液化气LPG            | 14.4                         |
|                            | 天然气NG             | 14.4                         |
| 入气孔规格Gas Connection        |                   | R1 3/4                       |
| 扒板尺寸mm Griddle plate size  |                   | 2                            |
| 包装尺寸mm Package size        |                   | 630x700x470                  |
| 净重N.W                      |                   | 50kg                         |
| 毛重G.W                      |                   | 54kg                         |





### K6015R

### 600台式燃气煮面炉 Gas Convection Pasta Cooker

|                             |                   |                          |
|-----------------------------|-------------------|--------------------------|
| 外形尺寸 mm Overall d dimension | 600x650x(350+120) |                          |
| 使用气源<br>Gas supply          | 液化气<br>LPG/2800Pa | 耗气量 kg/h Gas consumption |
|                             | 天然气<br>LPG/2000Pa | 耗气量 kg/h Gas consumption |
| 功率 KW<br>Power supply       | 液化气 LPG           | 6                        |
|                             | 天然气 NG            | 6                        |
| 进气孔规格 Gas Connection        | R1 3/4            |                          |
| 包装尺寸 mm Package size        | 630x700x470       |                          |
| 净重 N.W                      | 35kg              |                          |
| 毛重 G.W                      | 38kg              |                          |



### K6023E

### 600台式柜座 Cabinet

|                             |                   |                          |
|-----------------------------|-------------------|--------------------------|
| 外形尺寸 mm Overall d dimension | 600x522x555       |                          |
| 使用气源<br>Gas supply          | 液化气<br>LPG/2800Pa | 耗气量 kg/h Gas consumption |
|                             | 天然气<br>LPG/2000Pa | 耗气量 kg/h Gas consumption |
| 功率 KW<br>Power supply       | 液化气 LPG           | -                        |
|                             | 天然气 NG            | -                        |
| 包装尺寸 mm Package size        | 630x700x470       |                          |
| 净重 N.W                      | 16kg              |                          |
| 毛重 G.W                      | 19kg              |                          |



### K6017E

### 600台式电四头煮食炉 Electric 4-Hot Plate Cooker

|                             |                   |  |
|-----------------------------|-------------------|--|
| 外形尺寸 mm Overall d dimension | 600x650x(350+120) |  |
| 功率 KW Power supply          | 9.2               |  |
| 频率 Voltage/Frequency        | 380V/50-60Hz      |  |
| 包装尺寸 mm Package size        | 630x700x470       |  |
| 净重 N.W                      | 22kg              |  |
| 毛重 G.W                      | 26kg              |  |



### K6018E

### 600台式电炸炉 Electric Fryer

|                             |                   |  |
|-----------------------------|-------------------|--|
| 外形尺寸 mm Overall d dimension | 600x650x(350+120) |  |
| 功率 KW Power supply          | 3.5+3.5           |  |
| 频率 Voltage/Frequency        | 220V/50-60Hz      |  |
| 包装尺寸 mm Package size        | 630x700x470       |  |
| 净重 N.W                      | 29kg              |  |
| 毛重 G.W                      | 32kg              |  |

# DESKTOP FURNACE SERIES

## 台式组合炉系列



### K6019E

#### 600台式电机炉 Electric Griddle

|                            |                   |
|----------------------------|-------------------|
| 外形尺寸mm Overall d dimension | 600x650x(350+120) |
| 功率KW Power supply          | 6                 |
| 频率Voltage/Frequency        | 220V/50-60Hz      |
| 包装尺寸mm Package size        | 630x700x470       |
| 净重N.W                      | 45kg              |
| 毛重G.W                      | 48kg              |



### K6020E

#### 600台式电火山石烧烤炉 Electric Grill

|                            |                   |
|----------------------------|-------------------|
| 外形尺寸mm Overall d dimension | 600x650x(350+120) |
| 功率KW Power supply          | 5                 |
| 频率Voltage/Frequency        | 220V/50-60Hz      |
| 包装尺寸mm Package size        | 630x700x470       |
| 净重N.W                      | 48kg              |
| 毛重G.W                      | 56kg              |



### K6021E

#### 600台式电煮面炉 Electric Noodle Boiler

|                            |                   |
|----------------------------|-------------------|
| 外形尺寸mm Overall d dimension | 600x650x(350+120) |
| 功率KW Power supply          | 6                 |
| 频率Voltage/Frequency        | 220V/50-60Hz      |
| 包装尺寸mm Package size        | 630x700x470       |
| 净重N.W                      | 35kg              |
| 毛重G.W                      | 38kg              |



### K6022E

#### 600台式电保温汤炉 Electric Bain Marie

|                            |                   |
|----------------------------|-------------------|
| 外形尺寸mm Overall d dimension | 600x650x(350+120) |
| 功率KW Power supply          | 1.5               |
| 频率Voltage/Frequency        | 220V/50-60Hz      |
| 包装尺寸mm Package size        | 630x700x470       |
| 净重N.W                      | 35kg              |
| 毛重G.W                      | 38kg              |





GAS

### KB-RB-1

台式燃气单头煲仔炉  
Counter Top Gas Range 1 Burner

|                            |                 |
|----------------------------|-----------------|
| 外形尺寸mm Overall d dimension | 460x550x550     |
| 功率KW<br>Power supply       | 液化气LPG<br>天然气NG |
| 入气孔规格Gas Connection        | R1 3/4          |
| 包装尺寸mm Package size        | 530x620x620     |
| 净重N.W                      | 47kg            |
| 毛重G.W                      | 50kg            |



GAS

### RB-44

燃气四头煲仔炉  
Gas 4 Burner Stove With Support

|                            |                                         |
|----------------------------|-----------------------------------------|
| 外形尺寸mm Overall d dimension | 700x750x(320+150)                       |
| 使用气源<br>Gas supply         | 液化气LPG/2800Pa<br>天然气NG<br>液化气LPG/2000Pa |
| 耗气量kg/h Gas consumption    | 2.06<br>3.07                            |
| 功率KW<br>Power supply       | 液化气LPG<br>天然气NG                         |
| 入气孔规格Gas Connection        | R1 3/4                                  |
| 包装尺寸mm Package size        | 980x880x500                             |
| 净重N.W                      | 24kg                                    |
| 毛重G.W                      | 35kg                                    |



GAS

### RB-46

燃气六头煲仔炉  
Gas Range 6 Burner Stove

|                            |                                         |
|----------------------------|-----------------------------------------|
| 外形尺寸mm Overall d dimension | 1050x750x(320+150)                      |
| 使用气源<br>Gas supply         | 液化气LPG/2800Pa<br>天然气NG<br>液化气LPG/2000Pa |
| 耗气量kg/h Gas consumption    | 3.34<br>4.66                            |
| 功率KW<br>Power supply       | 液化气LPG<br>天然气NG                         |
| 入气孔规格Gas Connection        | R1 3/4                                  |
| 包装尺寸mm Package size        | 1290x850x450                            |
| 净重N.W                      | 36kg                                    |
| 毛重G.W                      | 51kg                                    |



GAS

### RB-44H

燃气四头煲仔炉连柜座  
Gas 4 Burner Stove With Support

|                            |                                         |
|----------------------------|-----------------------------------------|
| 外形尺寸mm Overall d dimension | 700x750x(850+150)                       |
| 使用气源<br>Gas supply         | 液化气LPG/2800Pa<br>天然气NG<br>液化气LPG/2000Pa |
| 耗气量kg/h Gas consumption    | 2.06<br>3.07                            |
| 功率KW<br>Power supply       | 液化气LPG<br>天然气NG                         |
| 入气孔规格Gas Connection        | R1 3/4                                  |
| 包装尺寸mm Package size        | 980x880x500                             |
| 净重N.W                      | 56kg                                    |
| 毛重G.W                      | 82kg                                    |



GAS

### RB-46H

燃气六头煲仔炉连柜座  
Gas 6 Burner Stove With Support

|                            |                                         |
|----------------------------|-----------------------------------------|
| 外形尺寸mm Overall d dimension | 1050x750x(850+150)                      |
| 使用气源<br>Gas supply         | 液化气LPG/2800Pa<br>天然气NG<br>液化气LPG/2000Pa |
| 耗气量kg/h Gas consumption    | 3.34<br>4.66                            |
| 功率KW<br>Power supply       | 液化气LPG<br>天然气NG                         |
| 入气孔规格Gas Connection        | R1 3/4                                  |
| 包装尺寸mm Package size        | 1290x880x450                            |
| 净重N.W                      | 73kg                                    |
| 毛重G.W                      | 89kg                                    |

# American Desktop Burner Griddle、Grill

## 美款台式煲仔炉、扒炉、火山石烧烤炉

全不锈钢机体,温度均匀,高效节能,卫生,安全,快捷。

All stainless steel body, uniform temperature, uniform heating, high efficiency and energy saving health, safety, quick! durable.



**K6602R**

**燃气二头煲仔炉**  
Gas2-Burner

|                          |                         |                        |
|--------------------------|-------------------------|------------------------|
| 外形尺寸mm Overall dimension |                         | 310x725x330            |
| 使用气源<br>Gas supply       | 液化气LPG                  | 气压Pa Gas pressure 2800 |
|                          | 耗气量kg/h Gas consumption | 1.03                   |
|                          | 天然气NG                   | 气压Pa Gas pressure 2000 |
|                          | 耗气量kg/h Gas consumption | 1.53                   |
| 功率KW<br>Power supply     | 液化气LPG                  | 5x2=10                 |
|                          | 天然气NG                   | 7.75x2=15.5            |
| 包装尺寸 Package size        |                         | 360x770x380mm          |
| 净重N.W:25kg               |                         | 毛重G.W:29kg             |



**K6604R**

**燃气四头煲仔炉**  
Gas4-Burner

|                          |                         |                        |
|--------------------------|-------------------------|------------------------|
| 外形尺寸mm Overall dimension |                         | 610x725x330            |
| 使用气源<br>Gas supply       | 液化气LPG                  | 气压Pa Gas pressure 2800 |
|                          | 耗气量kg/h Gas consumption | 2.06                   |
|                          | 天然气NG                   | 气压Pa Gas pressure 2000 |
|                          | 耗气量kg/h Gas consumption | 3.07                   |
| 功率KW<br>Power supply     | 液化气LPG                  | 5x4=20                 |
|                          | 天然气NG                   | 7.75x4=31              |
| 包装尺寸 Package size        |                         | 660x770x380mm          |
| 净重N.W:44kg               |                         | 毛重G.W:45kg             |



**K6606R**

**燃气六头煲仔炉**  
Gas6-Burner

|                          |                         |                        |
|--------------------------|-------------------------|------------------------|
| 外形尺寸mm Overall dimension |                         | 910x725x330            |
| 使用气源<br>Gas supply       | 液化气LPG                  | 气压Pa Gas pressure 2800 |
|                          | 耗气量kg/h Gas consumption | 3.09                   |
|                          | 天然气NG                   | 气压Pa Gas pressure 2000 |
|                          | 耗气量kg/h Gas consumption | 4.61                   |
| 功率KW<br>Power supply     | 液化气LPG                  | 5x6=30                 |
|                          | 天然气NG                   | 7.75x6=46.5            |
| 包装尺寸 Package size        |                         | 960x770x380mm          |
| 净重N.W:62kg               |                         | 毛重G.W:69kg             |



**ZH-BM-6**

**六头煲仔炉连下焗炉 (北美设计)**  
Gas 6 Burner Range With Oven (American Type)

|                          |                         |                        |
|--------------------------|-------------------------|------------------------|
| 外形尺寸mm Overall dimension |                         | 915x800x (930+520)     |
| 使用气源<br>Gas supply       | 液化气LPG                  | 气压Pa Gas pressure 2800 |
|                          | 耗气量kg/h Gas consumption | 3.55                   |
|                          | 天然气NG                   | 气压Pa Gas pressure 2000 |
|                          | 耗气量kg/h Gas consumption | 5.26                   |
| 功率KW<br>Power supply     | 液化气LPG                  | 5x6+5.8=35.8           |
|                          | 天然气NG                   | 7.75x6+5.8=52.3        |
| 包装尺寸 Package size        |                         | 960x900x1600mm         |
| 焗炉内腔尺寸 Inner size        |                         | 568x590x270mm          |
| 净重N.W:125kg              |                         | 毛重G.W:146kg            |





**K6610R**

燃气扒炉  
Gas Griddle

|                            |                         |
|----------------------------|-------------------------|
| 外形尺寸mm Overall d dimension | 610x725x385             |
| 使用气源<br>Gas supply         | 液化气<br>LPG              |
| 气压Pa Gas pressure          | 2800                    |
| 耗气量kg/h Gas consumption    | 1                       |
| 天然气<br>NG                  | 气压Pa Gas pressure       |
| 耗气量kg/h Gas consumption    | 2000                    |
| 功率KW<br>Power supply       | 液化气LPG                  |
| 耗气量kg/h Gas consumption    | 10                      |
| 天然气NG                      | 耗气量kg/h Gas consumption |
| 功率KW<br>Power supply       | 20                      |
| 包装尺寸 Package size          | 660x770x480mm           |
| 净重N.W:73kg                 | 毛重G.W:78kg              |



**K7610R**

燃气烧烤炉  
Gas Grill

|                            |                         |
|----------------------------|-------------------------|
| 外形尺寸mm Overall d dimension | 610x640x400             |
| 使用气源<br>Gas supply         | 液化气<br>LPG              |
| 气压Pa Gas pressure          | 2800                    |
| 耗气量kg/h Gas consumption    | 1.20                    |
| 天然气<br>NG                  | 气压Pa Gas pressure       |
| 耗气量kg/h Gas consumption    | 2000                    |
| 功率KW<br>Power supply       | 液化气LPG                  |
| 耗气量kg/h Gas consumption    | 1.46                    |
| 天然气NG                      | 耗气量kg/h Gas consumption |
| 功率KW<br>Power supply       | 14.4                    |
| 包装尺寸 Package size          | 670x740x520mm           |
| 净重N.W:62kg                 | 毛重G.W:67kg              |



**K6910R**

燃气扒炉  
Gas Griddle

|                            |                         |
|----------------------------|-------------------------|
| 外形尺寸mm Overall d dimension | 910x725x385             |
| 使用气源<br>Gas supply         | 液化气<br>LPG              |
| 气压Pa Gas pressure          | 2800                    |
| 耗气量kg/h Gas consumption    | 1.5                     |
| 天然气<br>NG                  | 气压Pa Gas pressure       |
| 耗气量kg/h Gas consumption    | 2000                    |
| 功率KW<br>Power supply       | 液化气LPG                  |
| 耗气量kg/h Gas consumption    | 1.8                     |
| 天然气NG                      | 耗气量kg/h Gas consumption |
| 功率KW<br>Power supply       | 15                      |
| 包装尺寸 Package size          | 960x770x480mm           |
| 净重N.W:105kg                | 毛重G.W:112kg             |



**K7910R**

燃气烧烤炉  
Gas Grill

|                            |                         |
|----------------------------|-------------------------|
| 外形尺寸mm Overall d dimension | 910x640x400             |
| 使用气源<br>Gas supply         | 液化气<br>LPG              |
| 气压Pa Gas pressure          | 2800                    |
| 耗气量kg/h Gas consumption    | 1.80                    |
| 天然气<br>NG                  | 气压Pa Gas pressure       |
| 耗气量kg/h Gas consumption    | 2000                    |
| 功率KW<br>Power supply       | 液化气LPG                  |
| 耗气量kg/h Gas consumption    | 2.13                    |
| 天然气NG                      | 耗气量kg/h Gas consumption |
| 功率KW<br>Power supply       | 21.6                    |
| 包装尺寸 Package size          | 960x740x480mm           |
| 净重N.W:83kg                 | 毛重G.W:89kg              |



**K6122R**

燃气扒炉  
Gas Griddle

|                            |                         |
|----------------------------|-------------------------|
| 外形尺寸mm Overall d dimension | 1220x725x385            |
| 使用气源<br>Gas supply         | 液化气<br>LPG              |
| 气压Pa Gas pressure          | 2800                    |
| 耗气量kg/h Gas consumption    | 2                       |
| 天然气<br>NG                  | 气压Pa Gas pressure       |
| 耗气量kg/h Gas consumption    | 2000                    |
| 功率KW<br>Power supply       | 液化气LPG                  |
| 耗气量kg/h Gas consumption    | 2.4                     |
| 天然气NG                      | 耗气量kg/h Gas consumption |
| 功率KW<br>Power supply       | 20                      |
| 包装尺寸 Package size          | 1270x770x480mm          |
| 净重N.W:132kg                | 毛重G.W:140kg             |



**K7122R**

燃气烧烤炉  
Gas Grill

|                            |                         |
|----------------------------|-------------------------|
| 外形尺寸mm Overall d dimension | 1220x640x385            |
| 使用气源<br>Gas supply         | 液化气<br>LPG              |
| 气压Pa Gas pressure          | 2800                    |
| 耗气量kg/h Gas consumption    | 2.4                     |
| 天然气<br>NG                  | 气压Pa Gas pressure       |
| 耗气量kg/h Gas consumption    | 2000                    |
| 功率KW<br>Power supply       | 液化气LPG                  |
| 耗气量kg/h Gas consumption    | 2.92                    |
| 天然气NG                      | 耗气量kg/h Gas consumption |
| 功率KW<br>Power supply       | 28.8                    |
| 包装尺寸 Package size          | 1270x740x480mm          |
| 净重N.W:110kg                | 毛重G.W:118kg             |



# Taiwan Fryer, Electric Fryer, Gas Fryer, Computer Control Lift Fryer

台湾炸炉、电炸炉、燃气炸炉、电脑版升降式炸炉

进口食品级不锈钢加厚材料,光滑无焊点,耐腐蚀性强,在保证美观耐用的同时更加对健康安全有保障

Imported food grade stainless steel thickening material, smooth without solder, strong corrosion resistance, while ensuring beautiful and durable, it is more healthy and safe.







### ZH-T12

#### 单缸单桶电炸炉 Electric 1 tank fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 300x500x460mm       |
| 功率Power supply output | 3kw                 |
| 电压Voltage             | 20V-240V/50Hz-60Hz  |
| 容量Capacity            | 12L                 |
| 包装尺寸Package size      | 680x420x510/0.14CBM |
| 净重N.W                 | 10.5kg              |
| 毛重G.W                 | 13.0kg              |



### ZH-W12

#### 恒温燃气单缸单桶炸炉 Gas 1 tank fryer (1 Basket)

|                            |                     |
|----------------------------|---------------------|
| 规格Size                     | 340x500x460mm       |
| 液化气消耗量(LPG)Gas consumption | 0.11kg*2/h          |
| 天然气消耗量(NG)Gas consumption  | 0.14kg*2/h          |
| 容量Capacity                 | 12L                 |
| 包装尺寸Package size           | 680x420x510/0.14CBM |
| 净重N.W                      | 13.3kg              |
| 毛重G.W                      | 1.60kg              |



### ZH-T17

#### 单缸单桶电炸炉 Electric 1 tank fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 500x500x440mm       |
| 功率Power supply output | 5kw                 |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 17L                 |
| 包装尺寸Package size      | 680x590x510/0.20CBM |
| 净重N.W                 | 15.6kg              |
| 毛重G.W                 | 17.0kg              |



### ZH-W17

#### 恒温燃气单缸单桶炸炉 Gas 1 tank fryer

|                            |                     |
|----------------------------|---------------------|
| 规格Size                     | 500x500x440mm       |
| 液化气消耗量(LPG)Gas consumption | 0.18kg/h            |
| 天然气消耗量(NG)Gas consumption  | 0.23kg/h            |
| 容量Capacity                 | 17L                 |
| 包装尺寸Package size           | 680x590x510/0.20CBM |
| 净重N.W                      | 16.6kg              |
| 毛重G.W                      | 18.0kg              |



### ZH-T23

#### 立式单缸电炸炉 Vertical 1-Tank Electric Fryer

|                       |                      |
|-----------------------|----------------------|
| 规格Size                | 350x600x960mm        |
| 功率Power supply output | 5kw                  |
| 电压Voltage             | 220-240V/50Hz-60Hz   |
| 容量Capacity            | 20L                  |
| 包装尺寸Package size      | 420x710x1040/0.31CBM |
| 净重N.W                 | 20.5kg               |
| 毛重G.W                 | 23.0kg               |



### ZH-W23

#### 立式单缸燃气炸炉 Vertical 1-Tank Gas Fryer

|                            |                      |
|----------------------------|----------------------|
| 规格Size                     | 350x600x960mm        |
| 液化气消耗量(LPG)Gas consumption | 0.29kg/h             |
| 天然气消耗量(NG)Gas consumption  | 0.37kg/h             |
| 容量Capacity                 | 20L                  |
| 包装尺寸Package size           | 420x710x1040/0.31CBM |
| 净重N.W                      | 24.0kg               |
| 毛重G.W                      | 26.0kg               |

# Taiwan Fryer, Electric Fryer, Gas Fryer, Computer Control Lift Fryer

台湾炸炉、电炸炉、燃气炸炉、电脑版升降式炸炉



**ZH-T30**

**立式单缸电炸炉**  
Vertical 1-Tank Electric Fryer

|                       |                      |
|-----------------------|----------------------|
| 规格Size                | 450x600x940mm        |
| 功率Power supply output | 9kw                  |
| 电压Voltage             | 380V 3N~             |
| 容量Capacity            | 30L                  |
| 包装尺寸Package size      | 660x530x1060/0.36CBM |
| 净重N.W                 | 22.5kg               |
| 毛重G.W                 | 25.0kg               |



**ZH-W30**

**立式单缸燃气炸炉**  
Vertical 1-Tank Gas Fryer

|                            |                      |
|----------------------------|----------------------|
| 规格Size                     | 450x600x940mm        |
| 液化气消耗量(LPG)Gas consumption | 0.36kg/h             |
| 天然气消耗量(NG)Gas consumption  | 0.63kg/h             |
| 容量Capacity                 | 30L                  |
| 包装尺寸Package size           | 660x530x1060/0.36CBM |
| 净重N.W                      | 29.0kg               |
| 毛重G.W                      | 33.0kg               |



**ZH-T40**

**立式单缸电炸炉**  
Vertical 1-Tank Electric Fryer

|                       |                      |
|-----------------------|----------------------|
| 规格Size                | 600x550x960mm        |
| 功率Power supply output | 9kw                  |
| 电压Voltage             | 380V 3N~             |
| 容量Capacity            | 40L                  |
| 包装尺寸Package size      | 660x630x1040/0.43CBM |
| 净重N.W                 | 28.0kg               |
| 毛重G.W                 | 31.0kg               |



**ZH-W40**

**立式单缸燃气炸炉**  
Vertical 1-Tank Gas Fryer

|                            |                      |
|----------------------------|----------------------|
| 规格Size                     | 600x550x960mm        |
| 液化气消耗量(LPG)Gas consumption | 0.36kg/h             |
| 天然气消耗量(NG)Gas consumption  | 0.63kg/h             |
| 容量Capacity                 | 40L                  |
| 包装尺寸Package size           | 660x630x1040/0.43CBM |
| 净重N.W                      | 33.7kg               |
| 毛重G.W                      | 40.0kg               |



**ZH-T30E-1**

**立式单缸电脑版炸炉**  
Vertical 1-Tank Electric Fryer

|                       |               |
|-----------------------|---------------|
| 规格Size                | 420x800x940mm |
| 功率Power supply output | 9kw           |
| 电压Voltage             | 380V 3N~      |
| 容量Capacity            | 30L           |
| 包装尺寸Package size      | 520*900*980mm |
| 净重N.W                 | 22.5kg        |
| 毛重G.W                 | 25.0kg        |



**ZH-T30E-2**

**立式双缸电脑版炸炉**  
Vertical 2-Tank Electric Fryer

|                       |               |
|-----------------------|---------------|
| 规格Size                | 800x800x940mm |
| 功率Power supply output | 9kw*2         |
| 电压Voltage             | 380V          |
| 容量Capacity            | 30L*2         |
| 包装尺寸Package size      | 900*900*980mm |
| 净重N.W                 | 44.0kg        |
| 毛重G.W                 | 55.0kg        |





### ZH-4L

单缸单锅电炸炉  
Electric 1 Tank Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 217x360x305mm       |
| 功率Power supply output | 2kw                 |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 4L                  |
| 包装尺寸Package size      | 390x250x350mm       |
| 净重N.W                 | 4.6kg               |
| 毛重G.W                 | 5.5kg               |



### ZH-6L

单缸单锅电炸炉  
Electric 1 Tank Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 265x430x330mm       |
| 功率Power supply output | 2.5kw               |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 6L                  |
| 包装尺寸Package size      | 450x290x350mm       |
| 净重N.W                 | 5.4kg               |
| 毛重G.W                 | 6.4kg               |



### ZH-8L

单缸单锅电炸炉  
Vertical 1-Tank Electric Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 265x430x345mm       |
| 功率Power supply output | 3kw                 |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 8L                  |
| 包装尺寸Package size      | 450x290x370mm       |
| 净重N.W                 | 6.0kg               |
| 毛重G.W                 | 7.0kg               |



### ZH-4L-2

双缸双锅电炸炉  
Electric 2 Tanks Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 440x360x305mm       |
| 功率Power supply output | 2kw+2kw             |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 4L*2                |
| 包装尺寸Package size      | 470x390x350mm       |
| 净重N.W                 | 9.0kg               |
| 毛重G.W                 | 10.0kg              |



### ZH-6L-2

双缸双锅电炸炉  
Electric 2 Tanks Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 545x430x330mm       |
| 功率Power supply output | 2.5kw+2.5kw         |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 6L*2                |
| 包装尺寸Package size      | 570x450x350mm       |
| 净重N.W                 | 10.0kg              |
| 毛重G.W                 | 11.0kg              |



### ZH-8L-2

双缸双锅电炸炉  
Electric 2 Tanks Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 550x430x345mm       |
| 功率Power supply output | 3kw+3kw             |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 8L*2                |
| 包装尺寸Package size      | 570x450x370mm       |
| 净重N.W                 | 12.0kg              |
| 毛重G.W                 | 13.0kg              |



### ZH-11L

单缸单锅电炸炉  
Electric 1 Tank Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 325x460x345mm       |
| 功率Power supply output | 3.25kw              |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 11L                 |
| 包装尺寸Package size      | 490x350x370mm       |
| 净重N.W                 | 7.6kg               |
| 毛重G.W                 | 8.5kg               |



### ZH-11L-2

双缸双锅电炸炉  
Electric 2 Tanks Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 670x460x345mm       |
| 功率Power supply output | 3.25kw+3.25kw       |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 11L*2               |
| 包装尺寸Package size      | 700x490x370mm       |
| 净重N.W                 | 13.5kg              |
| 毛重G.W                 | 14.0kg              |

# Taiwan Fryer, Electric Fryer, Gas Fryer, Computer Control Lift Fryer

台湾炸炉、电炸炉、燃气炸炉、电脑版升降式炸炉



## ZH-12L

### 单缸单筛电炸炉 Electric 1 Tank Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 290x440x400mm       |
| 功率Power supply output | 3kw                 |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 8L                  |
| 包装尺寸Package size      | 530x330x440mm       |
| 净重N.W                 | 8.0kg               |
| 毛重G.W                 | 9.0kg               |



## ZH-12L-2

### 双缸双筛电炸炉 Electric 2 Tanks Fryer

|                       |                    |
|-----------------------|--------------------|
| 规格Size                | 580x440x400mm      |
| 功率Power supply output | 3kw+3kw            |
| 电压Voltage             | 220-240V/50Hz-60Hz |
| 容量Capacity            | 8L*2               |
| 包装尺寸Package size      | 600x550x430mm      |
| 净重N.W                 | 9.0kgkg            |
| 毛重G.W                 | 18.0kg             |



## ZH-101P

### 电脑版单缸单筛电炸炉

Computerized Electric 1 Tank Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 280x470x350mm       |
| 功率Power supply output | 3kw                 |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 10L                 |
| 包装尺寸Package size      | 550x330x380mm       |
| 净重N.W                 | 8.5kg               |
| 毛重G.W                 | 9.4kg               |



## ZH-102P

### 电脑版双缸双筛电炸炉

Computerized Electric 2 Tanks Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 570x470x350mm       |
| 功率Power supply output | 3kw+3kw             |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 10L*2               |
| 包装尺寸Package size      | 630x550x380mm       |
| 净重N.W                 | 13.5kg              |
| 毛重G.W                 | 15.5kg              |

## ZH-171P

### 恒温电脑版单缸单筛炸炉

Electric Computer Panel 1 tank fryer

|                  |                     |
|------------------|---------------------|
| 规格Size           | 310x710x760mm       |
| 热功率Heat HP       | 3kw                 |
| 电压Voltage        | 220V-240V/50Hz-60Hz |
| 容量Capacity       | 17L                 |
| 包装尺寸Package size | 705x355x810mm       |
| 净重N.W            | 17.5kg              |
| 毛重G.W            | 19.0kg              |

## ZH-172P

### 恒温电脑版双缸双筛炸炉

Electric Computer Panel 2 tanks fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 620x710x760mm       |
| 功率Power supply output | 3kw+3kw             |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 17L*2               |
| 包装尺寸Package size      | 705x665x810mm       |
| 净重N.W                 | 33.0kg              |
| 毛重G.W                 | 33.5kg              |



## ZH-20V

### 多功能电炸炉

Multifunctional Electric Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 590x520x350mm       |
| 功率Power supply output | 4.8kw               |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 30L                 |
| 包装尺寸Package size      | 630x560x425mm       |
| 净重N.W                 | 13.5kg              |
| 毛重G.W                 | 14.5kg              |



## ZH-30V

### 多功能电炸炉

Multifunctional Electric Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 600x580x430mm       |
| 功率Power supply output | 6kw                 |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 35L                 |
| 包装尺寸Package size      | 710x620x480mm       |
| 净重N.W                 | 21kg                |
| 毛重G.W                 | 23kg                |





**ZH-101V** 单缸单筛电炸炉  
Electric 1 Tank Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 280x470x350mm       |
| 功率Power supply output | 3kw                 |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 10L                 |
| 包装尺寸Package size      | 550x330x380mm       |
| 净重N.W                 | 8.5kg               |
| 毛重G.W                 | 9.4kg               |



**ZH-102V** 双缸双筛电炸炉  
Electric 2 Tanks Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 570x470x350mm       |
| 功率Power supply output | 3kw+3kw             |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 10L*2               |
| 包装尺寸Package size      | 630x550x380mm       |
| 净重N.W                 | 13.5kg              |
| 毛重G.W                 | 15.5kg              |



**ZH-131V** 单缸单筛电炸炉  
Electric 1 Tank Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 310x480x350mm       |
| 功率Power supply output | 3.25kw              |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 13L                 |
| 包装尺寸Package size      | 360x520x380mm       |
| 净重N.W                 | 9.0kg               |
| 毛重G.W                 | 10.0kg              |



**ZH-132V** 双缸双筛电炸炉  
Electric 2 Tanks Fryer

|                       |                |
|-----------------------|----------------|
| 规格Size                | 620x480x350mm  |
| 功率Power supply output | 3.25kw+3.25kw  |
| 电压Voltage             | 240V/50Hz-60Hz |
| 容量Capacity            | 13L*2          |
| 包装尺寸Package size      | 670x520x380mm  |
| 净重N.W                 | 17.0kg         |
| 毛重G.W                 | 18.5kg         |



**ZH-161V** 单缸单筛电炸炉  
Electric 1 Tank Fryer

|                       |                |
|-----------------------|----------------|
| 规格Size                | 340x520x360mm  |
| 功率Power supply output | 3.25kw         |
| 电压Voltage             | 240V/50Hz-60Hz |
| 容量Capacity            | 16L            |
| 包装尺寸Package size      | 610x370x410mm  |
| 净重N.W                 | 10.0kg         |
| 毛重G.W                 | 11.0kg         |



**ZH-162V** 双缸双筛电炸炉  
Electric 2 Tanks Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 690x520x360mm       |
| 功率Power supply output | 3.25kw+3.25kw       |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 16L*2               |
| 包装尺寸Package size      | 720x620x410mm       |
| 净重N.W                 | 18.5kg              |
| 毛重G.W                 | 20.0kg              |

# Taiwan Fryer, Electric Fryer, Gas Fryer, Computer Control Lift Fryer

台湾炸炉、电炸炉、燃气炸炉、电脑版升降式炸炉



**ZH-81**

**单缸单筛电炸炉**  
Electric 1 Tank Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 287x460x310mm       |
| 功率Power supply output | 2.5kw               |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 5.5 L               |
| 包装尺寸Package size      | 460x300x310mm       |
| 净重N.W                 | 4.2kg               |
| 毛重G.W                 | 4.5kg               |



**ZH-82**

**双缸双筛电炸炉**  
Electric 2 Tanks Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 550x440x300mm       |
| 功率Power supply output | 2.5kw+2.5kw         |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 5.5L*2              |
| 包装尺寸Package size      | 600x480x330mm       |
| 净重N.W                 | 7.0kg               |
| 毛重G.W                 | 8.5kg               |



**ZH-81H**

**单缸双筛电炸炉**  
Electric 1 Tank Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 345x650x300mm       |
| 功率Power supply output | 3kw                 |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 11L                 |
| 包装尺寸Package size      | 355x660x310 mm      |
| 净重N.W                 | 7.0kg               |
| 毛重G.W                 | 8.0kg               |



**ZH-83**

**单缸双筛电炸炉**  
Electric 1 Tanks Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 570x460x310mm       |
| 功率Power supply output | 2.5kw+2.5kw         |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 11L                 |
| 包装尺寸Package size      | 600x480x330mm       |
| 净重N.W                 | 7.5kg               |
| 毛重G.W                 | 8.5kg               |





### ZH-901

#### 单缸单筛电炸炉

Electric 1 Tank Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 300x600x465mm       |
| 功率Power supply output | 2.8kw               |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 8.5L                |
| 包装尺寸Package size      | 370x640x470mm       |
| 净重N.W                 | 9.0kg               |
| 毛重G.W                 | 9.8kg               |



### ZH-903

#### 单缸单筛电炸炉

Electric 1 Tank Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 330x600x465mm       |
| 功率Power supply output | 4.5kw               |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 12.5L               |
| 包装尺寸Package size      | 640x370x470mm       |
| 净重N.W                 | 10.5kg              |
| 毛重G.W                 | 11.4kg              |



### ZH-26A

#### 立式单缸双筛电炸炉

Vertical 1-Tanks Electric Fryer  
(Freestanding Type)

|                       |                   |
|-----------------------|-------------------|
| 规格Size                | 400x800x1100mm    |
| 功率Power supply output | 9kw               |
| 电压Voltage             | 3N-380V/50Hz-60Hz |
| 容量Capacity            | 30L               |
| 包装尺寸Package size      | 860x440x1000mm    |
| 净重N.W                 | 43.0kg            |
| 毛重G.W                 | 53.0kg            |



### ZH-902

#### 双缸双筛电炸炉

Electric 2 Tanks Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 600x600x465mm       |
| 功率Power supply output | 2.8kw+2.8kw         |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 8.5L*2              |
| 包装尺寸Package size      | 640x620x470mm       |
| 净重N.W                 | 16.0kg              |
| 毛重G.W                 | 17.0kg              |



### ZH-904

#### 双缸双筛电炸炉

Electric 2 Tanks Fryer

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 660x600x465mm       |
| 功率Power supply output | 4.5kw+4.5kw         |
| 电压Voltage             | 220V-240V/50Hz-60Hz |
| 容量Capacity            | 12.5L*2             |
| 包装尺寸Package size      | 700x640x470mm       |
| 净重N.W                 | 20.0kg              |
| 毛重G.W                 | 21.0kg              |



### ZH-26A-2

#### 立式双缸四筛电炸炉

Vertical 2-Tanks Electric Fryer  
(Freestanding Type)

|                       |                   |
|-----------------------|-------------------|
| 规格Size                | 800x800x1100mm    |
| 功率Power supply output | 9kw+9kw           |
| 电压Voltage             | 3N-380V/50Hz-60Hz |
| 容量Capacity            | 30L*2             |
| 包装尺寸Package size      | 890x860x1000mm    |
| 净重N.W                 | 75.0kg            |
| 毛重G.W                 | 90.0kg            |

# Taiwan Fryer, Electric Fryer, Gas Fryer, Computer Control Lift Fryer

台湾炸炉、电炸炉、燃气炸炉、电脑版升降式炸炉



## ZH-18A-1

**18KW电脑版控制单缸双筛电炸炉**  
18KW Computerized 1 Tank 2 Basket Electric Fryer

规格Size 400x770x1120mm  
功率Power supply output 18kw  
电压Voltage 3N-380V/50Hz-60Hz  
容量Capacity 28L  
包装尺寸Package size 500x900x1200mm  
净重N.W 22.0kg  
毛重G.W 27.0kg



## ZH-18A-2

**18KW电脑版控制双缸双筛电炸炉**  
18KW Computerized 2 Tank 2 Basket Electric Fryer

规格Size 400x770x1120mm  
功率Power supply output 18kw  
电压Voltage 3N-380V/50Hz-60Hz  
容量Capacity 28L  
包装尺寸Package size 500x900x1200mm  
净重N.W 43kg  
毛重G.W 48kg



## ZH-18A-1T

**18KW 电脑版单槽带滤油炸炉**  
18KW Computerized 1 Tank 2 Basket Electric Fryer with Oil Filter Vehicle

规格Size 400x770x1120mm  
功率Power supply output 18kw  
电压Voltage 380V/50Hz-60Hz  
容量Capacity 28L  
包装尺寸Package size 500x900x1200mm  
净重N.W 43.0kg  
毛重G.W 48.0kg



## ZH-18A-2T

**18KW 电脑版双槽带滤油炸炉**  
18KW Computerized 2 Tank 2 Basket Electric Fryer with Oil Filter Vehicle

规格Size 400x770x1120mm  
功率Power supply output 18kw  
电压Voltage 3N-380V/50Hz-60Hz  
容量Capacity 28L  
包装尺寸Package size 500x900x1200mm  
净重N.W 43kg  
毛重G.W 48kg



## ZH-18A-1TS

**18KW 电脑版节能升降带滤油单槽炸炉**  
18KW Lift Computerized 1 Tank 2 Basket Electric Fryer with Oil Filter Vehicle

规格Size 400x830x1120mm  
功率Power supply output 18kw  
电压Voltage 380V/50Hz-60Hz  
容量Capacity 28L  
包装尺寸Package size 500x900x1200mm  
净重N.W 43.0kg  
毛重G.W 48.0kg



## ZH-18A-2TS

**18KW 电脑版节能升降带滤油双槽炸炉**  
18KW Lift Computerized 2 Tank 2 Basket Electric Fryer with Oil Filter Vehicle

规格Size 400x830x1120mm  
功率Power supply output 18kw  
电压Voltage 380V/50Hz-60Hz  
容量Capacity 28L  
包装尺寸Package size 500x900x1200mm  
净重N.W 43kg  
毛重G.W 48kg





### ZH-71

#### 恒温燃气单缸单筛炸炉 Gas 1 Tank Fryer (1 Basket)

|                  |               |
|------------------|---------------|
| 规格Size           | 290x520x470mm |
| 热功率Heat HP       | 5.2kw         |
| 容量Capacity       | 5.5L          |
| 包装尺寸Package size | 550x320x480mm |
| 净重N.W            | 8.0kg         |
| 毛重G.W            | 9.0kg         |



### ZH-72

#### 恒温燃气双缸双筛炸炉 Gas 2 Tank Fryer (2 Basket)

|                  |               |
|------------------|---------------|
| 规格Size           | 575x520x470mm |
| 热功率Heat HP       | 5.2kw + 5.2kw |
| 容量Capacity       | 5.5L + 5.5L   |
| 包装尺寸Package size | 600x550x490mm |
| 净重N.W            | 14.0kg        |
| 毛重G.W            | 15.5kg        |



### ZH-73

#### 恒温燃气单缸双筛炸炉 Gas 1 Tank Fryer (2 Basket)

|                  |               |
|------------------|---------------|
| 规格Size           | 575x520x470mm |
| 热功率Heat HP       | 10.4kw        |
| 容量Capacity       | 11L           |
| 包装尺寸Package size | 580x550x490mm |
| 净重N.W            | 14.0kg        |
| 毛重G.W            | 15.5kg        |



### ZH-71A

#### 恒温燃气单缸单筛炸炉 Gas 1 Tank Fryer (1 Basket)

|                  |               |
|------------------|---------------|
| 规格Size           | 330x625x520mm |
| 热功率Heat HP       | 4.5kw         |
| 容量Capacity       | 12L           |
| 包装尺寸Package size | 700x350x540mm |
| 净重N.W            | 20.5kg        |
| 毛重G.W            | 22.0kg        |



### ZH-72A

#### 恒温燃气双缸双筛炸炉 Gas 2 Tank Fryer (2 Basket)

|                  |               |
|------------------|---------------|
| 规格Size           | 620x625x520mm |
| 热功率Heat HP       | 4.5kw + 4.5kw |
| 容量Capacity       | 12L*2         |
| 包装尺寸Package size | 710x640x540mm |
| 净重N.W            | 28.0kg        |
| 毛重G.W            | 40.0kg        |



### ZH-171

#### 恒温燃气单缸单筛炸炉 Gas 1 Tank fryer

|                  |               |
|------------------|---------------|
| 规格Size           | 310x710x760mm |
| 热功率Heat HP       | 7.5kw         |
| 容量Capacity       | 17L           |
| 包装尺寸Package size | 705x355x810mm |
| 净重N.W            | 17.5kg        |
| 毛重G.W            | 19.0kg        |



### ZH-172

#### 恒温燃气双缸双筛炸炉 Gas 2 Tanks fryer

|                  |               |
|------------------|---------------|
| 规格Size           | 620x710x760mm |
| 热功率Heat HP       | 7.5kw + 7.5kw |
| 容量Capacity       | 17L*2         |
| 包装尺寸Package size | 705x665x810mm |
| 净重N.W            | 33.0kg        |
| 毛重G.W            | 33.0kg        |

# Taiwan Fryer, Electric Fryer, Gas Fryer, Computer Control Lift Fryer

台湾炸炉、电炸炉、燃气炸炉、电脑版升降式炸炉



**ZH-3GF**

**燃气单缸1管炸炉**  
Gas 1 Tank Fryer

规格Size 392x770x ( 890+220 ) mm  
热功率Heat HP 15.5 kw  
容量Capacity 30L  
包装尺寸Package size 450x830x1250  
净重N.W 52.0kg  
毛重G.W 62.0kg



**ZH-4GF**

**燃气单缸4管炸炉**  
Gas 1 Tank Fryer

规格Size 465x770x ( 890+220 ) mm  
热功率Heat HP 20.6 kw  
容量Capacity 40L  
包装尺寸Package size 525x830x1250mm  
净重N.W 57.0kg  
毛重G.W 69.0kg



**ZH-5GF**

**燃气单缸5管炸炉**  
Gas 1 Tank fryer

规格Size 530x770x ( 890+220 ) mm  
热功率Heat HP 7.5kw  
容量Capacity 50L  
包装尺寸Package size 590x830x1250 mm  
净重N.W 62.0kg  
毛重G.W 77.0kg



**ZH-4GF-2**

**燃气双缸4管炸炉**  
Gas 2 Tank Fryer

规格Size 638x770x ( 890+220 ) mm  
热功率Heat HP 20.6 kw  
容量Capacity 20+20L  
包装尺寸Package size 698x830x1250 mm  
净重N.W 70.0kg  
毛重G.W 95.0kg



**ZH-5GF-2**

**燃气双缸5管炸炉**  
Gas 2 Tanks fryer

规格Size 710x770x ( 890+220 ) mm  
热功率Heat HP 25.8 kw  
容量Capacity 20+30 L  
包装尺寸Package size 770x830x1250 mm  
净重N.W 80.0kg  
毛重G.W 105.0kg





# Electric Griddle, Gas Griddle Series

## 电扒炉、燃气扒炉系列

全不锈钢机体,温度均匀,高效节能,卫生,安全,快捷。

All stainless steel body, uniform temperature, uniform heating, high efficiency and energy saving health, safety, quick! durable.



# Electric Griddle, Gas Griddle Series

电扒炉、燃气扒炉系列



**ZH-818**

**电平扒炉**  
Electric Griddle

|                        |                     |
|------------------------|---------------------|
| 规格Size                 | 550x430x220mm       |
| 功率Power supply output  | 3kw                 |
| 电压Voltage              | 220V-240V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 548x350x8mm         |
| 包装尺寸Package size       | 590x450x250mm       |
| 净重N.W                  | 18.0kg              |
| 毛重G.W                  | 24.0kg              |



**ZH-820**

**电平扒炉**  
Electric Griddle

|                        |                     |
|------------------------|---------------------|
| 规格Size                 | 730x470x220mm       |
| 功率Power supply output  | 4.4kw               |
| 电压Voltage              | 220V-240V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 728x400x8mm         |
| 包装尺寸Package size       | 770x520x250mm       |
| 净重N.W                  | 26.0kg              |
| 毛重G.W                  | 35.5kg              |



**ZH-920**

**电平扒炉**  
Electric Griddle

|                        |                     |
|------------------------|---------------------|
| 规格Size                 | 760x600x380mm       |
| 功率Power supply output  | 6kw                 |
| 电压Voltage              | 220V-240V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 696x400x16mm        |
| 包装尺寸Package size       | 780x640x400mm       |
| 净重N.W                  | 49.0kg              |
| 毛重G.W                  | 52.0kg              |



**ZH-822**

**电半坑扒炉 (1/3坑)**  
Electric Griddle (1/3 grooved)

|                        |                     |
|------------------------|---------------------|
| 规格Size                 | 730x470x220mm       |
| 功率Power supply output  | 4.4kw               |
| 电压Voltage              | 220V-240V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 728x400x8mm         |
| 包装尺寸Package size       | 770x520x250mm       |
| 净重N.W                  | 26.0kg              |
| 毛重G.W                  | 35.5kg              |



**ZH-922**

**电半坑扒炉 (1/3坑)**  
Electric Griddle (1/3 grooved)

|                        |                     |
|------------------------|---------------------|
| 规格Size                 | 760x600x380mm       |
| 功率Power supply output  | 6kw                 |
| 电压Voltage              | 220V-240V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 696x400x16mm        |
| 包装尺寸Package size       | 780x640x400mm       |
| 净重N.W                  | 44.0kg              |
| 毛重G.W                  | 50.0kg              |





**ZH-4810** 电平扒炉  
Electric Griddle

|                        |                     |
|------------------------|---------------------|
| 规格Size                 | 310x425x250mm       |
| 功率Power supply output  | 2kw                 |
| 电压Voltage              | 220V-240V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 300x350x12mm        |
| 包装尺寸Package size       | 510x340x270mm       |
| 净重N.W                  | 15.5kg              |
| 毛重G.W                  | 17.0kg              |



**ZH-4810C** 电平扒炉 (镀铬扒板)  
Electric Griddle  
(with chrome cooking plate)

|                        |                     |
|------------------------|---------------------|
| 规格Size                 | 310x425x250mm       |
| 功率Power supply output  | 2kw                 |
| 电压Voltage              | 220V-240V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 300x350x12mm        |
| 包装尺寸Package size       | 510x340x270mm       |
| 净重N.W                  | 15.5kg              |
| 毛重G.W                  | 17.0kg              |



**ZH-4830** 电平扒炉  
Electric Griddle

|                        |                     |
|------------------------|---------------------|
| 规格Size                 | 525x425x250mm       |
| 功率Power supply output  | 3kw                 |
| 电压Voltage              | 220V-240V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 520x350x12mm        |
| 包装尺寸Package size       | 560x510x270mm       |
| 净重N.W                  | 23.5kg              |
| 毛重G.W                  | 25.0kg              |



**ZH-4830C** 电平扒炉 (镀铬扒板)  
Electric Griddle  
(with chrome cooking plate)

|                        |                     |
|------------------------|---------------------|
| 规格Size                 | 525x425x250mm       |
| 功率Power supply output  | 3kw                 |
| 电压Voltage              | 220V-240V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 520x350x12mm        |
| 包装尺寸Package size       | 560x510x270mm       |
| 净重N.W                  | 23.5kg              |
| 毛重G.W                  | 25.0kg              |



**ZH-4870** 电平扒炉  
Electric Griddle

|                        |                     |
|------------------------|---------------------|
| 规格Size                 | 700x475x250mm       |
| 功率Power supply output  | 4.4kw               |
| 电压Voltage              | 220V-240V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 700x400x12mm        |
| 包装尺寸Package size       | 730x570x270mm       |
| 净重N.W                  | 37.0kg              |
| 毛重G.W                  | 39.0kg              |



**ZH-4870C** 电平扒炉 (镀铬扒板)  
Electric Griddle  
(with chrome cooking plate)

|                        |                     |
|------------------------|---------------------|
| 规格Size                 | 700x475x250mm       |
| 热功率Heat HP             | 4.4kw               |
| 电压Voltage              | 220V-240V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 700x400x12mm        |
| 包装尺寸Package size       | 730x570x270mm       |
| 净重N.W                  | 37.0kg              |
| 毛重G.W                  | 39.0kg              |

# Electric Griddle, Gas Griddle Series

电扒炉、燃气扒炉系列



**ZH-4871**

**电半坑扒炉 (1/3坑)**  
Electric Griddle (1/3 grooved)

|                        |                     |
|------------------------|---------------------|
| 规格Size                 | 700x475x250mm       |
| 功率Power supply output  | 4.4kw               |
| 电压Voltage              | 220V-240V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 700x400x12mm        |
| 包装尺寸Package size       | 730x570x270mm       |
| 净重N.W                  | 34.0kg              |
| 毛重G.W                  | 37.0kg              |



**ZH-4871C**

**电半坑扒炉 (镀铬扒板, 1/3坑)**  
Electric Griddle (with chrome cooking plate, 1/3 grooved)

|                        |                     |
|------------------------|---------------------|
| 规格Size                 | 700x475x250mm       |
| 功率Power supply output  | 4.4kw               |
| 电压Voltage              | 220V-240V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 700x400x12mm        |
| 包装尺寸Package size       | 730x570x270mm       |
| 净重N.W                  | 34.0kg              |
| 毛重G.W                  | 37.0kg              |



**ZH-4890**

**电平扒炉**  
Electric Griddle

|                        |                     |
|------------------------|---------------------|
| 规格Size                 | 910x460x230mm       |
| 功率Power supply output  | 6kw                 |
| 电压Voltage              | 220V-240V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 900x400x12mm        |
| 包装尺寸Package size       | 930x570x270mm       |
| 净重N.W                  | 40kg                |
| 毛重G.W                  | 43kg                |



**ZH-4890C**

**电平扒炉 (镀铬扒板)**  
Electric Griddle (with chrome cooking plate)

|                        |                     |
|------------------------|---------------------|
| 规格Size                 | 910x460x230mm       |
| 功率Power supply output  | 6kw                 |
| 电压Voltage              | 220V-240V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 900x400x12mm        |
| 包装尺寸Package size       | 930x570x270mm       |
| 净重N.W                  | 40kg                |
| 毛重G.W                  | 43kg                |



**ZH-4880**

**电平扒炉**  
Electric griddle

|                        |                     |
|------------------------|---------------------|
| 规格Size                 | 700x475x250mm       |
| 功率Power supply output  | 4.4kw               |
| 电压Voltage              | 220V-240V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 700x460mm           |
| 包装尺寸Package size       | 750x550x320mm       |
| 净重N.W                  | 37kg                |
| 毛重G.W                  | 42kg                |



**ZH-4881**

**电平扒炉**  
Electric griddle (Computer Board)

|                        |                     |
|------------------------|---------------------|
| 规格Size                 | 700x475x250mm       |
| 功率Power supply output  | 4.4kw               |
| 电压Voltage              | 220V-240V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 700x460mm           |
| 包装尺寸Package size       | 750x550x320mm       |
| 净重N.W                  | 37kg                |
| 毛重G.W                  | 42kg                |





**ZH-24**

**电平扒炉**  
Electric Griddle

|                        |                   |
|------------------------|-------------------|
| 规格Size                 | 610x630x380mm     |
| 功率Power supply output  | 5.4kw             |
| 电压Voltage              | 3N-380V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 600x500x16mm      |
| 包装尺寸Package size       | 650x650x400 mm    |
| 净重N.W                  | 65.0kg            |
| 毛重G.W                  | 70.0kg            |



**ZH-24G**

**燃气平扒炉**  
Gas Griddle

|                        |               |
|------------------------|---------------|
| 规格Size                 | 610x660x565mm |
| 热功率Heat HP             | 14.5kw        |
| 燃气/压力Gas/Pa            | LPG /2800Pa   |
| 扒板尺寸Griddle plate size | 600x500x16 mm |
| 包装尺寸Package size       | 730x650x500mm |
| 净重N.W                  | 74.0kg        |
| 毛重G.W                  | 79.0kg        |



**ZH-36**

**电平扒炉**  
Electric Griddle

|                        |                   |
|------------------------|-------------------|
| 规格Size                 | 910x630x380mm     |
| 功率Power supply output  | 8.1kw             |
| 电压Voltage              | 3N-380V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 910x490x16mm      |
| 包装尺寸Package size       | 960x640x400mm     |
| 净重N.W                  | 84.0kg            |
| 毛重G.W                  | 98.0kg            |



**ZH-36G**

**燃气平扒炉**  
Gas Griddle

|                        |               |
|------------------------|---------------|
| 规格Size                 | 915x660x565mm |
| 热功率Heat HP             | 21kw          |
| 燃气/压力Gas/Pa            | LPG /2800Pa   |
| 扒板尺寸Griddle plate size | 910x490x16mm  |
| 包装尺寸Package size       | 950x720x500mm |
| 净重N.W                  | 86.0kg        |
| 毛重G.W                  | 101.0kg       |



**ZH-48**

**电平扒炉**  
Electric Griddle

|                        |                   |
|------------------------|-------------------|
| 规格Size                 | 1216x630x380mm    |
| 功率Power supply output  | 12kw              |
| 电压Voltage              | 3N-380V/50Hz-60Hz |
| 扒板尺寸Griddle plate size | 1212x490x16mm     |
| 包装尺寸Package size       | 1250x640x400mm    |
| 净重N.W                  | 111.0kg           |
| 毛重G.W                  | 130.0kg           |



**ZH-48G**

**燃气平扒炉**  
Gas Griddle

|                        |                |
|------------------------|----------------|
| 规格Size                 | 1215x660x565mm |
| 热功率Heat HP             | 31kw           |
| 燃气/压力Gas/Pa            | LPG /2800Pa    |
| 扒板尺寸Griddle plate size | 1212x490x16mm  |
| 包装尺寸Package size       | 1250x740x500mm |
| 净重N.W                  | 113.0kg        |
| 毛重G.W                  | 114.0kg        |

# Electric Griddle, Gas Griddle Series

电扒炉、燃气扒炉系列



**ZH-718**

**燃气平扒炉**  
Gas Griddle

|                        |               |
|------------------------|---------------|
| 规格Size                 | 550x485x380mm |
| 热功率Heat HP             | 10.7kw        |
| 燃气/压力Gas/Pa            | LPG /2800Pa   |
| 扒板尺寸Griddle plate size | 548x350x8mm   |
| 包装尺寸Package size       | 580x520x390mm |
| 净重N.W                  | 22.5kg        |
| 毛重G.W                  | 24kg          |



**ZH-SP-5**

**燃气铁板烧**  
Gas Plancha

|                        |               |
|------------------------|---------------|
| 规格Size                 | 500x400x240mm |
| 热功率Heat HP             | 4.5kw         |
| 燃气/压力Gas/Pa            | LPG /2800Pa   |
| 扒板尺寸Griddle plate size | 515x330x4mm   |
| 包装尺寸Package size       | 570x450x225mm |
| 净重N.W                  | 11.5kg        |
| 毛重G.W                  | 13.5kg        |



**ZH-720**

**燃气平扒炉**  
Gas Griddle

|                        |               |
|------------------------|---------------|
| 规格Size                 | 730x550x380mm |
| 热功率Heat HP             | 11.7kw        |
| 燃气/压力Gas/Pa            | LPG /2800Pa   |
| 扒板尺寸Griddle plate size | 728x400x8mm   |
| 包装尺寸Package size       | 760x610x390mm |
| 净重N.W                  | 30.0kg        |
| 毛重G.W                  | 32.0kg        |



**ZH-SP-7.5**

**燃气铁板烧**  
Gas Plancha

|                        |               |
|------------------------|---------------|
| 规格Size                 | 650x400x240mm |
| 热功率Heat HP             | 7.5kw         |
| 燃气/压力Gas/Pa            | LPG /2800Pa   |
| 扒板尺寸Griddle plate size | 660x330x4mm   |
| 包装尺寸Package size       | 720x450x255mm |
| 净重N.W                  | 14.5kg        |
| 毛重G.W                  | 17kg          |



**ZH-722**

**燃气半坑扒炉 (1/3坑)**  
Gas Griddle (1/3 grooved)

|                        |               |
|------------------------|---------------|
| 规格Size                 | 730x550x380mm |
| 热功率Heat HP             | 11.7kw        |
| 燃气/压力Gas/Pa            | LPG /2800Pa   |
| 扒板尺寸Griddle plate size | 728x400x8mm   |
| 包装尺寸Package size       | 760x610x390mm |
| 净重N.W                  | 28.0kg        |
| 毛重G.W                  | 30.0kg        |



**ZH-SP-10**

**燃气铁板烧**  
Gas Plancha

|                        |               |
|------------------------|---------------|
| 规格Size                 | 830x400x240mm |
| 热功率Heat HP             | 10kw          |
| 燃气/压力Gas/Pa            | LPG /2800Pa   |
| 扒板尺寸Griddle plate size | 830x330x4mm   |
| 包装尺寸Package size       | 890x450x255mm |
| 净重N.W                  | 18kg          |
| 毛重G.W                  | 21kg          |





**ZH-ES-1200R**

电日式铁板烧 (半圆形)  
Electric Japanese Teppanyaki  
(half round shape)

|                        |                   |
|------------------------|-------------------|
| 规格Size                 | 1200x800x850mm    |
| 功率Power supply output: | 9kw               |
| 电压Voltage:             | 3N-380V/50Hz-60Hz |
| 包装尺寸Package size       | 1260x860x970mm    |
| 净重N.W                  | 220.0kg           |
| 毛重G.W                  | 245.0kg           |



**ZH-RS-1200T**

气日式铁板烧 (半圆形)  
Gas Japanese Teppanyaki  
(half round shape)

|                  |                |
|------------------|----------------|
| 规格Size           | 1200x800x850mm |
| 热功率Heat HP       | 10kw           |
| 燃气/压力Gas/Pa      | LPG /2800Pa    |
| 包装尺寸Package size | 1260x860x970mm |
| 净重N.W            | 220.0kg        |
| 毛重G.W            | 245.0kg        |



# Electric Griddle, Gas Griddle Series

电扒炉、燃气扒炉系列



**ZH-ES-1200**

电日式铁板烧

Electric Japanese Teppanyaki

|                  |                   |
|------------------|-------------------|
| 规格Size           | 1200x800x850mm    |
| 热功率Heat HP       | 9kw               |
| 燃气/压力Gas/Pa      | 3N-380V/50Hz-60Hz |
| 包装尺寸Package size | 1260x860x970mm    |
| 净重N.W            | 250.0kg           |
| 毛重G.W            | 270.0kg           |



**ZH-ES-1500**

电日式铁板烧

Electric Japanese Teppanyaki

|                  |                   |
|------------------|-------------------|
| 规格Size           | 1500x800x850mm    |
| 热功率Heat HP       | 9kw               |
| 电压Voltage        | 3N-380V/50Hz-60Hz |
| 包装尺寸Package size | 1560x860x970mm    |
| 净重N.W            | 280.0kg           |
| 毛重G.W            | 310.0kg           |



**ZH-RS-1200**

气日式铁板烧

Gas Japanese Teppanyaki

|                  |                |
|------------------|----------------|
| 规格Size           | 1200x800x850mm |
| 热功率Heat HP       | 10kw           |
| 燃气/压力Gas/Pa      | LPG /2800Pa    |
| 包装尺寸Package size | 1260x860x970mm |
| 净重N.W            | 250.0kg        |
| 毛重G.W            | 270.0kg        |



**ZH-RS-1500**

气日式铁板烧

Gas Japanese Teppanyaki

|                  |                |
|------------------|----------------|
| 规格Size           | 1500x800x850mm |
| 热功率Heat HP       | 10kw           |
| 燃气/压力Gas/Pa      | LPG /2800Pa    |
| 包装尺寸Package size | 1560x860x970mm |
| 净重N.W            | 280.0kg        |
| 毛重G.W            | 310.0kg        |



# Waffle Machine, Ice Cream Cone Maker

## 华夫炉、雪糕皮机

进口食品级不锈钢加厚材料,恒温控制,节能安全,不粘涂层使清洁更方便。

Imported food grade stainless steel thickening material, constant temperature control, energy saving and safety, non stick coating makes cleaning more convenient.



### ZH-6

#### 蛋仔机 Electric Pellet Grill

|                  |               |
|------------------|---------------|
| 规格Size           | 220x420x210mm |
| 功率Power          | 1.4kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 450x290x320mm |
| 净重N.W            | 6.0kg         |
| 毛重G.W            | 6.5kg         |



### ZH-6R

#### 燃气蛋仔机 Gas Pellet Grill

|                      |               |
|----------------------|---------------|
| 规格Size               | 220x420x210mm |
| 燃气种类Gas Type         | 液化石油气LPG      |
| 燃气压力Gas pressure(Pa) | 2800          |
| 包装尺寸Package size     | 450x290x320mm |
| 净重N.W                | 5.5kg         |
| 毛重G.W                | 6.5kg         |



### ZH-6-2

#### 蛋仔机 Electric pellet grill

|                  |               |
|------------------|---------------|
| 规格Size           | 440x420x210mm |
| 功率Power          | 2.8kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 515x450x320mm |
| 净重N.W            | 12kg          |
| 毛重G.W            | 13kg          |



# Electric Quail Egg Grill

小松饼机



**ZH-Q9**

**电圆饼机**  
Electric Poffertjes Machine

|                      |               |
|----------------------|---------------|
| 规格Size               | 360x390x180mm |
| 功率Power              | 1kw           |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | Φ90x10mm      |
| 包装尺寸Package size     | 450x430x240mm |
| 净重N.W                | 7.6kg         |
| 毛重G.W                | 8.1kg         |



**ZH-Q9R**

**燃气圆饼机**  
Gas Poffertjes Machine

|                      |               |
|----------------------|---------------|
| 规格Size               | 355x430x195mm |
| 燃气种类Gas Type         | 液化石油气LPG      |
| 燃气压力Gas pressure(Pa) | 2800          |
| 单饼尺寸Single cake size | Φ90x10mm      |
| 包装尺寸Package size     | 400x470x230mm |
| 净重N.W                | 6.8kg         |
| 毛重G.W                | 7.5kg         |



**ZH-Q25**

**小松饼机**  
Electric Quail Egg Grill

|                      |               |
|----------------------|---------------|
| 规格Size               | 310x330x180mm |
| 功率Power              | 800W          |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | Φ45x15mm      |
| 包装尺寸Package size     | 390x320x200mm |
| 净重N.W                | 5.6kg         |
| 毛重G.W                | 6.5kg         |



**ZH-Q36R**

**燃气小松饼机**  
Gas Quail Egg Grill

|                      |               |
|----------------------|---------------|
| 规格Size               | 355x430x195mm |
| 燃气种类Gas Type         | 液化石油气LPG      |
| 燃气压力Gas pressure(Pa) | 2800          |
| 单饼尺寸Single cake size | Φ45x15mm      |
| 包装尺寸Package size     | 400x470x230mm |
| 净重N.W                | 6.6kg         |
| 毛重G.W                | 7.3kg         |



**ZH-Q36**

**小松饼机**  
Electric Quail Egg Grill

|                      |               |
|----------------------|---------------|
| 规格Size               | 340x335x180mm |
| 功率Power              | 1kw           |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | Φ45x15mm      |
| 包装尺寸Package size     | 430x370x200mm |
| 净重N.W                | 7.4kg         |
| 毛重G.W                | 8.1kg         |



**ZH-Q100**

**小松饼机**  
Electric Quail Egg Grill

|                      |               |
|----------------------|---------------|
| 规格Size               | 505x505x180mm |
| 功率Power              | 3.2kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | Φ45x15mm      |
| 包装尺寸Package size     | 640x580x200mm |
| 净重N.W                | 21kg          |
| 毛重G.W                | 23kg          |





### ZH-Q50

#### 小松饼机 Electric Quail Egg Grill

|                      |               |
|----------------------|---------------|
| 规格Size               | 545x330x180mm |
| 功率Power              | 1.6kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | Φ45x15mm      |
| 包装尺寸Package size     | 580x390x200mm |
| 净重N.W                | 10.5kg        |
| 毛重G.W                | 12.0kg        |



### ZH-Q50-A

#### 小松饼机 Electric Quail Egg Grill

|                      |               |
|----------------------|---------------|
| 规格Size               | 545x330x180mm |
| 功率Power              | 2.0kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | Φ45x15mm      |
| 包装尺寸Package size     | 580x390x200mm |
| 净重N.W                | 9.0kg         |
| 毛重G.W                | 12.0kg        |



### ZH-Q72

#### 小松饼机 Electric Quail Egg Grill

|                      |               |
|----------------------|---------------|
| 规格Size               | 605x335x180mm |
| 功率Power              | 2.0kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | Φ45x15mm      |
| 包装尺寸Package size     | 740x400x200mm |
| 净重N.W                | 14.0kg        |
| 毛重G.W                | 16.0kg        |



### ZH-Q25-2

#### 小松饼机 Electric Quail Egg Grill

|                      |               |
|----------------------|---------------|
| 规格Size               | 310x330x245mm |
| 功率Power              | 1.6kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | Φ45x15mm      |
| 包装尺寸Package size     | 450x380x315mm |
| 净重N.W                | 9.0kg         |
| 毛重G.W                | 10.5kg        |



### ZH-Q50-2

#### 小松饼机 Electric Quail Egg Grill

|                      |               |
|----------------------|---------------|
| 规格Size               | 545x330x240mm |
| 功率Power              | 3.2kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | Φ45x15mm      |
| 包装尺寸Package size     | 615x450x315mm |
| 净重N.W                | 17.0kg        |
| 毛重G.W                | 19.0kg        |

# Eelectric Quail Egg Grill

小松饼机



**ZH-2245**

**心形松饼机**  
Electric Quail Egg Grill

|                  |               |
|------------------|---------------|
| 规格Size           | 410x330x240mm |
| 功率Power          | 1.5kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 295x485x315mm |
| 净重N.W            | 12.5kg        |
| 毛重G.W            | 13.5kg        |



**ZH-2244**

**心形松饼机**  
Electric Quail Egg Grill

|                  |               |
|------------------|---------------|
| 规格Size           | 620x330x170mm |
| 功率Power          | 1.5KW         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 655x410x220mm |
| 净重N.W            | 5.5kg         |
| 毛重G.W            | 6.5kg         |



**ZH-2241**

**心形松饼机**  
Electric Quail Egg Grill

|                  |               |
|------------------|---------------|
| 规格Size           | 370x330x170mm |
| 功率Power          | 1kw           |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 410x350x220mm |
| 净重N.W            | 8.1kg         |
| 毛重G.W            | 9kg           |





**ZH-Q37**

**电香脆机**  
Small Circle Cake Machine

|                  |               |
|------------------|---------------|
| 规格Size           | 375x375x265mm |
| 功率Power          | 1.4kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 420x420x300mm |
| 净重N.W            | 11.0kg        |
| 毛重G.W            | 12.0kg        |



**ZH-1103B**

**电鲷鱼烧**  
Electric Taiyaki Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 440x425x285mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 150x90x30mm   |
| 包装尺寸Package size     | 490x480x335mm |
| 净重N.W                | 18.3kg        |
| 毛重G.W                | 20.3kg        |



**ZH-2308**

**华夫炉**  
Waffle Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 685x350x180mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 95x58x13mm    |
| 包装尺寸Package size     | 380x450x315mm |
| 净重N.W                | 9.5kg         |
| 毛重G.W                | 10.5kg        |



**ZH-2214**

**华夫炉(4片)**  
Electric Waffle Maker (4 Grid)

|                      |               |
|----------------------|---------------|
| 规格Size               | 410x290x190mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 90x90x15mm    |
| 包装尺寸Package size     | 440x330x220mm |
| 净重N.W                | 13.0kg        |
| 毛重G.W                | 14.0kg        |



**ZH-4041**

**华夫炉**  
Waffle Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 560x350x230mm |
| 功率Power              | 1.6kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 105x165x28mm  |
| 包装尺寸Package size     | 440x350x230mm |
| 净重N.W                | 15.0kg        |
| 毛重G.W                | 16.0kg        |



**ZH-4042**

**电棒棒糖华夫炉**  
Electric Cake Pop Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 560x350x230mm |
| 功率Power              | 1.6kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | Φ50mm         |
| 包装尺寸Package size     | 440x350x230mm |
| 净重N.W                | 16.0kg        |
| 毛重G.W                | 17.0kg        |

# Waffle Machine

华夫炉



**ZH-2300**

**华夫炉**  
Hello Kitty shape waffle machine

|                  |               |
|------------------|---------------|
| 规格Size           | 280x380x180mm |
| 功率Power          | 1.5kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 460x330x00mm  |
| 净重N.W            | 11.5kg        |
| 毛重G.W            | 12.5kg        |



**ZH-2301**

**华夫炉**  
Mickey shape waffle machine

|                  |               |
|------------------|---------------|
| 规格Size           | 280x380x235mm |
| 功率Power          | 1.5kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 460x330x300mm |
| 净重N.W            | 11.5kg        |
| 毛重G.W            | 13.0kg        |



**ZH-2302**

**华夫炉**  
Butterfly shape waffle machine

|                  |               |
|------------------|---------------|
| 规格Size           | 280x380x235mm |
| 功率Power          | 1.5kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 580x390x200mm |
| 净重N.W            | 10.0kg        |
| 毛重G.W            | 11.5kg        |



**ZH-2200A**

**华夫炉**  
Electric Waffle Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 280x380x250mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 105x105x10mm  |
| 包装尺寸Package size     | 460x330x270mm |
| 净重N.W                | 11.0kg        |
| 毛重G.W                | 12.0kg        |



**ZH-2201A**

**华夫炉**  
Electric Waffle Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 280x380x250mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 108x105x10mm  |
| 包装尺寸Package size     | 460x330x270mm |
| 净重N.W                | 11.0kg        |
| 毛重G.W                | 12.0kg        |



**ZH-2307**

**华夫炉**  
Waffle Maker

|                  |                |
|------------------|----------------|
| 规格Size           | 310x430x245 mm |
| 功率Power          | 2KW            |
| 电压Voltage        | 220V-240V      |
| 频率Frequency      | 50Hz-60Hz      |
| 温度Temp           | 50-300°C       |
| 包装尺寸Package size | 380x450x315 mm |
| 净重N.W            | 9.5kg          |
| 毛重G.W            | 10.5kg         |





**ZH-2210**

**华夫炉 (10片)**  
Waffle Maker (10 Grid)

|                      |               |
|----------------------|---------------|
| 规格Size               | 390x340x240mm |
| 功率Power              | 1.2kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 82x55x9mm     |
| 包装尺寸Package size     | 480x370x290mm |
| 净重N.W                | 9.5kg         |
| 毛重G.W                | 10.5kg        |



**ZH-2213**

**华夫炉 (3片)**  
Electric Waffle Maker (3 Grid)

|                      |               |
|----------------------|---------------|
| 规格Size               | 390x350x280mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 120x80x12mm   |
| 包装尺寸Package size     | 435x400x290mm |
| 净重N.W                | 10.0kg        |
| 毛重G.W                | 11.0kg        |



**ZH-118**

**松树饼机**  
Lolly Waffle Machine

|                      |               |
|----------------------|---------------|
| 规格Size               | 380x350x280mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 120x45x15mm   |
| 包装尺寸Package size     | 425x380x310mm |
| 净重N.W                | 12.0kg        |
| 毛重G.W                | 13.0kg        |



**ZH-118A**

**松树饼机**  
Lolly Waffle Machine

|                      |               |
|----------------------|---------------|
| 规格Size               | 320x400x240mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 220x58x15mm   |
| 包装尺寸Package size     | 360x450x280mm |
| 净重N.W                | 7.6kg         |
| 毛重G.W                | 8.1kg         |



**ZH-118B**

**松树饼机**  
Lolly Waffle Machine

|                      |               |
|----------------------|---------------|
| 规格Size               | 350x350x280mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 220x58x15mm   |
| 包装尺寸Package size     | 450x420x340mm |
| 净重N.W                | 12.5kg        |
| 毛重G.W                | 13.5kg        |



**ZH-118C**

**华夫炉**  
Lolly waffle machine

|                  |               |
|------------------|---------------|
| 规格Size           | 280x380x205mm |
| 功率Power          | 1.5kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 460x330x240mm |
| 净重N.W            | 9.0kg         |
| 毛重G.W            | 10.5kg        |

# Waffle Machine

华夫炉



**ZH-2310**

华夫炉  
Waffle Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 310x430x245mm |
| 功率Power              | 2.0kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 70x70x13 mm   |
| 包装尺寸Package size     | 380x450x315mm |
| 净重N.W                | 10.0kg        |
| 毛重G.W                | 11.0kg        |



**ZH-2309**

华夫炉  
Waffle Maker

|                      |                |
|----------------------|----------------|
| 规格Size               | 310x430x245mm  |
| 功率Power              | 2.0KW          |
| 电压Voltage            | 220V-240V      |
| 频率Frequency          | 50Hz-60Hz      |
| 温度Temp               | 50-300°C       |
| 单饼尺寸Single cake size | 98x58x13 mm    |
| 包装尺寸Package size     | 380x450x315 mm |
| 净重N.W                | 9.5kg          |
| 毛重G.W                | 10.5kg         |



**ZH-2306**

华夫炉  
Waffle Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 310x430x245mm |
| 功率Power              | 2KW           |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | φ51x13 mm     |
| 包装尺寸Package size     | 380x450x315mm |
| 净重N.W                | 9.5kg         |
| 毛重G.W                | 10.5kg        |



**ZH-215**

大心形华夫炉  
Electric Heart Shape Waffle Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 315x350x240mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | φ75 mm        |
| 包装尺寸Package size     | 450x380x350mm |
| 净重N.W                | 10.5kg        |
| 毛重G.W                | 11.5kg        |



**ZH-2206B**

华夫炉  
Electric Waffle Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 310x340x240mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | φ45x6mm       |
| 包装尺寸Package size     | 350x390x260mm |
| 净重N.W                | 11.0kg        |
| 毛重G.W                | 12.0kg        |



**ZH-2206D**

华夫炉  
Electric Waffle Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 310x340x240mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 230x230x6mm   |
| 包装尺寸Package size     | 350x390x260mm |
| 净重N.W                | 9.6kg         |
| 毛重G.W                | 10.5kg        |





**ZH-133**

**华夫炉 (4片)**  
Electric Waffle Maker (4 Grid)

规格Size 280x380x240mm  
功率Power 1.5kw  
电压Voltage 220V-240V  
频率Frequency 50Hz-60Hz  
温度Temp 50-300°C  
单饼尺寸Single cake size 112x112x6mm  
包装尺寸Package size 460x330x270mm  
净重N.W 9.6kg  
毛重G.W 10.5kg



**ZH-133A**

**华夫炉 (4片)**  
Electric Waffle Maker (4 Grid)

规格Size 280x380x240mm  
功率Power 1.5kw  
电压Voltage 220V-240V  
频率Frequency 50Hz-60Hz  
温度Temp 50-300°C  
单饼尺寸Single cake size 112x112x6mm  
包装尺寸Package size 460x330x270mm  
净重N.W 9.6kg  
毛重G.W 10.5kg



**ZH-3309**

**电圆饼机**  
Electric Poffertjes Machine

规格Size 360x390x240mm  
功率Power 2kw  
电压Voltage 220V-240V  
频率Frequency 50Hz-60Hz  
温度Temp 50-300°C  
单饼尺寸Single cake size Ø80  
包装尺寸Package size 450x430x280mm  
净重N.W 12.0kg  
毛重G.W 13.2kg



**ZH-2226**

**华夫炉 (6片)**  
Electric Waffle Maker (6 Grid)

规格Size 280x380x235mm  
功率Power 1.5kw  
电压Voltage 220V-240V  
频率Frequency 50Hz-60Hz  
温度Temp 50-300°C  
单饼尺寸Single cake size 115x72x11mm  
包装尺寸Package size 460x330x270mm  
净重N.W 9.6kg  
毛重G.W 10.5kg



**ZH-2204**

**华夫炉**  
Electric Waffle Maker

规格Size 260x310x240mm  
功率Power 1.2kw  
电压Voltage 220V-240V  
频率Frequency 50Hz-60Hz  
温度Temp 50-300°C  
单饼尺寸Single cake size 100x100x11mm  
包装尺寸Package size 440x335x300mm  
净重N.W 8.0kg  
毛重G.W 9.0kg



**ZH-2206A**

**华夫炉 (4片)**  
Electric Waffle Maker (4 Grid)

规格Size 310x340x240mm  
功率Power 1.5kw  
电压Voltage 220V-240V  
频率Frequency 50Hz-60Hz  
温度Temp 50-300°C  
单饼尺寸Single cake size 112x112x6mm  
包装尺寸Package size 350x390x260mm  
净重N.W 9.6kg  
毛重G.W 10.5kg

# Waffle Machine

华夫炉



**ZH-0011**

华夫炉  
Electric Waffle Maker

|                  |               |
|------------------|---------------|
| 规格Size           | 610x410x240mm |
| 功率Power          | 3.0kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 650x460x280mm |
| 净重N.W            | 21.0kg        |
| 毛重G.W            | 23.0kg        |



**ZH-0022**

华夫炉  
Electric Waffle Maker

|                  |               |
|------------------|---------------|
| 规格Size           | 610x410x240mm |
| 功率Power          | 3.0kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 650x460x280mm |
| 净重N.W            | 21.0kg        |
| 毛重G.W            | 23.0kg        |



**ZH-0033**

华夫炉  
Electric Waffle Maker

|                  |               |
|------------------|---------------|
| 规格Size           | 610x410x240mm |
| 功率Power          | 3kw           |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 650x460x280mm |
| 净重N.W            | 21.0kg        |
| 毛重G.W            | 23.0kg        |



**ZH-802**

华夫炉 (铝板)  
Double Plate Square Waffle  
Maker (Aluminum Plate)

|                      |               |
|----------------------|---------------|
| 规格Size               | 570x350x250mm |
| 功率Power              | 4.0kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 170x105x13mm  |
| 包装尺寸Package size     | 610x410x270mm |
| 净重N.W                | 16.5kg        |
| 毛重G.W                | 18.0kg        |



**ZH-802A**

华夫炉 (铝板)  
Double Plate Square Waffle  
Maker (Aluminum Plate)

|                      |               |
|----------------------|---------------|
| 规格Size               | 600x410x240mm |
| 功率Power              | 4.0kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 105x85x13mm   |
| 包装尺寸Package size     | 650x450x290mm |
| 净重N.W                | 16.5kg        |
| 毛重G.W                | 18.0kg        |





**ZH-801**

**华夫炉(2片)**  
Electric Waffle Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 310x350x280mm |
| 功率Power              | 2.0kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 170x105x13mm  |
| 包装尺寸Package size     | 490x380x340mm |
| 净重N.W                | 18.0kg        |
| 毛重G.W                | 20.5kg        |



**ZH-801A**

**华夫炉(4片)**  
Electric Waffle Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 310x350x280mm |
| 功率Power              | 2.0kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 105x85x13mm   |
| 包装尺寸Package size     | 490x380x340mm |
| 净重N.W                | 19.5kg        |
| 毛重G.W                | 20.5kg        |



**ZH-801C**

**华夫炉**  
Electric Waffle Machine

|                  |               |
|------------------|---------------|
| 规格Size           | 355x265x240mm |
| 功率Power          | 2.0kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 430x300x270mm |
| 净重N.W            | 9.0kg         |
| 毛重G.W            | 10.5kg        |



**ZH-801-B**

**华夫炉(电脑版)**  
Waffle Maker  
(Computer Screen)

|                      |               |
|----------------------|---------------|
| 规格Size               | 310x400x240mm |
| 功率Power              | 2kw           |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 170x105x13mm  |
| 包装尺寸Package size     | 490x380x340mm |
| 净重N.W                | 12.0kg        |
| 毛重G.W                | 13.2kg        |



**ZH-801A-B**

**华夫炉(电脑版)**  
Waffle Maker  
(Computer Screen)

|                      |               |
|----------------------|---------------|
| 规格Size               | 310x400x240mm |
| 功率Power              | 2kw           |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 105x85x13mm   |
| 包装尺寸Package size     | 490x380x340mm |
| 净重N.W                | 12.0kg        |
| 毛重G.W                | 13.2kg        |



**ZH-801X**

**华夫炉**  
Electric Waffle Machine

|                      |               |
|----------------------|---------------|
| 规格Size               | 355x265x240mm |
| 功率Power              | 2.0kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 105x85x13mm   |
| 包装尺寸Package size     | 430x300x270mm |
| 净重N.W                | 9.0kg         |
| 毛重G.W                | 10.5kg        |

# Waffle Machine

华夫炉



**ZH-113**

三文治机  
Sandwich Waffle Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 390x340x240mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 125x145mm     |
| 包装尺寸Package size     | 430x400x300mm |
| 净重N.W                | 9.6kg         |
| 毛重G.W                | 10.5kg        |



**ZH-113A**

三文治机  
Sandwich Waffle Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 390x340x245mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 125x145mm     |
| 包装尺寸Package size     | 430x400x300mm |
| 净重N.W                | 9.6kg         |
| 毛重G.W                | 10.5kg        |



**ZH-009**

三文治机  
Sandwich Waffle Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 420x290x180mm |
| 功率Power              | 0.8kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 99x99x21mm    |
| 包装尺寸Package size     | 470x230x210mm |
| 净重N.W                | 4.0kg         |
| 毛重G.W                | 4.7kg         |



**ZH-008**

圆饼机  
Round Cake Machine

|                  |               |
|------------------|---------------|
| 规格Size           | 360x390x180mm |
| 功率Power          | 1.5kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 450x380x350mm |
| 净重N.W            | 12.2kg        |
| 毛重G.W            | 13.5kg        |



**ZH-112**

电韩式鱼仔机  
Electric Fish-shape Grill

|                      |               |
|----------------------|---------------|
| 规格Size               | 380x300x240mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 90x70mm       |
| 包装尺寸Package size     | 360x450x280mm |
| 净重N.W                | 9.0kg         |
| 毛重G.W                | 10.0kg        |



**ZH-228**

蛋挞皮机  
Tartlet Machine

|                      |               |
|----------------------|---------------|
| 规格Size               | 380x300x240mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | φ70*28mmmm    |
| 包装尺寸Package size     | 360x450x280mm |
| 净重N.W                | 13.0kg        |
| 毛重G.W                | 14.0kg        |





**ZH-115-2**

**烤热狗机**  
Hot Dog Rolling Machine

|                      |               |
|----------------------|---------------|
| 规格Size               | 330x280x240mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 140x40x15mm   |
| 包装尺寸Package size     | 400x380x350mm |
| 净重N.W                | 9.0kg         |
| 毛重G.W                | 10.5kg        |



**ZH-115**

**烤玉米机**  
Electric Corn Waffle Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 330x280x240mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 140x40x15mm   |
| 包装尺寸Package size     | 400x380x350mm |
| 净重N.W                | 8.5kg         |
| 毛重G.W                | 10kg          |



**ZH-216**

**玉米香酥连体机**  
Cone & Hot Dog Waffle Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 390x340x245mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 140x40x15mm   |
| 包装尺寸Package size     | 140x40x15mm   |
| 净重N.W                | 11.0kg        |
| 毛重G.W                | 12.0kg        |



**ZH-119**

**香酥机**  
Electric Waffle Stick Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 330x280x240mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 140x40x15mm   |
| 包装尺寸Package size     | 400x380x350mm |
| 净重N.W                | 8.0kg         |
| 毛重G.W                | 9.0kg         |



**ZH-119-2**

**香酥机**  
Electric Waffle Stick Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 340x280x270mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 140x40x15mm   |
| 包装尺寸Package size     | 400x380x350mm |
| 净重N.W                | 9.5kg         |
| 毛重G.W                | 10.5kg        |



**ZH-2311**

**华夫炉**  
Waffle Machine

|                      |               |
|----------------------|---------------|
| 规格Size               | 390x340x245mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 40x30mm       |
| 包装尺寸Package size     | 360x450x280mm |
| 净重N.W                | 12.0kg        |
| 毛重G.W                | 13.0kg        |

# Waffle Machine

华夫炉



**ZH-Q5**

**甜甜圈**  
Electric Donuts Machine

|                      |               |
|----------------------|---------------|
| 规格Size               | 340x270x240mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | Φ72mm         |
| 包装尺寸Package size     | 380x320x280mm |
| 净重N.W                | 7.5kg         |
| 毛重G.W                | 8.4kg         |



**ZH-Q6**

**甜甜圈**  
Electric Donuts Machine

|                      |               |
|----------------------|---------------|
| 规格Size               | 340x270x240mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | Φ75mm         |
| 包装尺寸Package size     | 380x320x280mm |
| 净重N.W                | 8.0kg         |
| 毛重G.W                | 8.5kg         |



**ZH-Q12**

**甜甜圈**  
Electric Donuts Machine

|                      |               |
|----------------------|---------------|
| 规格Size               | 340x270x240mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | Φ50mm         |
| 包装尺寸Package size     | 380x320x280mm |
| 净重N.W                | 8.0kg         |
| 毛重G.W                | 8.5kg         |



**ZH-9B**

**甜甜圈**  
Electric Donuts Machine

|                      |               |
|----------------------|---------------|
| 规格Size               | 250x460x180mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | Φ50mm         |
| 包装尺寸Package size     | 380x320x280mm |
| 净重N.W                | 7.6kg         |
| 毛重G.W                | 8.5kg         |



**ZH-12B**

**咖啡豆甜点烧烤机**  
Coffee Dessert Barbecue Machine

|                      |               |
|----------------------|---------------|
| 规格Size               | 250x460x200mm |
| 功率Power              | 1.5kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 50x35x15mm    |
| 包装尺寸Package size     | 520x325x270mm |
| 净重N.W                | 8.0kg         |
| 毛重G.W                | 8.8kg         |



**ZH-002**

**甜甜圈**  
Electric Donuts Machine

|                      |               |
|----------------------|---------------|
| 规格Size               | 250x460x200mm |
| 功率Power              | 1.2kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | Φ85mm         |
| 包装尺寸Package size     | 520x300x240mm |
| 净重N.W                | 7.0kg         |
| 毛重G.W                | 7.5kg         |





**ZH-110**

**披萨仔**  
Small Pizza waffle machine

规格Size 250x460x200mm  
功率Power 1.5kw  
电压Voltage 220V-240V  
频率Frequency 50Hz-60Hz  
温度Temp 50-300°C  
单饼尺寸Single cake size 570\*340\*250mm  
包装尺寸Package size 570x340x250mm  
净重N.W 9.0kg  
毛重G.W 10.0kg



**ZH-003**

**二格方包机**  
2 Slice Toast

规格Size 250x460x200mm  
功率Power 1.2kw  
电压Voltage 220V-240V  
频率Frequency 50Hz-60Hz  
温度Temp 50-300°C  
饼厚Waffle Thickness 30mm  
包装尺寸Package size 520x300x240mm  
净重N.W 8.5kg  
毛重G.W 10kg



**ZH-004**

**法式玛芬机**  
French Muffin Machine

规格Size 260x460x200mm  
功率Power 1.2kw  
电压Voltage 220V-240V  
频率Frequency 50Hz-60Hz  
温度Temp 50-300°C  
饼厚Waffle Thickness 16mm  
包装尺寸Package size 280x500x220mm  
净重N.W 7.0kg  
毛重G.W 7.9kg



**ZH-005**

**烤热狗机**  
Hot Dog Rolling Machine

规格Size 250x460x200mm  
功率Power 1.2kw  
电压Voltage 220V-240V  
频率Frequency 50Hz-60Hz  
温度Temp 50-300°C  
饼厚Waffle Thickness 15mm  
包装尺寸Package size 280x500x220mm  
净重N.W 7.0kg  
毛重G.W 7.9kg



**ZH-006**

**4格华夫炉**  
4 Grid Waffle Maker

规格Size 250x460x200mm  
功率Power 1.2kw  
电压Voltage 220V-240V  
频率Frequency 50Hz-60Hz  
温度Temp 50-300°C  
饼厚Waffle Thickness 30mm  
包装尺寸Package size 280x500x250mm  
净重N.W 8.0kg  
毛重G.W 8.8kg



**ZH-001**

**华夫炉**  
Waffle Maker

规格Size 250x460x200mm  
功率Power 1.2kw  
电压Voltage 220V-240V  
频率Frequency 50Hz-60Hz  
温度Temp 50-300°C  
饼厚Waffle Thickness 30mm  
包装尺寸Package size 520x300x240mm  
净重N.W 7.0kg  
毛重G.W 7.5kg



**ZH-007**

**华夫炉**  
Waffle Maker

规格Size 250x460x200mm  
功率Power 1.2kw  
电压Voltage 220V-240V  
频率Frequency 50Hz-60Hz  
温度Temp 50-300°C  
饼厚Waffle Thickness 30mm  
包装尺寸Package size 520x300x240mm  
净重N.W 7.0kg  
毛重G.W 7.5kg

# Waffle Machine

华夫炉



**ZH-153**

单头华夫炉

Single Plate Waffle Maker

|                      |               |
|----------------------|---------------|
| 规格Size               | 250x325x260mm |
| 功率Power              | 1.0kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 40x30mm       |
| 包装尺寸Package size     | 420x320x300mm |
| 净重N.W                | 5.6kg         |
| 毛重G.W                | 6.5kg         |



**ZH-1**

单头华夫炉

Single Plate Waffle Maker

|                  |               |
|------------------|---------------|
| 规格Size           | 250x352x260mm |
| 功率Power          | 1.0kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 420x320x300mm |
| 净重N.W            | 5.6kg         |
| 毛重G.W            | 6.5kg         |



**ZH-2**

双头华夫炉

Double Plates Waffle Maker

|                  |               |
|------------------|---------------|
| 规格Size           | 500x325x260mm |
| 功率Power          | 2.0kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 570x420x300mm |
| 净重N.W            | 11.0kg        |
| 毛重G.W            | 12.0kg        |



**ZH-03**

旋转式华夫炉

Rotating Waffle Maker

|                  |               |
|------------------|---------------|
| 规格Size           | 250x380x300mm |
| 功率Power          | 1.0kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 500x300x350mm |
| 净重N.W            | 8.5kg         |
| 毛重G.W            | 9.5kg         |



**ZH-03-B**

旋转式华夫炉 (电脑板)

Rotating Waffle Maker (Computer Screen)

|                      |               |
|----------------------|---------------|
| 规格Size               | 250x380x300mm |
| 功率Power              | 1.0kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | 140x40x15mm   |
| 包装尺寸Package size     | 540x320x370mm |
| 净重N.W                | 9.0kg         |
| 毛重G.W                | 10.5kg        |



**ZH-38**

冰淇淋汉堡机

Ice Cream Hamburger Machine

|                  |               |
|------------------|---------------|
| 规格Size           | 250x380x300mm |
| 功率Power          | 1.0kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 510x310x370mm |
| 净重N.W            | 8.5kg         |
| 毛重G.W            | 9.5kg         |



**ZH-Q38**

冰淇淋汉堡机 (电脑板)

Ice Cream Hamburger Machine (Computer Screen)

|                  |               |
|------------------|---------------|
| 规格Size           | 250x380x300mm |
| 功率Power          | 1.0kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 540x320x370mm |
| 净重N.W            | 9.0kg         |
| 毛重G.W            | 10.5kg        |





## Ice Cream Cone Maker

雪糕皮机



**ZHH-1**

**单头雪糕皮机**  
Single Plate Cone Maker

|                  |               |
|------------------|---------------|
| 规格Size           | 250x325x260mm |
| 功率Power          | 1kw           |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 420x320x300mm |
| 净重N.W            | 6.4kg         |
| 毛重G.W            | 7.1kg         |



**ZHH-2**

**双头雪糕皮机**  
Double Plate Cone Maker

|                  |               |
|------------------|---------------|
| 规格Size           | 500x252x260mm |
| 功率Power          | 1+1kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 570x420x300mm |
| 净重N.W            | 11.0kg        |
| 毛重G.W            | 12.0kg        |



**ZH-2209**

**方形雪糕皮机**  
Square Shaped Ice Cream Cone Maker

|                  |               |
|------------------|---------------|
| 规格Size           | 310x340x240mm |
| 功率Power          | 1.5kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 温度Temp           | 50-300°C      |
| 包装尺寸Package size | 490x380x300mm |
| 净重N.W            | 9.6kg         |
| 毛重G.W            | 10.5kg        |



# Crepe Maker, Takoyaki Maker, Contact Grill

班戟炉、鱼丸炉、压板扒炉



**ZH-402E**

可拆式班戟工作台+班戟炉  
Removable Working Top  
(1 Crepe Makers)

|                    |                     |
|--------------------|---------------------|
| 规格Size             | 930x600x(170+340)mm |
| 功率Power            | 2.8KW               |
| 电压Voltage          | 220V-240V           |
| 频率Frequency        | 50Hz-60Hz           |
| 温度Temp             | 50-300℃             |
| 圆直径Circle Diameter | Φ400mm              |
| 包装尺寸Package size   | 970x640x240mm       |
| 净重N.W              | 32.0kg              |
| 毛重G.W              | 59.0kg              |



**ZH-421E**

可拆式工作台+班戟炉+华夫炉  
Removable Working Top: Crepes  
And Waffle

|                    |                      |
|--------------------|----------------------|
| 规格Size             | 1440x700x(160+500)mm |
| 功率Power            | 2.8KW+2KW            |
| 电压Voltage          | 220V-240V            |
| 频率Frequency        | 50Hz-60Hz            |
| 温度Temp             | 50-300℃              |
| 圆直径Circle Diameter | Φ400mm               |
| 包装尺寸Package size   | 1500x770x220MM       |
| 净重N.W              | 85.0kg               |
| 毛重G.W              | 96.0kg               |



# Crepe Maker

班戟炉



## ZH-410

### 电班戟炉

Electric Crepe Maker

|                    |               |
|--------------------|---------------|
| 规格Size             | 400x400x170mm |
| 功率Power            | 2.8KW         |
| 电压Voltage          | 220V-240V     |
| 频率Frequency        | 50Hz-60Hz     |
| 温度Temp             | 50-300°C      |
| 圆直径Circle Diameter | Φ400mm        |
| 包装尺寸Package size   | 440x440x200mm |
| 净重N.W              | 13.5kg        |
| 毛重G.W              | 17.0kg        |



## ZH-410.R

### 燃气班戟炉

Gas Crepe Maker

|                    |               |
|--------------------|---------------|
| 规格Size             | 400x400x170mm |
| 燃气种类Gas Type       | 液化石油气 (LPG)   |
| 燃气压力Gas Pressure   | 2800 Pa       |
| 热功率Heat HP         | 4kw           |
| 圆直径Circle Diameter | Φ400mm        |
| 包装尺寸Package size   | 440x440x200mm |
| 净重N.W              | 13.5kg        |
| 毛重G.W              | 17.0kg        |



## ZH-1E

### 电班戟炉

Electric Crepe Maker

|                    |               |
|--------------------|---------------|
| 规格Size             | 460x475x230mm |
| 功率Power            | 2.8KW         |
| 电压Voltage          | 220V-240V     |
| 频率Frequency        | 50Hz-60Hz     |
| 温度Temp             | 50-300°C      |
| 圆直径Circle Diameter | Φ400mm        |
| 包装尺寸Package size   | 540x510x250mm |
| 净重N.W              | 16.5kg        |
| 毛重G.W              | 17.5kg        |



## ZH-1.R

### 燃气班戟炉

Gas Crepe Maker

|                    |               |
|--------------------|---------------|
| 规格Size             | 450x480x230mm |
| 燃气种类Gas Type       | 液化石油气 (LPG)   |
| 燃气压力Gas Pressure   | 2800 Pa       |
| 热功率Heat HP         | 4kw           |
| 圆直径Circle Diameter | 50-300°C      |
| 包装尺寸Package size   | 570x490x250mm |
| 净重N.W              | 16.5kg        |
| 毛重G.W              | 17.5kg        |



## ZH-2E

### 电班戟炉

Electric Crepe Maker

|                    |               |
|--------------------|---------------|
| 规格Size             | 860x485x230mm |
| 功率Power            | 2.8KW+2.8KW   |
| 电压Voltage          | 220V-240V     |
| 频率Frequency        | 50Hz-60Hz     |
| 温度Temp             | 50-300°C      |
| 圆直径Circle Diameter | Φ400mm        |
| 包装尺寸Package size   | 930x520x290mm |
| 净重N.W              | 29.0kg        |
| 毛重G.W              | 38.0kg        |



## ZH-2.R

### 燃气班戟炉

Gas Crepe Maker

|                    |               |
|--------------------|---------------|
| 规格Size             | 860x485x230mm |
| 燃气种类Gas Type       | 液化石油气 (LPG)   |
| 燃气压力Gas Pressure   | 2800 Pa       |
| 热功率Heat HP         | 50Hz-60Hz     |
| 圆直径Circle Diameter | Φ400mm        |
| 包装尺寸Package size   | 900x540x270mm |
| 净重N.W              | 35.0kg        |
| 毛重G.W              | 38.0kg        |

# Takoyaki Maker

鱼丸炉



## ZH-1W

一板电鱼丸炉  
Electric Takoyaki Maker  
(1 plates)

|                      |               |
|----------------------|---------------|
| 规格Size               | 280x490x200mm |
| 功率Power              | 2.0kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | Φ40x25mm      |
| 包装尺寸Package size     | 420x280x240mm |
| 净重N.W                | 7.0kg         |
| 毛重G.W                | 8.0kg         |



## ZH-1G

一板燃气鱼丸炉  
Gas Takoyaki Maker (1 plates)

|                      |               |
|----------------------|---------------|
| 规格Size               | 230x470x220mm |
| 燃气种类Gas Type         | 液化石油气 (LPG)   |
| 燃气压力Gas Pressure     | 2800 Pa       |
| 热功率Heat HP           | 2.5kw         |
| 单饼尺寸Single cake size | Φ40x25mm      |
| 包装尺寸Package size     | 520x280x240mm |
| 净重N.W                | 6.5kg         |
| 毛重G.W                | 8.5kg         |



## ZH-2W

二板电鱼丸炉  
Electric Takoyaki Maker  
(2 plates)

|                      |               |
|----------------------|---------------|
| 规格Size               | 440x370x220mm |
| 功率Power              | 4.0kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | Φ40x25mm      |
| 包装尺寸Package size     | 490x420x240mm |
| 净重N.W                | 12.5kg        |
| 毛重G.W                | 15.0kg        |



## ZH-2G

二板燃气鱼丸炉  
Gas Takoyaki Maker (2 plates)

|                      |               |
|----------------------|---------------|
| 规格Size               | 460x470x220mm |
| 燃气种类Gas Type         | 液化石油气 (LPG)   |
| 燃气压力Gas Pressure     | 2800 Pa       |
| 热功率Heat HP           | 5kw           |
| 单饼尺寸Single cake size | Φ40x25mm      |
| 包装尺寸Package size     | 520x490x240mm |
| 净重N.W                | 12.0kg        |
| 毛重G.W                | 15.0kg        |



## ZH-3W

三板电鱼丸炉  
Electric Takoyaki Maker  
(3 plates)

|                      |               |
|----------------------|---------------|
| 规格Size               | 630x490x200mm |
| 功率Power              | 6.0kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 单饼尺寸Single cake size | Φ40x25mm      |
| 包装尺寸Package size     | 680x540x240mm |
| 净重N.W                | 18.0kg        |
| 毛重G.W                | 19.0kg        |



## ZH-3G

三板燃气鱼丸炉  
Gas Takoyaki Maker (3 plates)

|                    |               |
|--------------------|---------------|
| 规格Size             | 630x490x200mm |
| 燃气种类Gas Type       | 液化石油气 (LPG)   |
| 燃气压力Gas Pressure   | 2800 Pa       |
| 热功率Heat HP         | 7.5kw         |
| 圆直径Circle Diameter | Φ40x25mm      |
| 包装尺寸Package size   | 680x540x240mm |
| 净重N.W              | 18.0kg        |
| 毛重G.W              | 19.0kg        |



## Contact Grill

压板扒炉



**ZH-811**

单压板电扒炉 (上下坑)  
Single Electric Contact Grill  
(Full Grooved)

|                      |               |
|----------------------|---------------|
| 规格Size               | 305x370x210mm |
| 上板尺寸On board size    | 215x215mm     |
| 下板尺寸Under board size | 240x235mm     |
| 功率Power              | 1.8kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 包装尺寸Package size     | 450x370x270mm |
| 净重N.W                | 13.0kg        |
| 毛重G.W                | 13.5kg        |



**ZH-811A**

单压板电扒炉 (上坑下平)  
Single Electric Contact Grill  
(Upper Grooved & Under Flat)

|                      |               |
|----------------------|---------------|
| 规格Size               | 305x370x210mm |
| 上板尺寸On board size    | 215x215mm     |
| 下板尺寸Under board size | 240x235mm     |
| 功率Power              | 1.8kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 包装尺寸Package size     | 450x370x270mm |
| 净重N.W                | 12.5kg        |
| 毛重G.W                | 13.5kg        |



**ZH-811C**

单压板电扒板 (上下平)  
Single Electric Contact Grill  
(Full Grooved)

|                      |               |
|----------------------|---------------|
| 规格Size               | 305x370x210mm |
| 上板尺寸On board size    | 215x215mm     |
| 下板尺寸Under board size | 240x235mm     |
| 功率Power              | 1.8kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 包装尺寸Package size     | 450x370x270mm |
| 净重N.W                | 13.0kg        |
| 毛重G.W                | 13.5kg        |



**ZH-811E**

单压板电扒炉 (上下坑)  
Single Electric Contact Grill  
(Full Grooved)

|                      |               |
|----------------------|---------------|
| 规格Size               | 425x370x210mm |
| 上板尺寸On board size    | 340x220mm     |
| 下板尺寸Under board size | 360x235mm     |
| 功率Power              | 2.2kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 包装尺寸Package size     | 490x460x280mm |
| 净重N.W                | 19.0kg        |
| 毛重G.W                | 20.0kg        |



**ZH-811EA**

单压板电扒炉 (上坑下平)  
Single Electric Contact Grill  
(Upper Grooved & Under Flat)

|                      |               |
|----------------------|---------------|
| 规格Size               | 425x370x210mm |
| 上板尺寸On board size    | 340x220mm     |
| 下板尺寸Under board size | 360x235mm     |
| 功率Power              | 2.2kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 包装尺寸Package size     | 490x460x280mm |
| 净重N.W                | 18.5kg        |
| 毛重G.W                | 20.0kg        |



**ZH-811E-C**

单压板电扒炉 (上坑下平)  
Single Electric Contact Grill  
(Upper & Under Flat)

|                      |               |
|----------------------|---------------|
| 规格Size               | 425x370x210mm |
| 上板尺寸On board size    | 340x220mm     |
| 下板尺寸Under board size | 360x235mm     |
| 功率Power              | 2.2kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 包装尺寸Package size     | 90x460x270mm  |
| 净重N.W                | 19.0kg        |
| 毛重G.W                | 20.0kg        |



**ZH-811-B**

压板电扒炉 (电脑板)  
Contact Grill (Grooved  
Board)

|                      |               |
|----------------------|---------------|
| 规格Size               | 305x370x210mm |
| 上板尺寸On board size    | 215x215mm     |
| 下板尺寸Under board size | 240x235mm     |
| 功率Power              | 1.8kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 包装尺寸Package size     | 450x370x270mm |
| 净重N.W                | 13.0kg        |
| 毛重G.W                | 14.0kg        |



**ZH-811E-B**

压板电扒炉 (电脑板)  
Contact Grill (Grooved  
Board)

|                      |               |
|----------------------|---------------|
| 规格Size               | 425x370x210mm |
| 上板尺寸On board size    | 340x220mm     |
| 下板尺寸Under board size | 360x235mm     |
| 功率Power              | 2.2kw         |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 包装尺寸Package size     | 490x460x270mm |
| 净重N.W                | 19.5kg        |
| 毛重G.W                | 20.0kg        |

# Contact Grill

压板扒炉



**ZH-813**

**双压板电扒炉 (上下坑)**  
Double Electric Contact Grill  
(Full Grooved)

|                      |               |
|----------------------|---------------|
| 规格Size               | 565x370x210mm |
| 上板尺寸On board size    | 215x215mmx2   |
| 下板尺寸Under board size | 497x235mm     |
| 功率Power              | 1.8kw+1.8kw   |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 包装尺寸Package size     | 680x460x270mm |
| 净重N.W                | 26.0kg        |
| 毛重G.W                | 27.0kg        |



**ZH-813A**

**双压板电扒炉 (上坑下平)**  
Double Electric Contact Grill  
(Upper Grooved & Under Flat)

|                      |               |
|----------------------|---------------|
| 规格Size               | 565x370x210mm |
| 上板尺寸On board size    | 215x215mmx2   |
| 下板尺寸Under board size | 497x235mm     |
| 功率Power              | 1.8kw+1.8kw   |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 包装尺寸Package size     | 680x460x270mm |
| 净重N.W                | 26.0kg        |
| 毛重G.W                | 27.0kg        |



**ZH-813C**

**双压板电扒炉 (上全坑下半平半坑)**  
Double Electric Contact Grill (Upper  
Grooved & Under 1/2 grooved 1/2 flat)

|                      |               |
|----------------------|---------------|
| 规格Size               | 565x370x210mm |
| 上板尺寸On board size    | 215x215mmx2   |
| 下板尺寸Under board size | 497x235mm     |
| 功率Power              | 1.8kw+1.8kw   |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 包装尺寸Package size     | 680x460x270mm |
| 净重N.W                | 26.0kg        |
| 毛重G.W                | 27.0kg        |



**ZH-813D**

**双压板电扒炉 (上下半坑半平)**  
Double Electric Contact Grill  
(1/2 Grooved & 1/2 Flat)

|                      |               |
|----------------------|---------------|
| 规格Size               | 565x370x210mm |
| 上板尺寸On board size    | 215x215mmx2   |
| 下板尺寸Under board size | 497x235mm     |
| 功率Power              | 1.8kw+1.8kw   |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 包装尺寸Package size     | 680x460x270mm |
| 净重N.W                | 26.0kg        |
| 毛重G.W                | 27.0kg        |



**ZH-813-B**

**双压板扒炉 (电脑版)**  
Double Contact Grill  
(Computer Board)

|                      |               |
|----------------------|---------------|
| 规格Size               | 565x370x210mm |
| 上板尺寸On board size    | 215x215mmx2   |
| 下板尺寸Under board size | 497x235mm     |
| 功率Power              | 1.8kw+1.8kw   |
| 电压Voltage            | 220V-240V     |
| 频率Frequency          | 50Hz-60Hz     |
| 温度Temp               | 50-300°C      |
| 包装尺寸Package size     | 680x460x270mm |
| 净重N.W                | 26.5kg        |
| 毛重G.W                | 27.5kg        |



# Cotton Candy Machine, Popcorn, Machine

棉花糖机、爆米花机

**TRUWIN**  
CATERING EQUIPMENT



**ZH-3703**

**电棉花糖机**  
Cotton Candy Machine

|                  |               |
|------------------|---------------|
| 规格Size           | 518x518x320mm |
| 功率Power          | 0.8kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz          |
| 包装尺寸Package size | 520x520x380mm |
| 净重N.W            | 11.5kg        |
| 毛重G.W            | 14.5kg        |



**ZH-3703A**

**电棉花糖机+玻璃罩**  
Cotton Candy Machine (Glass Cap)

|                  |               |
|------------------|---------------|
| 规格Size           | 518x518x510mm |
| 功率Power          | 0.8kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz          |
| 包装尺寸Package size | 520x520x380mm |
| 净重N.W            | 13.5kg        |
| 毛重G.W            | 15.0kg        |



**ZH-6A**

**爆谷机**  
Popcorn Machine

|                  |               |
|------------------|---------------|
| 规格Size           | 550x410x680mm |
| 功率Power          | 1.5kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz          |
| 包装尺寸Package size | 540x400x650mm |
| 净重N.W            | 14.8kg        |
| 毛重G.W            | 16.5kg        |



**ZH-6B**

**爆谷机**  
Popcorn Machine

|                  |               |
|------------------|---------------|
| 规格Size           | 550x410x680mm |
| 功率Power          | 1.5kw         |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz          |
| 包装尺寸Package size | 560x420x700mm |
| 净重N.W            | 15.5kg        |
| 毛重G.W            | 17.0kg        |



**ZH-6H**

**爆谷机连手推车**  
Popcorn Machine & Cart

|                        |                |
|------------------------|----------------|
| 规格Size                 | 550x410x1600mm |
| 功率Power                | 1.5kw          |
| 电压Voltage              | 220V-240V      |
| 频率Frequency            | 50Hz           |
| 包装尺寸Popcorn Package    | 450x370x270mm  |
| 车包装尺寸Cart Package size | 600x600x520mm  |
| 净重N.W                  | 28.0kg         |
| 毛重G.W                  | 30.0kg         |

# Shawarma Series

## 烤炉

全不锈钢机体,温度均匀,高效节能,卫生,安全,快捷。

All stainless steel body, uniform temperature, uniform heating, high efficiency and energy saving healthy, safety, quick! durable.



### ZH-2E-4

### 电双排中东烧烤炉连柜座 Electric double shawarma with cabinet

|                       |                 |
|-----------------------|-----------------|
| 规格Size                | 1500x800x2050mm |
| 功率Power supply output | 8kw+8kw         |
| 电压Voltage             | 3N-380V         |
| 包装尺寸Package size      | 1600x940x2240mm |
| 净重N.W                 | 185kg           |
| 毛重G.W                 | 200kg           |



### ZH-2H-4

### 气双排中东烧烤炉连柜座 Gas double shawarma with cabinet

|                       |                 |
|-----------------------|-----------------|
| 规格Size                | 1500x800x2050mm |
| 热功率Heat HPt           | 36kw            |
| 燃气V/压力Gas/Pa          | LPG /2800Pa     |
| 功率Power supply output | 50w             |
| 电压Voltage             | 220V-240V       |
| 包装尺寸Package size      | 1600x940x2240mm |
| 净重N.W                 | 185.0kg         |
| 毛重G.W                 | 200.0kg         |





### ZH-1E-4

电单排中东烧烤炉连柜座  
Electric single shawarma with cabinet

|                       |                |
|-----------------------|----------------|
| 规格Size                | 650x800x2050mm |
| 功率Power supply output | 8kw            |
| 电压Voltage             | 3N-380V        |
| 包装尺寸Package size      | 800x940x2240mm |
| 净重N.W                 | 85.0kg         |
| 毛重G.W                 | 120.0kg        |



### ZH-1H-4

气单排中东烧烤炉连柜座  
Gas single shawarma with cabinet

|                       |                |
|-----------------------|----------------|
| 规格Size                | 650x800x2050mm |
| 热功率Heat HPT           | 18kw           |
| 燃气/压力Gas/Pa           | LPG /2800Pa    |
| 功率Power supply output | 50w            |
| 电压Voltage             | 220V-240V      |
| 包装尺寸Package size      | 800x940x2240mm |
| 净重N.W                 | 85.0kg         |
| 毛重G.W                 | 120.0kg        |



### ZH-90

气双头台式烧烤炉  
Gas desktop shawarma machine

|                       |               |
|-----------------------|---------------|
| 规格Size                | 500x650x900mm |
| 热功率Heat HPT           | 9kw           |
| 燃气/压力Gas/Pa           | LPG /2800Pa   |
| 功率Power supply output | 50w           |
| 电压Voltage             | 220V-240V     |
| 包装尺寸Package size      | 690x540x950mm |
| 净重N.W                 | 20.0kg        |
| 毛重G.W                 | 30.0kg        |



### ZH-91

气三头台式烧烤炉  
Gas desktop shawarma machine

|                       |               |
|-----------------------|---------------|
| 规格Size                | 500x650x900mm |
| 热功率Heat HPT           | 13.5kw        |
| 燃气/压力Gas/Pa           | LPG /2800Pa   |
| 功率Power supply output | 50w           |
| 电压Voltage             | 220V-240V     |
| 包装尺寸Package size      | 690x540x950mm |
| 净重N.W                 | 27.0kg        |
| 毛重G.W                 | 40.0kg        |




### ZH-91A

气四头台式烧烤炉  
Gas desktop shawarma machine

|                       |                |
|-----------------------|----------------|
| 规格Size                | 500x650x1080mm |
| 热功率Heat HPT           | 18kw           |
| 燃气/压力Gas/Pa           | LPG /2800Pa    |
| 功率Power supply output | 50w            |
| 电压Voltage             | 220V-240V      |
| 包装尺寸Package size      | 690x540x1140mm |
| 净重N.W                 | 30.5kg         |
| 毛重G.W                 | 32.0kg         |

# Shawarma Machine, Barbecue Grill

中东烤肉炉、烧烤炉



**ZH-92**

气四头台式烧烤炉

Gas desktop shawarma machine

规格Size 500x650x1080mm  
热功率Heat HPT 18kw  
燃气/压力Gas/Pa LPG /2800Pa  
功率Power supply output 50w  
电压Voltage 220V-240V  
包装尺寸Package size 690x530x1140mm  
净重N.W 27.0kg  
毛重G.W 37.0kg



**ZH-95**

气五头台式烧烤炉

Gas desktop shawarma machine

规格Size 500x650x1340mm  
热功率Heat HPT 22.5kw  
燃气/压力Gas/Pa LPG /2800Pa  
功率Power supply output 50w  
电压Voltage 220V-240V  
包装尺寸Package size 690x530x1400mm  
净重N.W 35.0kg  
毛重G.W 45.0kg



**ZH-96**

气六头台式烧烤炉

Gas desktop shawarma machine

规格Size 500x650x1430mm  
热功率Heat HPT 27kw  
燃气/压力Gas/Pa LPG /2800Pa  
功率Power supply output 50w  
电压Voltage 220V-240V  
包装尺寸Package size 690x530x1500mm  
净重N.W 37.0kg  
毛重G.W 48.0kg



**ZH-890**

电台式烧烤炉

Electric desktop shawarma machine

规格Size 500x650x900mm  
功率Power supply output 6kw  
电压Voltage 220V-240V  
包装尺寸Package size 690x530x950mm  
净重N.W 25.5kg  
毛重G.W 27.0kg



**ZH-891**

电台式烧烤炉

Electric desktop shawarma machine

规格Size 500x650x1050mm  
功率Power supply output 8kw  
电压Voltage 220V-240V  
包装尺寸Package size 720x550x1150mm  
净重N.W 31.5kg  
毛重G.W 35.0kg



**ZH-0012**

中东烤肉刀

Electric kebab slicer

规格Size 230x180x265mm  
功率Power supply output 0.8kw  
电压Voltage 220V-240V  
包装尺寸Package size 250x200x280mm  
净重N.W 1.5kg  
毛重G.W 2.0kg





**ZH-70B**

**电烧烤炉**  
Electric Barbecue Grill

|                       |               |
|-----------------------|---------------|
| 规格Size                | 620x530x200mm |
| 功率Power supply output | 4kw           |
| 电压Voltage             | 220V-240V     |
| 包装尺寸Package size      | 660x550x220mm |
| 净重N.W                 | 8.0kg         |
| 毛重G.W                 | 9.0kg         |



**ZH-14**

**燃气面火炉**  
Gas salamander

|                  |               |
|------------------|---------------|
| 规格Size           | 620x460x610mm |
| 热功率Heat HP       | 26kw          |
| 气体种类Gas type     | LPG 2800Pa    |
| 包装尺寸Package size | 910x420x620mm |
| 净重N.W            | 42.0kg        |
| 毛重G.W            | 45.0kg        |



**ZH-110B**

**电烧烤炉**  
Electric Barbecue Grill

|                       |                |
|-----------------------|----------------|
| 规格Size                | 1100x400x200mm |
| 功率Power supply output | 3kw+3KW        |
| 电压Voltage             | 220V-240V      |
| 包装尺寸Package size      | 1130x580x220mm |
| 净重N.W                 | 14.0kg         |
| 毛重G.W                 | 15.0kg         |



**ZH-16**

**燃气面火炉**  
Gas salamander

|                  |               |
|------------------|---------------|
| 规格Size           | 880x460x610mm |
| 热功率Heat HP       | 35kw          |
| 气体种类Gas type     | LPG 2800Pa    |
| 包装尺寸Package size | 910x420x620mm |
| 净重N.W            | 53.0kg        |
| 毛重G.W            | 63.0kg        |



**ZH-120B**

**电烧烤炉**  
Electric Barbecue Grill

|                       |                |
|-----------------------|----------------|
| 规格Size                | 1120x530x200mm |
| 功率Power supply output | 4kw+4kw        |
| 电压Voltage             | 220V-240V      |
| 包装尺寸Package size      | 1130x580x220mm |
| 净重N.W                 | 16.0kg         |
| 毛重G.W                 | 17.0kg         |



**ZH-18**

**燃气面火炉**  
Gas salamander

|                  |                |
|------------------|----------------|
| 规格Size           | 1140x460x610mm |
| 热功率Heat HP       | 46kw           |
| 气体种类Gas type     | LPG 2800Pa     |
| 包装尺寸Package size | 1350x420x620mm |
| 净重N.W            | 70.0kg         |
| 毛重G.W            | 80.0kg         |

# Lift Salamander, Salamander

升降式面火炉, 面火炉



**ZH-450.LS** 升降式电面火炉  
Electric lift salamander

|                       |               |
|-----------------------|---------------|
| 规格Size                | 450x460x525mm |
| 功率Power supply output | 2.8kw         |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 560x520x570mm |
| 净重N.W                 | 34.0kg        |
| 毛重G.W                 | 36.0kg        |



**ZH-935** 电台式面火炉  
Electric salamander

|                       |               |
|-----------------------|---------------|
| 规格Size                | 485x290x300mm |
| 功率Power supply output | 1.96kw        |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 525x365x320mm |
| 净重N.W                 | 11.3kg        |
| 毛重G.W                 | 12.5kg        |



**ZH-936** 电台式面火炉  
Electric salamander

|                       |               |
|-----------------------|---------------|
| 规格Size                | 570x340x260mm |
| 功率Power supply output | 2kw           |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 600x370x280mm |
| 净重N.W                 | 11.3kg        |
| 毛重G.W                 | 12.5kg        |



**ZH-600.LS** 升降式电面火炉  
Electric lift salamander

|                       |               |
|-----------------------|---------------|
| 规格Size                | 600x460x525mm |
| 功率Power supply output | 4.0kw         |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 680x520x570mm |
| 净重N.W                 | 48.0kg        |
| 毛重G.W                 | 51.0kg        |



**ZH-937** 电台式面火炉  
Electric salamander

|                       |               |
|-----------------------|---------------|
| 规格Size                | 790x450x485mm |
| 功率Power supply output | 4kw           |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 820x480x510mm |
| 净重N.W                 | 22.0kg        |
| 毛重G.W                 | 24.0kg        |



**ZH-800.LS** 升降式电面火炉  
Electric lift salamander

|                       |               |
|-----------------------|---------------|
| 规格Size                | 800x460x525mm |
| 功率Power supply output | 6kw           |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 880x520x580mm |
| 净重N.W                 | 75.0kg        |
| 毛重G.W                 | 81.0kg        |



**ZH-938** 电台式面火炉  
Electric kebab slicer

|                       |               |
|-----------------------|---------------|
| 规格Size                | 580x390x390mm |
| 功率Power supply output | 2.2kw         |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 630x440x400mm |
| 净重N.W                 | 14.5kg        |
| 毛重G.W                 | 16.0kg        |



## Gas Rotating Rotisserie

燃气旋转烤鸡炉



### ZH-GT3P

#### 燃气旋转烤炉

Gas Rotating Rotisserie

|                       |                |
|-----------------------|----------------|
| 规格Size                | 1200x500x730mm |
| 热功率Heat HP            | 35kw           |
| 燃气/压力Gas/Pa           | LPG /2800Pa    |
| 功率Power supply output | 0.2w           |
| 电压Voltage             | 220V-240V      |
| 包装尺寸Package size      | 1250x610x850mm |
| 净重N.W                 | 63.0kg         |
| 毛重G.W                 | 79.0kg         |



### ZH-GT6P

#### 燃气旋转烤炉

Gas Rotating Rotisserie

|                       |                 |
|-----------------------|-----------------|
| 规格Size                | 1200x500x1360mm |
| 热功率Heat HP            | 48kw            |
| 燃气/压力Gas/Pa           | LPG /2800Pa     |
| 功率Power supply output | 0.3w            |
| 电压Voltage             | 220V-240V       |
| 包装尺寸Package size      | 1260x620x1400mm |
| 净重N.W                 | 104.0kg         |
| 毛重G.W                 | 128.0kg         |

# Vertical, Horizontal Rotisserie

立式卧式烤鸡炉



**ZH-206**

**电立式旋转烤鸡炉**

Vertical Electric Rotisserie

|                       |                |
|-----------------------|----------------|
| 规格Size                | 670x550x1580mm |
| 功率Power supply output | 6.7kw          |
| 电压Voltage             | 220V-240V      |
| 包装尺寸Package size      | 720x610x1650mm |
| 净重N.W                 | 85.0kg         |
| 毛重G.W                 | 91.0kg         |



**ZH-207**

**立式旋转燃气烤炉**

Vertical Gas Rotisserie

|                       |                |
|-----------------------|----------------|
| 规格Size                | 670x550x1580mm |
| 热功率Heat HP            | 20kw           |
| 燃气/压力Gas/Pa           | LPG /2800Pa    |
| 功率Power supply output | 0.2kw          |
| 电压Voltage             | 220V-240V      |
| 包装尺寸Package size      | 720x610x1650mm |
| 净重N.W                 | 84.0kg         |
| 毛重G.W                 | 90.0kg         |



**ZH-266**

**旋转式电烤炉**

Electric Rotisserie

|                       |               |
|-----------------------|---------------|
| 规格Size                | 810x600x740mm |
| 功率Power supply output | 4.5kw         |
| 电压Voltage             | 220V-240V     |
| 包装尺寸Package size      | 860x730x650mm |
| 净重N.W                 | 62.0kg        |
| 毛重G.W                 | 81.0kg        |



**ZH-268**

**旋转式电烤炉**

Electric Rotisserie

|                       |                |
|-----------------------|----------------|
| 规格Size                | 1010x600x740mm |
| 功率Power supply output | 6kw            |
| 电压Voltage             | 220V-240V      |
| 包装尺寸Package size      | 1100x730x850mm |
| 净重N.W                 | 62.0kg         |
| 毛重G.W                 | 81.0kg         |



**ZH-168**

**旋转式燃气烤炉**

Gas Rotisserie

|                       |                |
|-----------------------|----------------|
| 规格Size                | 1010x750x720mm |
| 热功率Heat hp            | 28kw           |
| 燃气/压力Gas/Pa           | LPG /2800Pa    |
| 功率Power supply output | 0.1kw          |
| 电压Voltage             | 220V-240V      |
| 包装尺寸Package size      | 1150x820x800mm |
| 净重N.W                 | 72.5kg         |
| 毛重G.W                 | 95.0kg         |



# Multi-purpose baking

多功能烘焙



# Perspective Convection Oven

热风循环烤箱炉 (热风炉)



**KB-D51-5**

电脑板热风循环烤箱  
Computer Board control  
Perspective Convection Oven

|                       |               |
|-----------------------|---------------|
| 规格Size                | 630x640x630mm |
| 电压Voltage             | 220V-240V     |
| 功率Power Supply output | 3.5KW         |
| 容量Capacity            | 60L           |
| 内腔尺寸Inner size        | 490x350x380mm |
| 烤盘尺寸 Baking tray size | 435x315x9mm   |
| 包装尺寸Package size      | 820x760x740mm |
| 净重N.W                 | 55.0kg        |
| 毛重G.W                 | 59.5kg        |



**KB-D61-5**

电脑板热风循环烤箱  
Computer Board control  
Perspective Convection Oven

|                       |               |
|-----------------------|---------------|
| 规格Size                | 840x730x630mm |
| 电压Voltage             | 220V-240V     |
| 功率Power Supply output | 3.5KW         |
| 容量Capacity            | 90L           |
| 内腔尺寸Inner size        | 690x440x350mm |
| 烤盘尺寸 Baking tray size | 600x400x5pcs  |
| 包装尺寸Package size      | 900x850x680mm |
| 净重N.W                 | 83.0kg        |
| 毛重G.W                 | 88.0kg        |



**KB-D51-10**

电脑板热风循环烤箱  
Computer Board control  
Perspective Convection Oven

|                       |               |
|-----------------------|---------------|
| 规格Size                | 630x640x935mm |
| 电压Voltage             | 220V-240V     |
| 功率Power Supply output | 7.0KW         |
| 容量Capacity            | 110L          |
| 内腔尺寸Inner size        | 490x350x650mm |
| 烤盘尺寸 Baking tray size | 435x315x9mm   |
| 包装尺寸Package size      | 700x760x990mm |
| 净重N.W                 | 78.0kg        |
| 毛重G.W                 | 86.0kg        |



**KB-D61-10**

电脑板热风循环烤箱  
Computer Board control  
Perspective Convection Oven

|                       |               |
|-----------------------|---------------|
| 规格Size                | 840x730x920mm |
| 电压Voltage             | 220V-240V     |
| 功率Power Supply output | 7.0KW         |
| 容量Capacity            | 170L          |
| 内腔尺寸Inner size        | 690x440x750mm |
| 烤盘尺寸 Baking tray size | 600x400x10pcs |
| 包装尺寸Package size      | 900x850x980mm |
| 净重N.W                 | 118.0kg       |
| 毛重G.W                 | 128.0kg       |

## 细节展示

operation panel



电脑记忆面板 Computer Board control



热风循环 heated air circulation



微动开关 microswitch

## 产品性能

product performance

电脑板控制 Computer Board control,  
12段智能记忆 12 Level intelligent memory,  
360度热风对流循环 360° Hot air convection circulation,  
升温快 fast heating,  
温度均匀 temperature uniformity,  
带喷雾 with spray,  
醒发 (发酵) ferment,  
定时 time setting,  
定温 temperature setting,  
一键烘焙, 蒸烤功能 one key baking, with steaming function,  
并能达到节能环保 energy saving and environmental protection,  
效果好 good effect,  
出品快 fast cooking,  
效率高 high efficiency.





面火烘烤 (top heating)

### KB-D52-5

电脑版热风循环烤箱  
Computer Board control  
Perspective Convection Oven

|                       |               |
|-----------------------|---------------|
| 规格Size                | 670x640x470mm |
| 电压Voltage             | 220V-240V     |
| 功率Power Supply output | 3.0KW         |
| 容量Capacity            | 60L           |
| 内腔尺寸Inner size        | 460x350x370mm |
| 烤盘尺寸 Baking tray size | 435x315x4pcs  |
| 包装尺寸Package size      | 740x710x550mm |
| 净重N.W                 | 42.5kg        |
| 毛重G.W                 | 47.0kg        |



### KB-D53-5

电脑版热风循环烤箱  
Computer Board control  
Perspective Convection Oven

|                       |               |
|-----------------------|---------------|
| 规格Size                | 670x640x500mm |
| 电压Voltage             | 220V-240V     |
| 功率Power Supply output | 3.0KW         |
| 容量Capacity            | 60L           |
| 内腔尺寸Inner size        | 460x370x350mm |
| 烤盘尺寸 Baking tray size | 435x315x4pcs  |
| 包装尺寸Package size      | 740x710x550mm |
| 净重N.W                 | 42.0kg        |
| 毛重G.W                 | 47.0kg        |



### KB-D62-5

电脑版热风循环烤箱  
Computer Board control  
Perspective Convection Oven

|                       |               |
|-----------------------|---------------|
| 规格Size                | 910x740x510mm |
| 电压Voltage             | 220V-240V     |
| 功率Power Supply output | 3.5KW         |
| 容量Capacity            | 90L           |
| 内腔尺寸Inner size        | 690x440x350mm |
| 烤盘尺寸 Baking tray size | 600x400x5pcs  |
| 包装尺寸Package size      | 950x820x540mm |
| 净重N.W                 | 78.0kg        |
| 毛重G.W                 | 73.0kg        |



### KB-D52-10

电脑版热风循环烤箱  
Computer Board control  
Perspective Convection Oven

|                       |               |
|-----------------------|---------------|
| 规格Size                | 670x640x810mm |
| 电压Voltage             | 220V-240V     |
| 功率Power Supply output | 6.0KW         |
| 容量Capacity            | 110L          |
| 内腔尺寸Inner size        | 460x370x650mm |
| 烤盘尺寸 Baking tray size | 435x315x10pcs |
| 包装尺寸Package size      | 740x710x880mm |
| 净重N.W                 | 65.0kg        |
| 毛重G.W                 | 78.0kg        |



### KB-D62-10

电脑版热风循环烤箱  
Computer Board control  
Perspective Convection Oven

|                       |               |
|-----------------------|---------------|
| 规格Size                | 910x740x850mm |
| 电压Voltage             | 220V-240V     |
| 功率Power Supply output | 7.0KW         |
| 容量Capacity            | 170L          |
| 内腔尺寸Inner size        | 690x440x750mm |
| 烤盘尺寸 Baking tray size | 600x400x10pcs |
| 包装尺寸Package size      | 950x820x910mm |
| 净重N.W                 | 108.0kg       |
| 毛重G.W                 | 118.0kg       |

# Perspective Convection Oven

热风循环烤箱炉 (热风炉)



**ZH-4S**

热风循环烤箱

Electric perspective convection oven

|                       |               |
|-----------------------|---------------|
| 规格Size                | 600x570x580mm |
| 电压Voltage             | 220V-240V     |
| 功率Power Supply output | 2.6KW         |
| 容量Capacity            | 60L           |
| 内腔尺寸Inner size        | 460x350x370mm |
| 烤盘尺寸 Baking tray size | 435x315x9mm   |
| 包装尺寸Package size      | 745x675x625mm |
| 净重N.W                 | 44.0kg        |
| 毛重G.W                 | 55.0kg        |



面火烧烤 (top heating)

**ZH-4A**

全透视热风循环电烤炉

Electric perspective convection oven

|                       |               |
|-----------------------|---------------|
| 规格Size                | 600x570x580mm |
| 电压Voltage             | 220V-240V     |
| 功率Power Supply output | 3.0kw         |
| 容量Capacity            | 60L           |
| 内腔尺寸Inner size        | 460x350x370mm |
| 烤盘尺寸 Baking tray size | 435x315x9mm   |
| 包装尺寸Package size      | 745x675x625mm |
| 净重N.W                 | 30.0kg        |
| 毛重G.W                 | 33.0kg        |



**ZH-8A**

全透视热风循环电烤炉

Electric perspective convection oven

|                       |               |
|-----------------------|---------------|
| 规格Size                | 834x765x572mm |
| 电压Voltage             | 220V-240V     |
| 功率Power Supply output | 6.4kw         |
| 容量Capacity            | 90L           |
| 内腔尺寸Inner size        | 480x350x430mm |
| 烤盘尺寸 Baking tray size | 600x315x20mm  |
| 包装尺寸Package size      | 880x810x620mm |
| 净重N.W                 | 61.0kg        |
| 毛重G.W                 | 67.0kg        |



**KB-DD-1**

热风循环炉层架

Layer stand of Perspective Convection Oven

|         |               |
|---------|---------------|
| 规格Size  | 630x585x820mm |
| 层数Layer | 8             |
| 净重N.W   | 19.0kg        |



**KB-DD-2**

热风循环炉层架

Layer stand of Perspective Convection Oven

|         |               |
|---------|---------------|
| 规格Size  | 835x675x820mm |
| 层数Layer | 8             |
| 净重N.W   | 22.0kg        |





### ZH-PT-1M

#### 电披萨炉

Electric pizza oven

|                       |               |
|-----------------------|---------------|
| 规格Size                | 470x450x345mm |
| 电压Voltage             | 220V-240V     |
| 功率Power Supply output | 1.2kw         |
| 频率Frequency           | 50Hz-60Hz     |
| 温度Temp                | 50-300°C      |
| 包装尺寸Package size      | 500*510*230mm |
| 净重N.W                 | 15.0kg        |
| 毛重G.W                 | 18.0kg        |



### ZH-1M-C

#### 电披萨炉

Electric Pizza Oven

|                       |                       |
|-----------------------|-----------------------|
| 规格Size                | 560x556x280mm         |
| 电压Voltage             | 220V-240V             |
| 功率Power Supply output | 2KW                   |
| 频率Frequency           | 50Hz-60Hz             |
| 内腔尺寸Inner size        | 400x400x150mmx1 decks |
| 包装尺寸Package size      | 630x580x325mm         |
| 净重N.W                 | 20.0kg                |
| 毛重G.W                 | 22.0kg                |



### ZH-1M

#### 电披萨炉

Electric pizza oven

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 560x556x270mm       |
| 电压Voltage             | 220V-240V           |
| 功率Power Supply output | 2KW                 |
| 频率Frequency           | 50Hz-60Hz           |
| 内腔尺寸Inner size        | 400x400x150*1 decks |
| 包装尺寸Package size      | 630x580x325mm       |
| 净重N.W                 | 20.0kg              |
| 毛重G.W                 | 23.0kg              |



### ZH-1M-A

#### 电披萨炉(黑色)

Electric pizza oven(black color)

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 560x556x270mm       |
| 电压Voltage             | 220V-240V           |
| 功率Power Supply output | 2KW                 |
| 频率Frequency           | 50Hz-60Hz           |
| 内腔尺寸Inner size        | 400x400x150*1 decks |
| 包装尺寸Package size      | 630x580x325mm       |
| 净重N.W                 | 20.0kg              |
| 毛重G.W                 | 23.0kg              |



### ZH-1M-H

#### 电披萨炉

Electric pizza oven

|                       |               |
|-----------------------|---------------|
| 规格Size                | 560x556x270mm |
| 电压Voltage             | 220V-240V     |
| 功率Power Supply output | 2kw           |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 630x580x325mm |
| 净重N.W                 | 20.0kg        |
| 毛重G.W                 | 23.0kg        |



### ZH-1M-B

#### 电披萨炉(红色)

Electric pizza oven(red color)

|                       |                     |
|-----------------------|---------------------|
| 规格Size                | 560x556x270mm       |
| 电压Voltage             | 220V-240V           |
| 功率Power Supply output | 2KW                 |
| 频率Frequency           | 50Hz-60Hz           |
| 内腔尺寸Inner size        | 400x400x150*1 decks |
| 包装尺寸Package size      | 630x580x325mm       |
| 净重N.W                 | 20.0kg              |
| 毛重G.W                 | 23.0kg              |

# Pizza Oven, Conveyor Pizza Oven

披萨烤箱、链式披萨炉



**ZH-3M**

**电披萨炉**

Electric pizza oven

|                       |                      |
|-----------------------|----------------------|
| 规格Size                | 560x556x435mm        |
| 电压Voltage             | 220V-240V            |
| 功率Power Supply output | 3kw                  |
| 频率Frequency           | 50Hz-60Hz            |
| 内腔尺寸Inner size        | 400x400x150mmx2decks |
| 包装尺寸Package size      | 630x580x470mm        |
| 净重N.W                 | 31kg                 |
| 毛重G.W                 | 33.5kg               |



**ZH-2M-A**

**电披萨炉 (黑色)**

Electric pizza oven (black color)

|                       |                      |
|-----------------------|----------------------|
| 规格Size                | 560x556x435mm        |
| 电压Voltage             | 220V-240V            |
| 功率Power Supply output | 3kw                  |
| 频率Frequency           | 50Hz-60Hz            |
| 内腔尺寸Inner size        | 400x400x150mmx2decks |
| 包装尺寸Package size      | 630x580x470mm        |
| 净重N.W                 | 31kg                 |
| 毛重G.W                 | 33.5kg               |



**ZH-2M-B**

**电披萨炉(红色)**

Electric pizza oven(red color)

|                       |                      |
|-----------------------|----------------------|
| 规格Size                | 560x556x435mm        |
| 电压Voltage             | 220V-240V            |
| 功率Power Supply output | 3kw                  |
| 频率Frequency           | 50Hz-60Hz            |
| 内腔尺寸Inner size        | 400x400x150mmx2decks |
| 包装尺寸Package size      | 630x580x470mm        |
| 净重N.W                 | 31kg                 |
| 毛重G.W                 | 33.5kg               |



**ZH-2M-C**

**电披萨炉**

Electric pizza oven

|                       |                      |
|-----------------------|----------------------|
| 规格Size                | 560x590x435mm        |
| 电压Voltage             | 220V-240V            |
| 功率Power Supply output | 2kw                  |
| 频率Frequency           | 50Hz-60Hz            |
| 内腔尺寸Inner size        | 440x440x150mm*2decks |
| 包装尺寸Package size      | 630x580x470mm        |
| 净重N.W                 | 30.0kg               |
| 毛重G.W                 | 34.0kg               |



**ZH-2M-2**

**电披萨炉**

Electric pizza oven

|                       |                      |
|-----------------------|----------------------|
| 规格Size                | 560x556x575mm        |
| 电压Voltage             | 220V-240V            |
| 功率Power Supply output | 4.0KW                |
| 频率Frequency           | 50Hz-60Hz            |
| 内腔尺寸Inner size        | 440x440x150mmx2decks |
| 包装尺寸Package size      | 630x580x610mm        |
| 净重N.W                 | 33.0kg               |
| 毛重G.W                 | 36.0kg               |



**ZH-2M-H**

**电披萨炉**

Electric pizza oven

|                       |                      |
|-----------------------|----------------------|
| 规格Size                | 500x560x680 mm       |
| 电压Voltage             | 220V-240V            |
| 功率Power Supply output | 4kw                  |
| 频率Frequency           | 50Hz-60Hz            |
| 内腔尺寸Inner size        | 400x400x150mm*2decks |
| 包装尺寸Package size      | 550x610x750 mm       |
| 净重N.W                 | 36.0kg               |
| 毛重G.W                 | 41.0kg               |





### ZH-E01

#### 电披萨炉

Electric pizza oven

|                       |               |
|-----------------------|---------------|
| 规格Size                | 870x600x345mm |
| 电压Voltage             | 220V-240V     |
| 功率Power Supply output | 4.2kw         |
| 频率Frequency           | 50Hz-60Hz     |
| 温度Temp                | 50-350°C      |
| 内腔尺寸Inner size        | 660x438x140mm |
| 包装尺寸Package size      | 870x630x410mm |
| 净重N.W                 | 39kg          |
| 毛重G.W                 | 51kg          |



### ZH-E02

#### 电披萨炉

Electric pizza oven

|                       |                 |
|-----------------------|-----------------|
| 规格Size                | 870x600x650mm   |
| 电压Voltage             | 380V            |
| 功率Power Supply output | 8.4kw           |
| 频率Frequency           | 50Hz-60Hz       |
| 温度Temp                | 50-350°C        |
| 内腔尺寸Inner size        | 660x438x140mm*2 |
| 包装尺寸Package size      | 950x650x750mm   |
| 净重N.W                 | 78kg            |
| 毛重G.W                 | 102kg           |



### ZH-EP4T

#### 电披萨炉

Electric pizza oven

|                       |                |
|-----------------------|----------------|
| 规格Size                | 950x850x400mm  |
| 电压Voltage             | 220V-240V      |
| 功率Power Supply output | 4.2kw          |
| 频率Frequency           | 50Hz-60Hz      |
| 温度Temp                | 50-500°C       |
| 内腔尺寸Inner size        | 660x660x150mm  |
| 包装尺寸Package size      | 1050*980*500mm |
| 净重N.W                 | 66kg           |
| 毛重G.W                 | 76kg           |



### ZH-EP8T

#### 电披萨炉

Electric pizza oven

|                       |                      |
|-----------------------|----------------------|
| 规格Size                | 950x850x800mm        |
| 电压Voltage             | 380V                 |
| 功率Power Supply output | 8.4kw                |
| 频率Frequency           | 50Hz-60Hz            |
| 温度Temp                | 50-500°C             |
| 内腔尺寸Inner size        | 660x660x150mmx2decks |
| 包装尺寸Package size      | 1050*980*900mm       |
| 净重N.W                 | 127kg                |
| 毛重G.W                 | 140kg                |



### ZH-EP4A

#### 电披萨炉

Electric pizza oven

|                       |                |
|-----------------------|----------------|
| 规格Size                | 1010x850x420mm |
| 电压Voltage             | 220V-240v      |
| 功率Power Supply output | 6kw            |
| 频率Frequency           | 50Hz-60Hz      |
| 温度Temp                | 50-500°C       |
| 内腔尺寸Inner size        | 720x720x140mm  |
| 包装尺寸Package size      | 1120*900*520mm |
| 净重N.W                 | 66kg           |
| 毛重G.W                 | 76kg           |



### ZH-EP8A

#### 电披萨炉

Electric pizza oven

|                       |                      |
|-----------------------|----------------------|
| 规格Size                | 1010x850x750mm       |
| 电压Voltage             | 380V                 |
| 功率Power Supply output | 12kw                 |
| 频率Frequency           | 50Hz-60Hz            |
| 温度Temp                | 50-500°C             |
| 内腔尺寸Inner size        | 720x720x140mm*2decks |
| 包装尺寸Package size      | 1200*900*860mm       |
| 净重N.W                 | 127kg                |
| 毛重G.W                 | 140kg                |

# Pizza Oven, Conveyor Pizza Oven

披萨烤箱、链式披萨炉



## ZH-4EP1

电披萨炉  
Electric pizza oven

|                       |                 |
|-----------------------|-----------------|
| 规格Size                | 910x849.5x430mm |
| 电压Voltage             | 220V-240V       |
| 功率Power Supply output | 4.2kw           |
| 频率Frequency           | 50Hz-60Hz       |
| 温度Temp                | 50-500°C        |
| 内腔尺寸Inner size        | 660x660x150mm   |
| 包装尺寸Package size      | 1100x930x510mm  |
| 净重N.W                 | 73kg            |
| 毛重G.W                 | 80kg            |



## ZH-4EP2

电披萨炉  
Electric pizza oven

|                       |                       |
|-----------------------|-----------------------|
| 规格Size                | 910x849.5x750mm       |
| 电压Voltage             | 3N-380V               |
| 功率Power Supply output | 4.2kw+4.2kw           |
| 频率Frequency           | 50Hz-60Hz             |
| 温度Temp                | 50-500°C              |
| 内腔尺寸Inner size        | 660x660x150mmx2 decks |
| 包装尺寸Package size      | 1100x930x830mm        |
| 净重N.W                 | 127kg                 |
| 毛重G.W                 | 137kg                 |



## ZH-4EP3

燃气披萨炉  
Gas pizza oven

|                  |                 |
|------------------|-----------------|
| 规格Size           | 910x849.5x430mm |
| 电压Voltage        | 220V-240V       |
| 热功率Heat HP       | 6kw             |
| 燃气/压力Gas/Pa      | LPG /2800Pa     |
| 内腔尺寸Inner size   | 660x660x150mm   |
| 包装尺寸Package size | 1100x930x510mm  |
| 净重N.W            | 73kg            |
| 毛重G.W            | 80kg            |



## ZH-4EP4

燃气披萨炉  
Gas pizza oven

|                  |                 |
|------------------|-----------------|
| 规格Size           | 910x849.5x750mm |
| 电压Voltage        | 220V-240V       |
| 热功率Heat HP       | 12kw            |
| 燃气/压力Gas/Pa      | LPG /2800Pa     |
| 内腔尺寸Inner size   | 660x660x150mm   |
| 包装尺寸Package size | 1100x930x830mm  |
| 净重N.W            | 127kg           |
| 毛重G.W            | 140kg           |



## ZH-PT-15

链式电披萨炉  
Electric conveyor pizza oven

|                       |                  |
|-----------------------|------------------|
| 规格Size                | 1450x980x480mm   |
| 链条尺寸chain size        | 1215x400mm       |
| 高度Height              | 80mm             |
| 温度范围Temperature       | 0-400 °C         |
| 功率Power supply output | 9kw              |
| 电压Voltage             | 220V-380V / 50Hz |
| 包装尺寸Package size      | 1180x650x550mm   |
| 净重N.W                 | 120kg            |
| 毛重G.W                 | 136kg            |



## ZH-PT-20

链式电披萨炉  
Electric conveyor pizza oven

|                       |                  |
|-----------------------|------------------|
| 规格Size                | 1560x1050x480mm  |
| 链条尺寸chain size        | 1380x480mm       |
| 高度Height              | 80mm             |
| 温度范围Temperature       | 0-400 °C         |
| 功率Power supply output | 9kw              |
| 电压Voltage             | 220V-380V / 50Hz |
| 包装尺寸Package size      | 1290x720x550mm   |
| 净重N.W                 | 130kg            |
| 毛重G.W                 | 141kg            |





### ZH-P12

#### 链式电披萨炉

Electric conveyor pizza oven

|                                 |                  |
|---------------------------------|------------------|
| 规格Size                          | 1100x580x380mm   |
| 电压Voltage                       | 220V-240V / 50Hz |
| 功率Power Supply output           | 6.4kw            |
| 频率Frequency                     | 50Hz             |
| 温度Temp                          | 0-400 °C         |
| 内腔尺寸Inner size                  | 350x560mm        |
| 烤条长度The Length Of Conveyor Belt | 1030mm           |
| 包装尺寸Package size                | 1180*650*450mm   |
| 净重N.W                           | 37kg             |
| 毛重G.W                           | 41kg             |



### ZH-12M

#### 链式燃气披萨炉

Gas conveyor pizza oven

|                                 |                  |
|---------------------------------|------------------|
| 规格Size                          | 1120x600x430mm   |
| 电压Voltage                       | 220V-240V / 50Hz |
| 热功率Heat HP                      | 12kw             |
| 燃气/压力Gas/Pa                     | LPG /2800Pa      |
| 温度范围Temperature                 | 0-400 °C         |
| 内腔尺寸Inner size                  | 350x1000mm       |
| 烤条长度The Length Of Conveyor Belt | 1030mm           |
| 包装尺寸Package size                | 1200x650x480mm   |
| 净重N.W                           | 60kg             |
| 毛重G.W                           | 68kg             |



### ZH-P18

#### 链式电披萨炉

Electric conveyor pizza oven

|                                 |                |
|---------------------------------|----------------|
| 规格Size                          | 1560x750x380mm |
| 电压Voltage                       | 3N-380V / 50Hz |
| 功率Power Supply output           | 10.3kw         |
| 频率Frequency                     | 50Hz           |
| 温度Temp                          | 0-400 °C       |
| 内腔尺寸Inner size                  | 350x560mm      |
| 烤条长度The Length Of Conveyor Belt | 1450mm         |
| 包装尺寸Package size                | 1650x820x450mm |
| 净重N.W                           | 65kg           |
| 毛重G.W                           | 72kg           |



### ZH-18M

#### 链式燃气披萨炉

Gas conveyor pizza oven

|                                 |                  |
|---------------------------------|------------------|
| 规格Size                          | 1560x790x430mm   |
| 电压Voltage                       | 220V-240V / 50Hz |
| 热功率Heat HP                      | 15kw             |
| 燃气/压力Gas/Pa                     | LPG /2800Pa      |
| 温度范围Temperature                 | 0-400 °C         |
| 内腔尺寸Inner size                  | 500x1450mm       |
| 烤条长度The Length Of Conveyor Belt | 1450mm           |
| 包装尺寸Package size                | 1700x850x520mm   |
| 净重N.W                           | 80kg             |
| 毛重G.W                           | 92kg             |



### ZH-PM-312

#### 链式电披萨炉

Electric conveyor pizza oven

|                                 |                  |
|---------------------------------|------------------|
| 规格Size                          | 1070x470x400mm   |
| 电压Voltage                       | 220V-240V / 50Hz |
| 功率Power Supply output           | 3.0kw            |
| 温度Temp                          | 50-300 °C        |
| 内腔尺寸Inner size                  | 450x360x100mm    |
| 烤条长度The Length Of Conveyor Belt | 780x350mm        |
| 包装尺寸Package size                | 900x550x520mm    |
| 净重N.W                           | 21kg             |
| 毛重G.W                           | 25kg             |



### ZH-PM-315

#### 链式电披萨炉

Electric conveyor pizza oven

|                                 |                  |
|---------------------------------|------------------|
| 规格Size                          | 1100x680x380mm   |
| 电压Voltage                       | 220V-240V / 50Hz |
| 功率Power Supply output           | 4.6kw            |
| 温度Temp                          | 50-300 °C        |
| 内腔尺寸Inner size                  | 570x570x100mm    |
| 烤条长度The Length Of Conveyor Belt | 780x560mm        |
| 包装尺寸Package size                | 900x600x520mm    |
| 净重N.W                           | 30kg             |
| 毛重G.W                           | 35kg             |



### ZH-PM-318

#### 链式电披萨炉

Electric conveyor pizza oven

|                                 |                  |
|---------------------------------|------------------|
| 规格Size                          | 1560x750x380mm   |
| 电压Voltage                       | 220V-240V / 50Hz |
| 功率Power Supply output           | 6kw              |
| 温度Temp                          | 50-300 °C        |
| 内腔尺寸Inner size                  | 640x570x100mm    |
| 烤条长度The Length Of Conveyor Belt | 780x630mm        |
| 包装尺寸Package size                | 900x670x520mm    |
| 净重N.W                           | 34kg             |
| 毛重G.W                           | 40kg             |

# Toaster

多士炉



**TT-150**

**链式多士炉**  
Electric conveyor toaster

|                       |               |
|-----------------------|---------------|
| 规格Size                | 230x420x390mm |
| 功率Power supply output | 1.34kw        |
| 电压Voltage             | 220V-240V     |
| 产量Output              | 150-180pcs/hr |
| 包装尺寸Package size      | 330x430x450mm |
| 净重N.W                 | 13.0kg        |
| 毛重G.W                 | 14.0kg        |



**TT-300**

**链式多士炉**  
Electric conveyor toaster

|                       |               |
|-----------------------|---------------|
| 规格Size                | 230x420x390mm |
| 功率Power supply output | 2.24kw        |
| 电压Voltage             | 220V-240V     |
| 产量Output              | 300-500pcs/hr |
| 包装尺寸Package size      | 540x430x450mm |
| 净重N.W                 | 18.5kg        |
| 毛重G.W                 | 19.5kg        |



**EST-4**

**4片多士炉**  
Electric 4 slice toaster

|                       |               |
|-----------------------|---------------|
| 规格Size                | 290x250x220mm |
| 功率Power supply output | 1.8kw         |
| 电压Voltage             | 220V-240V     |
| 包装尺寸Package size      | 340x280x240mm |
| 净重N.W                 | 4.0kg         |
| 毛重G.W                 | 5.0kg         |



**TT-450**

**链式多士炉**  
Electric conveyor toaster

|                       |               |
|-----------------------|---------------|
| 规格Size                | 470x420x390mm |
| 功率Power supply output | 2.64kw        |
| 电压Voltage             | 220V-240V     |
| 产量Output              | 400-500pcs/hr |
| 包装尺寸Package size      | 610x430x450mm |
| 净重N.W                 | 22.0kg        |
| 毛重G.W                 | 24.0kg        |



**EST-6**

**6片多士炉**  
Electric 6 slice toaster

|                       |               |
|-----------------------|---------------|
| 规格Size                | 460x250x220mm |
| 功率Power supply output | 3.24kw        |
| 电压Voltage             | 220V-240V     |
| 包装尺寸Package size      | 470x290x250mm |
| 净重N.W                 | 5.0kg         |
| 毛重G.W                 | 6.0kg         |



# Pasta Cooker, Lift Pasta Cooker

## 煮面炉、升降式煮面炉

进口食品级不锈钢加厚材料,光滑无焊点,耐腐蚀性强,在保证美观耐用的同时更加对健康安全有保障

Imported food grade stainless steel thickening material, smooth without solder, strong corrosion resistance, while ensuring beautiful and durable, it is more healthy and safe.



**ZH-RA-3E**

三头自动升降电煮面炉

Electric Automatic Lifting Pasta Cooker

|                       |                |
|-----------------------|----------------|
| 规格Size                | 290x700x1120mm |
| 电压Voltage             | 380V 3N~       |
| 功率Power Supply output | 6kw            |
| 包装尺寸Package size      | 720x300x970mm  |
| 净重N.W                 | 41.5kg         |
| 毛重G.W                 | 44.5kg         |



**ZH-RA-6E**

六头自动升降电煮面炉

Electric Automatic Lifting Pasta Cooker

|                       |                |
|-----------------------|----------------|
| 规格Size                | 550x750x1120mm |
| 电压Voltage             | 380V 3N~       |
| 功率Power Supply output | 12kw           |
| 包装尺寸Package size      | 770x560x970mm  |
| 净重N.W                 | 68.5kg         |
| 毛重G.W                 | 72.5kg         |

# Pasta Cooker, Lift Pasta Cooker

煮面炉、升降式煮面炉



**ZH-4M**

**4头台式电煮面炉**

Counter top electric 4 pasta cooker

|                  |               |
|------------------|---------------|
| 规格Size           | 435x600x350mm |
| 功率Power          | 4kw           |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 包装尺寸Package size | 480x640x390mm |
| 净重N.W            | 15.0kg        |
| 毛重G.W            | 17.0kg        |



**ZH-6M**

**6头台式电煮面炉**

Counter top electric 6 pasta cooker

|                  |               |
|------------------|---------------|
| 规格Size           | 600x600x350mm |
| 功率Power          | 6kw           |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50-60Hz       |
| 包装尺寸Package size | 640x640x390mm |
| 净重N.W            | 21.0kg        |
| 毛重G.W            | 23.0kg        |



**ZH-4HX**

**4头立式电热喷流式煮面炉**

Vertical electric convection 4 pasta cooker

|                  |               |
|------------------|---------------|
| 规格Size           | 430x710x900mm |
| 功率Power          | 4kw           |
| 电压Voltage        | 220V-240V     |
| 频率Frequency      | 50Hz-60Hz     |
| 包装尺寸Package size | 480x760x920mm |
| 净重N.W            | 22.0kg        |
| 毛重G.W            | 25.0kg        |



**ZH-6HX**

**6头立式电热喷流式煮面炉**

Vertical electric convection 6 pasta cooker

|                  |               |
|------------------|---------------|
| 规格Size           | 600x700x900mm |
| 功率Power          | 6kw           |
| 电压Voltage        | 50Hz-60Hz     |
| 频率Frequency      | 220V-240V     |
| 包装尺寸Package size | 660x760x920mm |
| 净重N.W            | 28.0kg        |
| 毛重G.W            | 32.0kg        |



**ZH-4HS.R**

**燃气喷流式煮面炉**

Gas convection 4 pasta cooker

|                  |               |
|------------------|---------------|
| 规格Size           | 430x710x900mm |
| 热功率Power         | 10kw          |
| 气体种类Gas type     | LPG 2800Pa    |
| 包装尺寸Package size | 480x760x920mm |
| 净重N.W            | 22.0kg        |
| 毛重G.W            | 25.0kg        |



**ZH-6HS.R**

**燃气喷流式煮面炉**

Gas convection 6 pasta cooker

|                  |               |
|------------------|---------------|
| 规格Size           | 600x700x900mm |
| 热功率Power         | 15kw          |
| 气体种类Gas type     | LPG 2800Pa    |
| 包装尺寸Package size | 660x760x920mm |
| 净重N.W            | 28.0kg        |
| 毛重G.W            | 32.0kg        |



# Warming Steamer, Food Warmer Cabinet

## 保温柜、保温餐车

全不锈钢机体,温度均匀,高效节能,卫生,安全,快捷。

All stainless steel body, uniform temperature, uniform heating, high efficiency and energy saving health, safety, quick! durable.



### ZH-11-5F

#### 保温餐车 Food Warmer Cabinet

|                       |                 |
|-----------------------|-----------------|
| 规格Size                | 790x970x1350mm  |
| 内腔尺寸Inner size        | 540x680x840mm   |
| 功率Power supply output | 3.0kw           |
| 电压Voltage             | 220V-240V       |
| 层距Layer distance      | 160mm           |
| 层数Layer number        | 5 layers        |
| 包装尺寸Package size      | 850x1050x1460mm |
| 净重N.W                 | 122.0kg         |
| 毛重G.W                 | 130.0kg         |



### ZH-11-21

#### 保温餐车 Food Warmer Cabinet

|                       |                 |
|-----------------------|-----------------|
| 规格Size                | 750x910x1790mm  |
| 内腔尺寸Inner size        | 540x680x1380mm  |
| 功率Power supply output | 3.0kw           |
| 电压Voltage             | 220V-240V       |
| 层距Layer distance      | 115mm           |
| 层数Layer number        | 11 layers       |
| 包装尺寸Package size      | 850x1050x1920mm |
| 净重N.W                 | 147.0kg         |
| 毛重G.W                 | 166.0kg         |



### ZH-11-22

#### 保温餐车 Food Warmer Cabinet

|                       |                  |
|-----------------------|------------------|
| 规格Size                | 1540x975x1795mm  |
| 内腔尺寸Inner size        | 1350x680x1380mm  |
| 功率Power supply output | 3.0kw            |
| 电压Voltage             | 220V-240V        |
| 层距Layer distance      | 115mm            |
| 层数Layer number        | 22 layers        |
| 包装尺寸Package size      | 1600x1050x1920mm |
| 净重N.W                 | 255.0kg          |
| 毛重G.W                 | 285.0kg          |

# Warming Steamer

保温柜



**ZH-6P-B**

保温陈列柜  
Electric Warming Showcase

|                       |                |
|-----------------------|----------------|
| 规格Size                | 1200x760x860mm |
| 功率Power supply output | 2kw            |
| 电压Voltage             | 220V-240V      |
| 频率Frequency           | 50Hz-60Hz      |
| 包装尺寸Package size      | 1500x800x880mm |
| 净重N.W                 | 67.0kg         |
| 毛重G.W                 | 75.0kg         |



**ZH-6P**

保温柜  
Electric Warming Showcase

|                       |                |
|-----------------------|----------------|
| 规格Size                | 1500x760x860mm |
| 功率Power supply output | 3.5kw          |
| 电压Voltage             | 220V-240V      |
| 频率Frequency           | 50Hz-60Hz      |
| 包装尺寸Package size      | 1550x800x880mm |
| 净重N.W                 | 67.0kg         |
| 毛重G.W                 | 75.0kg         |



**ZH-5P**

保温陈列柜  
Electric Warming Showcase

|                       |                |
|-----------------------|----------------|
| 规格Size                | 1800x760x960mm |
| 功率Power supply output | 3.5kw          |
| 电压Voltage             | 220V-240V      |
| 频率Frequency           | 50Hz-60Hz      |
| 包装尺寸Package size      | 1840x800x960mm |
| 净重N.W                 | 83.0kg         |
| 毛重G.W                 | 88.0kg         |



**ZH-2P**

保温柜  
Electric Warming Showcase

|                       |               |
|-----------------------|---------------|
| 规格Size                | 660x550x620mm |
| 功率Power supply output | 1.2kw         |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 680x600x640mm |
| 净重N.W                 | 21.0kg        |
| 毛重G.W                 | 23.0kg        |



**ZH-2X2**

保温柜系列  
Electric Warming Showcase

|                       |               |
|-----------------------|---------------|
| 规格Size                | 700x640x730mm |
| 功率Power supply output | 0.7kw         |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 750x700x750mm |
| 净重N.W                 | 39.0kg        |
| 毛重G.W                 | 42.0kg        |



**ZH-2X3**

保温柜  
Electric Warming Showcase

|                       |                |
|-----------------------|----------------|
| 规格Size                | 1100x640x730mm |
| 功率Power supply output | 3.5kw          |
| 电压Voltage             | 220V-240V      |
| 频率Frequency           | 50Hz-60Hz      |
| 包装尺寸Package size      | 1150x700x750mm |
| 净重N.W                 | 51.0kg         |
| 毛重G.W                 | 56.0kg         |





**ZH-862**

**保温柜**

Electric Warming Showcase

|                       |               |
|-----------------------|---------------|
| 规格Size                | 650x500x580mm |
| 功率Power supply output | 1.5kw         |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 690x540x610mm |
| 净重N.W                 | 28.0kg        |
| 毛重G.W                 | 31.0kg        |



**ZH-863**

**保温柜**

Electric Warming Showcase

|                       |               |
|-----------------------|---------------|
| 规格Size                | 900x500x580mm |
| 功率Power supply output | 1.5kw         |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 950x540x610mm |
| 净重N.W                 | 46.0kg        |
| 毛重G.W                 | 50.0kg        |



**ZH-1P**

**保温陈列柜**

Electric Warming Showcase

|                       |               |
|-----------------------|---------------|
| 规格Size                | 350x425x500mm |
| 功率Power supply output | 0.85kw        |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 480x410x560mm |
| 净重N.W                 | 14.5kg        |
| 毛重G.W                 | 16.0kg        |



**ZH-660.R**

**保温柜**

Electric Warming Showcase

|                       |                |
|-----------------------|----------------|
| 规格Size                | 1500x760x860mm |
| 功率Power supply output | 1.2kw          |
| 电压Voltage             | 220V-240V      |
| 频率Frequency           | 50Hz-60Hz      |
| 包装尺寸Package size      | 760x530x730mm  |
| 净重N.W                 | 30.0kg         |
| 毛重G.W                 | 35.0kg         |



**ZH-900.R**

**保温陈列柜**

Electric Warming Showcase

|                       |               |
|-----------------------|---------------|
| 规格Size                | 900x480x635mm |
| 功率Power supply output | 1.80kw        |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 950x670x570mm |
| 净重N.W                 | 40.0kg        |
| 毛重G.W                 | 50.0kg        |



**ZH-1200.R**

**保温柜**

Electric Warming Showcase

|                       |                |
|-----------------------|----------------|
| 规格Size                | 1200x480x635mm |
| 功率Power supply output | 2.4kw          |
| 电压Voltage             | 220V-240V      |
| 频率Frequency           | 50Hz-60Hz      |
| 包装尺寸Package size      | 1250x590x840mm |
| 净重N.W                 | 50.0kg         |
| 毛重G.W                 | 62.0kg         |

# Steam Chartered Plane, Plate Warmer Cart

蒸包机、暖碟机

## 蒸包机、暖碟车 Steam Chartered Plane, Plate Warmer Cart



**ZH-500H**

蒸包机

Steam Chartered Plane

|                       |               |
|-----------------------|---------------|
| 规格Size                | 380x420x745mm |
| 功率Power supply output | 0.9kw         |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 505x430x850mm |
| 净重N.W                 | 23.5kg        |
| 毛重G.W                 | 25.0kg        |



**ZH-600H**

蒸包机

Steam Chartered Plane

|                       |               |
|-----------------------|---------------|
| 规格Size                | 445x520x825mm |
| 功率Power supply output | 1.2kw         |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 500x550x850mm |
| 净重N.W                 | 35.0kg        |
| 毛重G.W                 | 39.0kg        |



**ZH-11**

电热保温暖碟车

Electric Plate Warmer Cart (1 Holder)

|                       |               |
|-----------------------|---------------|
| 规格Size                | 450x485x770mm |
| 功率Power supply output | 0.4kw         |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 480x520x790mm |
| 净重N.W                 | 32.0kg        |
| 毛重G.W                 | 34.0kg        |



**ZH-12**

电热保温暖碟车

Electric Plate Warmer Cart (2 Holder)

|                       |               |
|-----------------------|---------------|
| 规格Size                | 450x910x770mm |
| 功率Power supply output | 0.8kw         |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 480x960x790mm |
| 净重N.W                 | 70.0kg        |
| 毛重G.W                 | 74.0kg        |





# Electric Bain Marie

## 保温汤池



### ZH-2V

#### 电热汤池 Electric Bain Marie

|                       |                |
|-----------------------|----------------|
| 规格Size                | 560x345x250mm  |
| 汤盆Tanks               | 1/2x100mmx2pcs |
| 功率Power supply output | 1.5kw          |
| 电压Voltage             | 220V-240V      |
| 频率Frequency           | 50Hz-60Hz      |
| 包装尺寸Package size      | 600x410x260mm  |
| 净重N.W                 | 10.0kg         |
| 毛重G.W                 | 11.0kg         |



### ZH-3V

#### 电热汤池 Electric Bain Marie

|                       |                |
|-----------------------|----------------|
| 规格Size                | 560x345x250mm  |
| 汤盆Tanks               | 1/3x100mmx3pcs |
| 功率Power supply output | 1.5kw          |
| 电压Voltage             | 220V-240V      |
| 频率Frequency           | 50Hz-60Hz      |
| 包装尺寸Package size      | 600x410x260mm  |
| 净重N.W                 | 10.5kg         |
| 毛重G.W                 | 12.0kg         |



### ZH-3

#### 电热汤池 Electric Bain Marie

|                       |                |
|-----------------------|----------------|
| 规格Size                | 560x400x270mm  |
| 汤盆Tanks               | 1/3x150mmx3pcs |
| 功率Power supply output | 1.5kw          |
| 电压Voltage             | 220V-240V      |
| 频率Frequency           | 50Hz-60Hz      |
| 包装尺寸Package size      | 600x410x320mm  |
| 净重N.W                 | 13.0kg         |
| 毛重G.W                 | 14.5kg         |



### ZH-4V

#### 电热汤池 Electric Bain Marie

|                       |                |
|-----------------------|----------------|
| 规格Size                | 700x560x250mm  |
| 汤盆Tanks               | 1/2x100mmx4pcs |
| 功率Power supply output | 1.5kw          |
| 电压Voltage             | 220V-240V      |
| 频率Frequency           | 50Hz-60Hz      |
| 包装尺寸Package size      | 740x640x260mm  |
| 净重N.W                 | 13.0kg         |
| 毛重G.W                 | 14.0kg         |



### ZH-4

#### 电热汤池 Electric Bain Marie

|                       |                |
|-----------------------|----------------|
| 规格Size                | 700x620x270mm  |
| 汤盆Tanks               | 1/2x150mmx4pcs |
| 功率Power supply output | 1.5kw          |
| 电压Voltage             | 220V-240V      |
| 频率Frequency           | 50Hz-60Hz      |
| 包装尺寸Package size      | 740x640x310mm  |
| 净重N.W                 | 15.0kg         |
| 毛重G.W                 | 16.0kg         |



### ZH-6V

#### 电热汤池 Electric Bain Marie

|                       |                |
|-----------------------|----------------|
| 规格Size                | 700x560x250mm  |
| 汤盆Tanks               | 1/3x150mmx6pcs |
| 功率Power supply output | 1.5kw          |
| 电压Voltage             | 220V-240V      |
| 频率Frequency           | 50Hz-60Hz      |
| 包装尺寸Package size      | 740x640x310mm  |
| 净重N.W                 | 17.0kg         |
| 毛重G.W                 | 18.5kg         |

# Electric Bain Marie

保温汤池



## ZH-BSB-23

电热汤池配玻璃架  
Electric Bain Marie

|                       |                |
|-----------------------|----------------|
| 规格Size                | 920x360x350mm  |
| 汤盆Tanks               | 1/2x100mm/3pcs |
| 功率Power supply output | 1.5kw          |
| 电压Voltage             | 220V-240V      |
| 频率Frequency           | 50Hz-60Hz      |
| 包装尺寸Package size      | 960x400x280mm  |
| 净重N.W                 | 16.0kg         |
| 毛重G.W                 | 21.0kg         |



## ZH-BSB-24

电热汤池配玻璃架  
Electric Bain Marie

|                       |                |
|-----------------------|----------------|
| 规格Size                | 1180x360x350mm |
| 汤盆Tanks               | 1/2x100mmx4pcs |
| 功率Power supply output | 1.5kw          |
| 电压Voltage             | 220V-240V      |
| 频率Frequency           | 50Hz-60Hz      |
| 包装尺寸Package size      | 21.0kg         |
| 净重N.W                 | 22.0kg         |
| 毛重G.W                 |                |



## ZH-BSB-25

电热汤池配玻璃架  
Electric Bain Marie

|                       |                |
|-----------------------|----------------|
| 规格Size                | 1460x360x350mm |
| 汤盆Tanks               | 1/2x100mm/5pcs |
| 功率Power supply output | 1.5kw          |
| 电压Voltage             | 220V-240V      |
| 频率Frequency           | 50Hz-60Hz      |
| 包装尺寸Package size      | 1530*400*280mm |
| 净重N.W                 | 25.0kg         |
| 毛重G.W                 | 26.0kg         |





# Western Fast Food Equipment

## 西式快餐设备

全不锈钢机体,温度均匀,高效节能,卫生,安全,快捷。

All stainless steel body, uniform temperature, uniform heating, high efficiency and energy saving health, safety, quick! durable.



**ZH-310**

台式薯条工作站  
Counter Top Chips Worker

|                       |               |
|-----------------------|---------------|
| 规格Size                | 330x565x420mm |
| 功率Power supply output | 1kw           |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 630x375x430mm |
| 净重N.W                 | 7.0kg         |
| 毛重G.W                 | 8.0kg         |



**VF-8**

台式薯条工作站  
Counter Top Chips Worker

|                       |               |
|-----------------------|---------------|
| 规格Size                | 800x710x650mm |
| 功率Power supply output | 0.72kw        |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 850x760x670mm |
| 净重N.W                 | 25.0kg        |
| 毛重G.W                 | 27.0kg        |



**VF-10**

台式薯条工作站  
Vertical Chips Worker

|                       |                 |
|-----------------------|-----------------|
| 规格Size                | 1000x700x1600mm |
| 功率Power supply output | 1kw             |
| 电压Voltage             | 220V-240V       |
| 频率Frequency           | 50Hz-60Hz       |
| 包装尺寸Package size      | 1030x730x1650mm |
| 净重N.W                 | 82.0kg          |
| 毛重G.W                 | 85.0kg          |



# Western Fast Food Equipment

西式快餐设备



**YA-900**

**腌制机**  
Meat Salting Machine

|                       |               |
|-----------------------|---------------|
| 规格Size                | 920x690x820mm |
| 功率Power supply output | 0.38kw        |
| 电压Voltage             | 220V-240V     |
| 包装尺寸Package size      | 960x750x860mm |
| 净重N.W                 | 38.0kg        |
| 毛重G.W                 | 41.0kg        |



**YA-909**

**真空腌制机**  
Vacuum Meat Salting Machine

|                       |               |
|-----------------------|---------------|
| 规格Size                | 920x690x820mm |
| 功率Power supply output | 0.5kw         |
| 电压Voltage             | 220V-240V     |
| 包装尺寸Package size      | 960x750x860mm |
| 净重N.W                 | 51.0kg        |
| 毛重G.W                 | 55.0kg        |



**GW-800**

**手动裹粉台**  
Wrapping Powder Table

|                       |               |
|-----------------------|---------------|
| 规格Size                | 700x800x890mm |
| 功率Power supply output | 0.72kw        |
| 包装尺寸Package size      | 820x700x280mm |
| 净重N.W                 | 14.5kg        |
| 毛重G.W                 | 16.0kg        |



**ZH-212**

**汉堡包机**  
Hamburger Machine

|                       |               |
|-----------------------|---------------|
| 规格Size                | 406x660x290mm |
| 功率Power supply output | 2kw           |
| 电压Voltage             | 220V-240V     |
| 频率Frequency           | 50Hz-60Hz     |
| 包装尺寸Package size      | 450x700x320mm |
| 净重N.W                 | 25.0kg        |
| 毛重G.W                 | 26.0kg        |



**ZH-831**

**滤油车**  
Shortening Filter Cart

|                       |               |
|-----------------------|---------------|
| 规格Size                | 460x750x650mm |
| 功率Power supply output | 0.55kw        |
| 电压Voltage             | 220V-240V     |
| 包装尺寸Package size      | 500x800x690mm |
| 净重N.W                 | 42.0kg        |
| 毛重G.W                 | 44.0kg        |



**WS-01**

**中心岛**  
Center Island

|                  |                |
|------------------|----------------|
| 规格Size           | 1200x760x780mm |
| 包装尺寸Package size | 1250x800x820mm |
| 净重N.W            | 55.0kg         |
| 毛重G.W            | 58.0kg         |



**WS-02**

**中心岛**  
Center Island

|                  |                |
|------------------|----------------|
| 规格Size           | 1500x760x780mm |
| 包装尺寸Package size | 1550x800x820mm |
| 净重N.W            | 71.0kg         |
| 毛重G.W            | 76.0kg         |





### ZH-3C

可调式分贝器  
Adjustable Cup Dispenser

|                  |               |
|------------------|---------------|
| 规格Size           | 200x700x500mm |
| 包装尺寸Package size | 220x720x520mm |
| 净重N.W            | 12.0kg        |
| 毛重G.W            | 13.0kg        |



### KB-6S

开水器  
Water Boiler

|                       |               |
|-----------------------|---------------|
| 规格Size                | 250x410x455mm |
| 功率Power supply output | 0.38kw        |
| 电压Voltage             | 220V-240V     |
| 包装尺寸Package size      | 280x440x480mm |
| 净重N.W                 | 22.0kg        |
| 毛重G.W                 | 24.0kg        |



### YX-01

单头奶昔机  
Single Milk Machine

|                       |               |
|-----------------------|---------------|
| 规格Size                | 190x160x530mm |
| 功率Power supply output | 0.18kw        |
| 电压Voltage             | 220V-240V     |
| 包装尺寸Package size      | 210x180x550mm |
| 净重N.W                 | 4.0kg         |
| 毛重G.W                 | 4.4kg         |



### YX-110H

单头摇摇机  
Single Shake Machine

|                       |               |
|-----------------------|---------------|
| 规格Size                | 350x300x320mm |
| 功率Power supply output | 0.12kw        |
| 电压Voltage             | 220V-240V     |
| 包装尺寸Package size      | 410x360x360mm |
| 净重N.W                 | 30.0kg        |
| 毛重G.W                 | 32.0kg        |



### ZH-8H

8段计时器  
8 Level Timer

|                       |              |
|-----------------------|--------------|
| 规格Size                | 320x110x40mm |
| 功率Power supply output | 0.05kw       |
| 电压Voltage             | 220V-240V    |
| 频率Frequency           | 50Hz-60Hz    |
| 包装尺寸Package size      | 360x155x61mm |
| 净重N.W                 | 1.0kg        |
| 毛重G.W                 | 2.0kg        |



### YX-02

双头奶昔机  
Double Milk Machine

|                       |               |
|-----------------------|---------------|
| 规格Size                | 230x230x530mm |
| 功率Power supply output | 0.18kw+0.18kw |
| 电压Voltage             | 220V-240V     |
| 包装尺寸Package size      | 250x250x550mm |
| 净重N.W                 | 7.0kg         |
| 毛重G.W                 | 7.5kg         |



### YX-120H

双头摇摇机  
Double Shake Machine

|                       |               |
|-----------------------|---------------|
| 规格Size                | 350x300x320mm |
| 功率Power supply output | 0.12kw        |
| 电压Voltage             | 220V-240V     |
| 包装尺寸Package size      | 410x360x360mm |
| 净重N.W                 | 31.0kg        |
| 毛重G.W                 | 33.0kg        |

# Western Fast Food Equipment

## 西式快餐设备



**ZSDXZ-120** 中式单星洗刷池  
Single Sink Bench

|                        |                      |
|------------------------|----------------------|
| 规格Size                 | 1200x700x(800+100)mm |
| 星盆尺寸Sink Size          | 500x500x280mm        |
| 材质厚度Material Thickness | 201/304:1.0-1.5mm    |
| 包装尺寸Package size       | 1220x720x450mm       |
| 净重N.W                  | 20.0kg               |
| 毛重G.W                  | 21.0kg               |



**ZSDXZ-110** 中式单星洗刷池  
Single Sink Bench

|                        |                      |
|------------------------|----------------------|
| 规格Size                 | 1100x650x(800+100)mm |
| 星盆尺寸Sink Size          | 450x450x280mm        |
| 材质厚度Material Thickness | 201/304:1.0-1.5mm    |
| 包装尺寸Package size       | 1120x670x450mm       |
| 净重N.W                  | 22.0kg               |
| 毛重G.W                  | 23.0kg               |



**ZSEX-120** 中式双星洗刷池  
Double Table With Perforated Shelf

|                        |                      |
|------------------------|----------------------|
| 规格Size                 | 1200x700x(800+100)mm |
| 星盆尺寸Sink Size          | 500x500x280mm        |
| 材质厚度Material Thickness | 201/304:1.0-1.5mm    |
| 包装尺寸Package size       | 1220x720x450mm       |
| 净重N.W                  | 28.0kg               |
| 毛重G.W                  | 30.0kg               |



**ZSEX-110** 中式双星洗刷池  
Double Sink Table With Perforated Shelf

|                        |                      |
|------------------------|----------------------|
| 规格Size                 | 1100x650x(800+100)mm |
| 星盆尺寸Sink Size          | 450x450x280mm        |
| 材质厚度Material Thickness | 201/304:1.0-1.5mm    |
| 包装尺寸Package size       | 1120x670x450mm       |
| 净重N.W                  | 26.0kg               |
| 毛重G.W                  | 27.0kg               |



**ZH-H3** 双层平板工作台  
Worktable With Under Shelf

|                        |                   |
|------------------------|-------------------|
| 规格1Size 1              | 1200x600x800mm    |
| 规格2Size 2              | 1500x600x800mm    |
| 规格3Size 3              | 1800x600x800mm    |
| 材质厚度Material Thickness | 201/304:1.0-1.5mm |



**ZH-H4** 双层平板工作台  
Worktable With Under Shelf

|                        |                   |
|------------------------|-------------------|
| 规格1Size 1              | 1200x600x800mm    |
| 规格2Size 2              | 1500x600x800mm    |
| 规格3Size 3              | 1800x600x800mm    |
| 材质厚度Material Thickness | 201/304:1.0-1.5mm |



**ZH-H5** 靠背双层平板工作台  
Worktable With Under Shelf & Backsplash

|                        |                   |
|------------------------|-------------------|
| 规格1Size 1              | 1200x600x800mm    |
| 规格2Size 2              | 1500x600x800mm    |
| 规格3Size 3              | 1800x600x800mm    |
| 材质厚度Material Thickness | 201/304:1.0-1.5mm |



**ZH-H26** 四层蔬菜架  
Four Layer Thin A Dish Rack

|                        |                   |
|------------------------|-------------------|
| 规格1Size 1              | 1200x600x1550mm   |
| 规格2Size 2              | 1500x600x1550mm   |
| 规格3Size 3              | 1800x600x1550mm   |
| 材质厚度Material Thickness | 201/304:1.0-1.5mm |



**ZH-H24** 四层平板菜架  
Four Layer Flat Dish Rack

|                        |                   |
|------------------------|-------------------|
| 规格1Size 1              | 1200x600x1550mm   |
| 规格2Size 2              | 1500x600x1550mm   |
| 规格3Size 3              | 1800x600x1550mm   |
| 材质厚度Material Thickness | 201/304:1.0-1.5mm |



**ZH-H25** 四层平板菜架  
Four Layer Flat Dish Rack

|                        |                   |
|------------------------|-------------------|
| 规格1Size 1              | 1200x600x1550mm   |
| 规格2Size 2              | 1500x600x1550mm   |
| 规格3Size 3              | 1800x600x1550mm   |
| 材质厚度Material Thickness | 201/304:1.0-1.5mm |





# Western Kitchen Equipment

## 杂厨设备



**KB-01**

规格Size:400x200x350mm  
Manual Cut Fries Machine



**KB-02**

规格Size:400x200x280mm  
Manual Cut Fries Machine



**KB-03**

规格Size:270x120x150mm  
Manual Cut Fries Machine



**KB-04**

薯条铲  
Chips Scoop



**KB-05**

鱼丸酱漏斗  
Sauce Dispenser



**KB-06**

酱料枪  
Sauce Gun



**KB-07**

吸管盒  
Tube Box



**炸篮 1**

规格Size:280x270x140mm  
Fryer Basket 1



**炸篮 2**

规格Size:340x160x140mm  
Fryer Basket 2



Address: No. 38, Zhangbian Huan Cun Street Nancun Town  
Panyu District, Guangzhou, China  
Email : [info@truwincateringequip.com](mailto:info@truwincateringequip.com)  
TEL/WHATSAPP: +86 18578677685